

# CABLE MANAGEMENT TRADE PRICE BOOK





Aliaxis are passionate about creating sustainable innovative solutions for water and energy. We provide people around the world with advanced plastic piping systems, leading the industry in a way that anticipates the rapidly evolving needs of our times.

Marley has been part of the Aliaxis group since 2003 and providing spouting, downpipes, building, plumbing and electrical solutions for New Zealand since 1959.

With local manufacturing sites employing local people, the vast majority of the products we sell are proudly New Zealand made.


We are committed to keeping New Zealand green. Marley operates a uPVC recycling program as part of our ISO 14001 environmental management system and is Best Environmental Practice certified for its entire manufactured range of uPVC systems.

This allows designers to achieve GreenStar credits when specifying Marley uPVC systems in commercial buildings, and installers / end users to recycle their uPVC products.\*

### BEST ENVIRONMENTAL PRACTICE



<sup>\*</sup> Talk to us about our recycling program and requirements regarding return and condition of product.



# **CONTENTS**

#### **PAGE**

02	CONDUIT SYSTEMS		22	CABLE DUCT SYSTEMS
<b>03</b>	MARLEY ARMA® RIGID CONDUIT SYSTEMS  Above & Below Ground Rigid Conduit	;	25	CALIBRE TRENCH CABLE DUCT (STRAIGHT LENGTHS)
05 11	Above & Below Ground Rigid Conduit Fittin Accessories	ngs	26	CALIBRE TRENCHLESS CABLE DUCT (COILS)
13	MARLEY ARMA® CORRUGATED		27	CALIBRE TRENCH JOINTING
	CONDUIT SYSTEMS		27	Cable Duct Bends
13	Heavy & Medium Duty Corrugated Conduit		28	Cable Duct Accessories
14	4 Corrugated Conduit Fittings & Accessories		28	uPVC Jointing
15	TRUNKING SYSTEMS		29	CALIBRE TRENCHLESS JOINTING
16	Mini Trunking & Fittings		29	Electrofusion Fittings
18	Maxi Trunking & Fittings		29	Compression Fittings
19	AIR-CON DUCT SYSTEMS		30	CALIBRE TRENCH & TRENCHLESS JOINTING
20	Air Conditioning Duct and Fittings		30	Access Pits
			31	CHORUS NZ APPROVED CABLE DUCT PRODUCTS
			31	Trench & Trenchless Cable Duct



# THE ULTIMATE DEFENCE







# **CONDUIT SYSTEMS**

A RIGID CONDUIT SYSTEMS	ABOVE GROUND	BELOW GROUN
MARLEY ARMA® RIGID CONDUIT	03	03
MARLEY ARMA® RIGID CONDUIT FITTINGS	05	05
Couplers & Nipples	05	05
Adaptors & Reducers	05	05
Locknuts & Rings	06	06
Saddles (Spacers) & Clips	06	06
Elbows & Bends	07	07
Inspection Elbows, Tees & Bends	08	08
Bushes	08	08
Junction Boxes & Enclosures	09	09
MARLEY ARMA® RIGID CONDUIT ACCESSORIES	11	11
Bending Springs	11	11
Jointing Solvent	11	11

CORRUGATED CONDUIT SYSTEMS	HEAVY DUTY	MEDIUM DUTY
MARLEY ARMA® CORRUGATED CONDUIT	13	13
ARMA® CORRUGATED CONDUIT ACCESSORIES	14	14
Conduit Glands	14	14
Saddles	14	14
Plain to Screw (male) Adapters	14	14
Jointing uPVC	14	14

# MARLEY ARMA RIGID CONDUIT SYSTEMS



\*Standard length = 4m (incl. socket length)

SIZE (OD) (mm)	PACK*	REC. TRADE PRICE (\$/unit)	CODE					
RIGID CONDUIT								
20	80m (20 x 4m)	\$37.21	01.20HD.GY					
25	40m (10 x 4m)	\$47.00	01.25HD.GY					
32	40m (10 x 4m)	\$61.87	01.32HD.GY					
40	24m (6 x 4m)	\$84.58	01.40HD.GY					
50	24m (6 x 4m)	\$129.55	01.50HD.GY					






\*Standard length = 4m (incl. socket length)

SIZE (OD) (mm)	PACK*	REC. TRADE PRICE (\$/unit)	CODE
RIGID CO	NDUIT		
20	80m (20 x 4m)	\$37.21	01.20HD.OR
25	40m (10 x 4m)	\$47.00	01.25HD.OR
32	40m (10 x 4m)	\$61.87	01.32HD.OR
40	24m (6 x 4m)	\$84.58	01.40HD.OR
50	24m (6 x 4m)	\$129.55	01.50HD.OR





# MARLEY ARMA RIGID CONDUIT FITTINGS





#### **EXTENSIVE FITTINGS RANGE**

All Marley fittings are rated for Heavy Duty mechanical & UV protection - designed to withstand outdoor weathering & achieve long term durability

- > Couplers & nipples
- > Adapters & reducers
- Lock nut & lock rings
- Saddles (spacers) & clips
- > Elbows & bends
- Inspections (elbows, tees & bends)
- > Bushes
- > Junction boxes, enclosures





#### **EXTENSIVE FITTINGS RANGE**

All Marley fittings are rated Heavy Duty performance to withstand mechanical forces below ground

- > Elbows & bends
- Couplers
- Adapters & reducers
- Lock nuts
- Inspections (elbows, tees & bends)
- > Junction boxes





# MARLEY ARMA RIGID CONDUIT FITTINGS

# **COUPLERS & NIPPLES**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
PLAIN CO	UPLINGS						
20	50	02.20G	\$2.37		02.200	\$2.55	
25	20	02.25G	\$2.60		02.250	\$2.60	
32	20	02.32G	\$3.60		02.320	\$3.60	
40	20	02.40G	\$5.93		02.400	\$5.93	
50	20	02.50G	\$10.12		02.500	\$10.12	
20	50	ON COUPLING	\$6.63				
25 SCREWED	20 NIPPLES	03.25G	\$7.95				
20	50	06.20G	\$2.78				
25	20	06.25G	\$3.45				
32	20	06.32G	\$6.13				
40	20	06.40G	\$8.86				
50	10	06.50G	\$10.30				

# **ADAPTORS & REDUCERS**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
PLAIN TO	SCREW (	(FEMALE) ADA	PTORS				
20	50	04.20G	\$3.69		04.200	\$3.69	
25	20	04.25G	\$4.90		04.250	\$4.90	
32	10	04.32G	\$8.14		04.320	\$8.14	
40	10	04.40G	\$13.87				
50	10	04.50G	\$21.96				
PLAIN TO	SCREW (	(MALE) ADAPT	ORS				
20	50	05.20G	\$3.99		05.200	\$3.99	
25	20	05.25G	\$4.90		05.250	\$4.90	
32	20	05.32G	\$6.41		05.320	\$6.41	
40	20	05.40G	\$10.32		05.400	\$10.32	
50	20	05.50G	\$14.19		05.500	\$14.19	

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
PLAIN REI		t size down)					
20	50	07.20G	\$2.57	UF			01
25	50	07.25G	\$2.57		07.250	\$2.57	
32	20	07.32G	\$6.30		07.320	\$6.30	
40	20	07.40G	\$8.73		07.400	\$9.01	
50	10	07.50G	\$20.48		07.500	\$22.53	
SCREWED (Fittings red		ERS t size down)					
20	50	08.20G	\$5.24		08.200	\$5.45	
25	50	08.25G	\$15.67		08.250	\$15.67	
32	50	08.32G	\$16.46		08.320	\$16.46	

# **LOCKNUTS & RINGS**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
LOCKNUT	S						
20	100	09.20G	\$2.07		09.200	\$2.07	
25	50	09.25G	\$2.19		09.250	\$2.19	
32	50	09.32G	\$2.53		09.320	\$2.53	
40	20	09.40G	\$9.02		09.400	\$9.02	
50	20	09.50G	\$10.95		09.500	\$10.95	
LOCKRING	GS						
20	100	29.20G	\$1.13				
25	50	29.25G	\$1.76				

# SADDLES (SPACERS) & CLIPS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
SADDLES							
20	100	10.20G	\$1.11		10.200	\$1.11	
25	100	10.25G	\$1.48		10.250	\$1.48	
32	50	10.32G	\$2.08		10.320	\$2.08	
40	50	10.40G	\$2.54		10.400	\$2.54	
50	20	10.50G	\$2.84		10.500	\$2.84	

# SADDLES (SPACERS) & CLIPS CONT.

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
SADDLE S	SPACER						
20	50	\$\$.20G	\$6.00				
25	20	SS.25G	\$6.78				
CONDUIT	CLIPS						
20	50	19.20G	\$4.49		19.200	\$4.49	
25	50	19.25G	\$5.22		19.250	\$5.22	
32	20	19.32G	\$5.93	100	19.320	\$5.93	
40	20	19.40G	\$10.66	15C 25			126.25
50	10	19.50G	\$12.13				

# **ELBOWS & BENDS**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
SOLID ELI	30WS 90	o					
20	20	11.20G	\$8.14		11.200	\$8.14	
25	20	11.25G	\$8.99		11.250	\$8.99	
PLAIN BEI	NDS 90°						
20	20	12.20G	\$7.93		12.200	\$7.93	
25	20	12.25G	\$8.80		12.250	\$8.80	
32	10	12.32G	\$10.38		12.320	\$10.38	James Barrier
40	5	12.40G	\$11.50		12.400	\$11.50	
50	5	12.50G	\$14.84		12.500	\$14.84	
SWEEP BI	ENDS 45°	)					
20	1	12A.20.45G	\$17.31		12A.20.45O	\$17.31	
25	1	12A.25.45G	\$23.39		12A.25.45O	\$21.98	
32	1	12A.32.45G	\$31.61		12A.32.45O	\$31.61	
40	1	12A.40.45G	\$22.87		12A.40.45O	\$22.87	
50	1	12A.50.45G	\$25.53		12A.50.45O	\$25.53	
SWEEP BI	ENDS 90°	)					
20	1	12A.20.90G	\$14.84		12A.20.90O	\$14.84	
25	1	12A.25.90G	\$21.24		12A.25.90O	\$21.24	
32	1	12A.32.90G	\$22.59		12A.32.90O	\$22.59	
40	1	12A.40.90G	\$24.83		12A.40.90O	\$24.83	
50	1	12A.50.90G	\$34.41		12A.50.90O	\$34.41	

# INSPECTION ELBOWS, TEES & BENDS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	PACK	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
INSPECT	ION ELE	30W 90°						
20	20	13.20G	\$8.31		5	13.200	\$8.31	
25	20	13.25G	\$8.94	MANIS	5	13.250	\$8.94	
32	10	13.32G	\$12.63		5	13.320	\$12.63	
40	10	13.40G	\$26.39					
50	5	13.50G	\$43.80					
INSPECT	ION TEE	:S						
20	20	14.20G	\$10.38		5	14.200	\$10.38	
25	10	14.25G	\$11.50	a designation of	5	14.250	\$11.50	
32	10	14.32G	\$13.95		5	14.320	\$13.95	
40	5	14.40G	\$31.67					
50	2	14.50G	\$55.88		2	14.500	\$55.88	
INSPECT	ION BEI	NDS 90°						
20	20	15.20G	\$10.38		20	15.200	\$10.38	
25	20	15.25G	\$10.94	0	20	15.250	\$10.94	
32	10	15.32G	\$12.46		10	15.320	\$12.46	

# **BUSHES**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
MALE BUS	SH						
20	50	17.20G	\$1.23				
25	20	17.25G	\$2.22				
32	20	17.32G	\$2.68				
40	20	17.40G	\$4.96				
50	10	17.50G	\$6.00				
FEMALE E	BUSH						
20	50	18.20G	\$1.23				
25	20	18.25G	\$2.22				
32	20	18.32G	\$2.68				
40	20	18.40G	\$4.96				
50	10	18.50G	\$6.00				

## **JUNCTION BOXES & ENCLOSURES**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
CIRCULA (ØxH)	R JUN	CTION BOXES (75	5mm diameter)				
75 x 35	10	21.20G (1W)	\$12.23		21.200 (1W)	\$12.23	
75 x 35	10	21.25G (1W)	\$12.90		21.25O (1W)	\$14.43	
75 x 35	10	22.20G (2W)	\$12.83		22.20O (2W)	\$12.83	
75 x 35	10	22.25G (2W)	\$13.55	En Caracan	22.25O (2W)	\$13.10	A MARIE LAND
75 x 35	10	23.20G (3W)	\$13.30	•	23.20O (3W)	\$13.30	<b>®</b>
75 x 35	10	23.25G (3W)	\$14.05	200	23.25O (3W)	\$14.05	
75 x 35	10	24.20G (4W)	\$13.66		24.200 (4W)	\$12.40	
75 x 35	10	24.25G (4W)	\$14.43		24.25O (4W)	\$14.43	
75 x 35	10	25.20G (A)	\$13.30		25.20O (A)	\$13.30	
75 x 35	10	25.25G (A)	\$14.05		25.25O (A)	\$13.10	

#### **CIRCULAR JUNCTION BOXES (67mm diameter)**

(ØxH)

(~/			
67 x 38	10	21.20.AE.G (1W)	\$12.23
67 x 38	10	21.25.AE.G (1W)	\$12.90
67 x 38	10	22.20.AE.G (2W)	\$12.83
67 x 38	10	22.25.AE.G (2W)	\$13.55
67 x 38	10	23.20.AE.G (3W)	\$13.30
67 x 38	10	23.25.AE.G (3W)	\$14.05
67 x 38	10	24.20.AE.G (4W)	\$12.40
67 x 38	10	24.25.AE.G (4W)	\$14.43



Note: Designed to fit most batten holders & ceiling roses.

#### **DEEP CIRCULAR JUNCTION BOXES**

(ØxH) 67 x 73 5 21.20.AED.G (1W) \$17.04 67 x 73 5 21.25.AED.G (1W) \$19.82 67 x 73 5 22.20.AED.G (2W) \$17.61 67 x 73 5 22.25.AED.G (2W) \$20.51 67 x 73 5 23.20.AED.G (3W) \$17.04 5 23.25.AED.G (3W) 67 x 73 \$21.24 67 x 73 5 24.20.AED.G (4W) \$18.75



Note: Designed to fit most batten holders & ceiling roses.

#### **JUNCTION BOX LID**

ø75 1 17G \$3.20

Note: Will not fit the AE range.



# JUNCTION BOXES & ENCLOSURES CONT.

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE (\$/unit)	BELOW GROUND
SQUARE JUNCT	ION B	OXES					
32	5	51.32G (1W)	\$25.76	•	51.32O (1W)	\$25.76	
40	1	51.40G (1W)	\$60.56				•
50	1	51.50G (1W)	\$62.92		51.50O (1W)	\$62.92	
32	5	52.32G (2W)	\$27.62		52.32O (2W)	\$27.62	
40	1	52.40G (2W)	\$71.49				
50	1	52.50G (2W)	\$85.58		52.50O (2W)	\$85.58	
32	5	53.32G (3W)	\$29.10		53.32O (3W)	\$29.10	
40	1	53.40G (3W)	\$94.05				
50	1	53.50G (3W)	\$111.56				
32	5	54.32G (4W)	\$29.59				
40	1	54.40G (4W)	\$122.81				
50	1	54.50G (4W)	\$141.18				
32	5	55.32G (A)	\$28.37				
40	1	55.40G (A)	\$73.40				
50	1	55.50G (A)	\$87.84				
ELECTRICAL EN	ICLOS!	URE BOXES					
(L x W x H)							
100 x 100 x 54	1	EE256	\$67.19				
164 x 129 x 68	1	EE356	\$95.17				
214 x 162 x 92	1	EE362	\$126.30				
214 x 162 x 128	1	EE362H	\$161.22				

Note: 1) All Enclosure Boxes include rubber gasket for IP55 rated protection

- 2) All Enclosure Boxes have plain sides
- 3) EE362H has a high lid design

#### ADAPTABLE BOXES

(L x W x H)

76 x 76 x 51 1 16.01G \$31.90



# **RIGID CONDUIT ACCESSORIES**

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE (\$/unit)	
BENDING SPRI	INGS (for He	eavy Duty rated	conduit to AS/NZS 61386)	
20	1	20.20	\$69.58	A
25	1	20.25	\$90.68	
32	1	20.32	\$96.45	
JOINTING uPV				
125ml (Clear)	1 POT	SC125C	\$13.95	GAUTION
250ml (Clear)	1 POT	SC250C	\$17.46	PUC SOLVENT CREAT - CLEM

# INSIST ON BEP CERTIFIED PRODUCTS

Commercial 'Green Star' building customers demand products that meet the Green Building Council's Best Environmental Practice guidelines.

# Marley uPVC conduit pipe and fittings are BEP certified.

Marley is New Zealand's only manufacturer that offers a complete uPVC electrical pipe and fittings system that has been independently certified to meet the Green Building Council's Best Practice Guidelines for PVC in the built environment.

#### **BEP** criteria:

- ✓ Audited supply chain
- ✓ Manufacture of PVC Resin
- ✓ Manufacture of PVC Product
- ✓ PVC Product end of life management
- ✓ Use of PVC recyclate in PVC products

Insist on genuine Marley BEP products, proud New Zealand manufacturer.



# MARLEY ARMA CORRUGATED CONDUIT SYSTEMS

### **CORRUGATED CONDUIT**

#### HEAVY DUTY

SIZE (OD) (mm)	COIL LENGTH (m)	REC. TRADE PRICE (\$/unit)	CODE
20	25	\$362.47	30.20HD.25.GY
25	25	\$541.15	30.25HD.25.GY
32	25	\$879.54	30.32HD.25.GY
20	100	\$1,449.86	30.20HD.100.GY
25	100	\$2,164.58	30.25HD.100.GY

Note: Conduit colour available in grey only.





First choice to achieve best practice installation - max protection, ease of install, made to high quality.

Ideal for solar and non solar applications.


#### MEDIUM DUTY

SIZE (OD) (mm)	COIL LENGTH (m)	REC. TRADE PRICE (\$/unit)	CODE
20	25	\$252.53	30.20MD.25.GY
25	25	\$300.64	30.25MD.25.GY
32	25	\$458.52	30.32MD.25.GY
40	25	\$997.57	30.40MD.25.GY
50	25	\$1,518.81	30.50MD.25.GY
20	100	\$1,010.12	30.20MD.100.GY
25	100	\$1,202.56	30.25MD.100.GY

Note: Conduit colour available in grey only.



All the features of ARMA® HD but with medium duty performance for indoor or outdoor applications.



# **ACCESSORIES**

SIZE (OD) (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	
CONDUIT GLAN	IDS			
20	20	\$13.76	27.20G	
25	20	\$17.04	27.25G	
32	10	\$33.35	27.32G	
40	5	\$88.25	27.40G	
50	5	\$115.14	27.50G	
PLAIN TO SCRE	W (MALI	E) ADAPTORS		
20	50	\$3.99	05.20G	
25	20	\$4.90	05.25G	
32	20	\$6.41	05.32G	
40	10	\$10.32	05.40G	
50	10	\$14.19	05.50G	
SADDLE				
20	100	\$1.11	10.20G	
25	100	\$1.48	10.25G	
32	50	\$2.08	10.32G	
40	50	\$2.54	10.40G	
50	20	\$2.84	10.50G	
JOINTING uPVO	;			
PVC SOLVENT CEM	IENT			
125ml (Clear)	1 POT	\$13.95	SC125C	CAUTION
250ml (Clear)	1 POT	\$17.46	SC250C	Remarker Proconjent Cement Clear

# TRUNKING SYSTEMS

#### PAGE

#### 15 TRUNKING SYSTEMS

- 16 MINI TRUNKING
- 16 Mini Trunking Fittings
- 18 MAXI TRUNKING
- 18 Maxi Trunking Fittings



# MINI TRUNKING SYSTEMS

# **MINI TRUNKING**

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
MINI TRU	INKING – 3m				
16 x 10	60m (20 x 3m)	\$28.34	1610.W3	White	
16 x 16	60m (20 x 3m)	\$30.14	1616.W3	White	
25 x 16	60m (20 x 3m)	\$43.57	2516.W3	White	
25 x 16	60m (20 x 3m)	\$47.54	2516.B3	Brown	
25 x 25	30m (10 x 3m)	\$52.81	2525.W3	White	
40 x 16	30m (10 x 3m)	\$58.63	4016.W3	White	
40 x 25	30m (10 x 3m)	\$62.52	4025.W3	White	
40 x 40	30m (10 x 3m)	\$95.30	4040.W3	White	
MINI TRU	INKING – 4m				
16 x 10	80m (20 x 4m)	\$35.74	1610AD.W4	White	
16 x 16	80m (20 x 4m)	\$37.49	1616AD.W4	White	
25 x 16	80m (20 x 4m)	\$55.21	2516AD.W4	White	
25 x 25	80m (10 x 4m)	\$67.33	2525AD.W4	White	
40 x 25	40m (10 x 4m)	\$82.08	4025AD.W4	White	
TWIN CO	MPARTMENT M	INI TRUNKING – 3	m		
40 x 25	30m (10x3m)	\$79.69	4025TC.W3	White	

# **MINI TRUNKING FITTINGS**

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
INTERNAL	ANGLE				
16 x 16	10	\$5.43	1616.AI.W	White	
25 x 16	10	\$7.08	2516.AI.W	White	
40 x 25	10	\$27.40	4025.AI.W	White	
EXTERNAL	ANGLE				
16 x 16	10	\$5.88	1616.AE.W	White	
25 x 16	10	\$7.08	2516.AE.W	White	
40 x 25	10	\$27.74	4025.AE.W	White	
FLAT ANGL	.E				
16 x 16	10	\$5.43	1616.AF.W	White	
25 x 16	10	\$9.26	2516.AF.W	White	
40 x 25	5	\$27.99	4025.AF.W	White	

# MINI TRUNKING FITTINGS CONT.

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
SIDE TEE					
25 x 16	10	\$15.38	2516.ST.W	White	
FLAT TEE					
16 x 16	10	\$9.33	1616.TF.W	White	
25 x 16	10	\$9.98	2516.TF.W	White	
END PIECE					
16 x 16	20	\$4.14	1616.EP.W	White	Manager 1
25 x 16	20	\$4.76	2516.EP.W	White	
COUPLING					
16 x 16	20	\$4.76	1616.C.W	White	2.3
25 x 16	20	\$7.08	2516.C.W	White	
40 x 25	10	\$9.84	4025.C.W	White	

# **MAXI TRUNKING SYSTEMS**

## **MAXI TRUNKING**

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
MAXI TRUN	IKING – 4m				
50 x 50	32m (8 x 4m)	\$193.71	5050AD.G4	Dark Grey	
75 x 50	24m (6 x 4m)	\$234.75	7550AD.G4	Dark Grey	
75 x 75	24m (6 x 4m)	\$306.66	7575AD.G4	Dark Grey	
100 x 100	16m (4 x 4m)	\$479.37	100100AD.G4	Dark Grey	
150 x 75	8m (2 x 4m)	\$540.14	15075AD.G4	Dark Grey	

## **MAXI TRUNKING FITTINGS**

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
END PIECE					
50 x 50	1	\$17.05	R5050.EP.G	Grey	
75 x 50	1	\$17.36	R7550.EP.G	Grey	
100 x 100	1	\$18.85	100100.EP.G	Grey	

# **EGA TUBE TRUNKING**

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
EGA TUBE	TRUNKING – 3m				
50 x 50	18m (6 x 3m)	\$153.97	R5050.GP	Grey	400
75 x 50	18m (6 x 3m)	\$186.64	R7550.GP	Grey	

Note: EGA Tube Trunking is a rounded edge profile compared to Maxi-Trunking.

Maxi trunking end pieces (R5050.EP.G & R7550.EP.G) can be retro fitted to be used on EGA tube. This requires mitre-cutting ( $2 \times 10^{-2}$  x internal pieces) and rounding off edges to produce an adequate fit.

# **AIR-CON DUCT SYSTEMS**


#### **PAGE**

- 19 AIR-CON DUCT SYSTEM
- 20 AIR CONDITIONING DUCT AND FITTINGS

#### INDEPENDENT WEATHERING TEST RESULTS

In an independent weathering test, various brands of Air-Con duct were exposed to 1,000 hours of UV light and condensation testing.

Marley Air-Con duct had the least amount of colour change; indicating the **highest resistance to weathering in our conditions.** 



<sup>\*</sup>Source: 'UV/ Condensation testing of PVC ducting materials' - Felix Research Laboratories, May 2011. Report # 1008079.11

# **AC DUCT**

SIZE (mm)	LENGTH (m)	REC. TRADE PRICE (\$/unit)	CODE	COLOUR	
AC DUCT					
80mm	2	\$78.34	PD80IV2000	lvory	

# **AC DUCT FITTINGS**

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	COLOUR				
WALL CAP	•							
80mm	1	\$28.31	PD80WC	Ivory				
CEILING CAP								
80mm	1	\$34.25	PD80CC	Ivory				
CORNER								
80mm	1	\$29.32	PD80C	Ivory				
<b>ELBOW</b>								
80mm	1	\$28.81	PD80E	Ivory				
JOINT								
80mm	1	\$9.62	PD80J	Ivory				
FLEX JOIN	IT							
80mm	1	\$48.89	PD80FJ	Ivory				
MOUNTING	MOUNTING BLOCK							
-	1	\$35.55	PDMBIV.450	Ivory				
Note: Mount	Note: Mounting Block can be used with other AC duct systems.							



by aliaxis

# Committed to a sustainable future



Water and resource conservation



Recycling Programs



Energy consumption and management



Waste minimisation






# **CABLE DUCT SYSTEMS**

#### **PAGE**

25	CALIBRE® TRENCH CABLE DUCT
	(STRAIGHT LENGTHS)

- 26 CALIBRE TRENCHLESS CABLE DUCT (COILS)
- 27 CALIBRE TRENCH JOINTING
- 27 Cable Duct Bends
- 28 Cable Duct Accessories (Solvent Type)
- 28 uPVC Jointing
- 29 CALIBRE TRENCHLESS JOINTING
- 29 Electrofusion Fittings
- 29 Compression Fittings
- 30 CALIBRE TRENCH & TRENCHLESS JOINTING
- 30 Access Pits
- 31 CHORUS NZ APPROVED CABLE DUCT PRODUCTS
- 31 Trench & Trenchless Cable Duct





# PERFORMANCE REDEFINED



# **FEATURES & BENEFITS**

The new CALIBRE® product range by Marley delivers a unified approach to cable ducting design, manufacture, and installation.

As a **fully featured PE and PVC cable duct range, CALIBRE**<sup>®</sup> **CABLE DUCT Systems** is manufactured to the electrical purposed AS/NZS 61386 standard with product classification according to a performance-based mechanical duty rating.

#### **FULLY FEATURED**

**Durability** range: Performance-based Mechanical Protection rating

> **Productivity** features: Saves time and money for improved trenching

Assurance credential: Product based sustainability practices, supporting

certifications (BEP), declarations (EPD) and licences

for compliance

#### **EASE OF SELECTION**



#### **TRENCH**

Unified solutions for open cut installations



#### **TRENCHLESS**

Unified solutions for HDD installations

			TRENCH	TRENCHLESS
	Ā	Category A Underground Wiring System	$\checkmark$	✓
LITY	VHD	Very Heavy Duty	$\checkmark$	✓
DURABILITY	HD	Heavy Duty	$\checkmark$	✓
집	B	Category B Underground Wiring System	$\checkmark$	✓
	MD	Medium Duty	$\checkmark$	✓
	-15	Service Temperature Range	$\checkmark$	✓
	=	Service ID	✓	<b>√</b>
IVITY	<b>WHI</b>	Metre Marked		✓
PRODUCTIVITY	<del>С</del>	Custom Length		✓
PRO		Extensive PE Fittings		✓
	<b>F</b> **	Extensive PVC Bends	$\checkmark$	
핑		PE / PVC 100% Recyclable	✓	✓
ASSURANCE		Standards Compliance & Licence	✓	✓
ASSI		EPD Declaration	✓	✓



SIZE (ID)	LENGTH (m)	DUTY	MATERIAL	ORANGE	GREEN	WHITE	RED	CRATE QUANTITY
20	6	Non Rated	PVC		TC20GRDUCT TC20RDDUCT	TC20WHDUCT		900
32	6	Non Rated	PVC	700.32.6.0				230
40	6	Non Rated	PVC	700.40.6.0				180
50	6	Non Rated	PVC	700.50.6.0	TC50GRDUCT <sup>2</sup>	TC50WHDUCT.RRJ	700.50.6.RD	149 150 105
65	6	Non Rated	PVC	700.65.6.0				96
80	6	MD HD	PVC	700.80MD.6.OR 700.80HD.6.OR				66
100	6	MD HD VHD	PVC	700.100MD.6.OR 700.100HD.6.OR 700.100VHD.6.OR	700.100HD.6.GN <sup>1</sup>		700.100HD.6.RD <sup>1</sup>	60
		Non Rated			TC110GRDUCT <sup>2</sup>	TC110WHDUCT.RRJ	700.100.6.RD <sup>1</sup>	
150	6	MD HD VHD	PVC	700.150MD.6.OR 700.150HD.6.OR 700.150VHD.6.OR	700.150HD.6.GN <sup>1</sup>			28
140 (OD)	12	HD	PE	600.140HD.12.OR				8
160 (OD)	12	VHD	PE	600.160VHD.12.OR				8

#### **NOTES:**

- 1. Product Code Suffix
  - a. OR = orange for Power application & comply with AS/NZS 61386
  - $b. \ O = non\ duty\ rated\ Power\ application.\ Use\ Marley\ ARMA\ rigid\ conduit\ for\ AS/NZS\ 61386\ HD\ duty\ rated\ requirements$
  - c. GRDUCT = green for Communication application & comply to equivalent Chorus specification (also WHDUCT = white, RD = red)
  - d. Suffix designated with notation "1" comply with A/NZS 61386
- $2. \ In \ accordance \ to \ AS/NZS \ 61386.21, \ cable \ duct \ designation \ is \ typically \ defined \ as \ follows:$ 
  - a. Cable Duct Size > DN100 mm:

Duty Classification is based on Ring Stiffness (SN number) & Impact testing

- › Medium Duty ≥ SN4
- > Heavy Duty ≥ SN10
- > Very Heavy Duty ≥ SN25
- b. Cable Duct Size < DN100 mm:
- Duty Classification is based on resistance to Compression & Impact testing
- 3. All PVC cable duct lengths are inclusive of socket length
- 4. All PVC joins are solvent type joints, unless stated otherwise as rubber ring joints ("RR]" or designated with a notation "2")
- 5. All PE joins are electrofusion type joints

For further details contact 0800MARLEY (0800 627 539) for POA & availability.

MOQ & lead times may apply to customer specific requests or non stocked items (e.g. Size, Duty, Length, Colour)

# CALIBRE® TRENCHLESS CABLE DUCT



SIZE (OD)	DUTY	MATERIAL	COIL LENGTH 50m	COIL LENGTH 100m	COIL LENGTH 150m	COIL LENGTH 200m	COIL LENGTH 500m	COIL LENGTH 1000m
25	HD	HDPE				600.25HD.200.GN		
32	MD	MDPE				600.32MD.200.OR 600.32MD.200.GN 600.32MD.200.RD	600.32MD.500.OR 600.32MD.500.GN	600.32MD.1000.OR 600.32MD.1000.GN
40	MD	MDPE				600.40MD.200.OR		
50	HD	HDPE		600.50HD.100.OR 600.50HD.100.GN 600.50HD.100.RD				
63	HD	HDPE	600.63HD.50.GN	600.63HD.100.OR 600.63HD.100.GN 600.63HD.100.RD	600.63HD.150.GN			
90	HD	HDPE		600.90HD.100.OR				
110	HD	HDPE	600.110HD.50.OR 600.110HD.50.GN	600.110HD.100.OR 600.110HD.100.GN 600.110HD.100.RD				
125	HD	HDPE		600.125HD.100.OR				
140	HD	HDPE	600.140HD.50.OR	600.140HD.100.OR				
160	VHD	HDPE	600.160VHD.50.OR	600.160VHD.100.OR				

#### **NOTES:**

- 1. Product Code Suffix
  - a. OR = orange for Power application
  - b. GN = green for Communication applications (also RD=red and SM=salmon)
- 2. Comply to AS/NZS 61386 unless otherwise stated.
- 3. In accordance to AS/NZS 61386.21, cable duct designation is typically defined as follows:
  - a. Cable Duct Size ≥ DN100 mm: Duty Classification is based on Ring Stiffness (SN number) & Impact testing
    - Medium Duty ≥ SN4
    - > Heavy Duty ≥ SN10
    - → Very Heavy Duty ≥ SN25
  - b. Cable Duct Size < DN100 mm:
- Duty Classification is based on resistance to Compression & Impact testing
- 4. Dimensional parameters satisfy AS/NZS 4130 Table 2 (mean OD, mean ID and wall thickness) and achieve an equivalent SDR 17 or smaller.
- 5. For communication related installations (non Chorus)
  - a. CALIBRE® product (with product suffix code GN) is equivalent to Chorus specification
  - b. Must not be used for Chorus work (refer Chorus Approved product listing)
  - c. Size DN  $\!<$  40 satisfy AS/NZS 61386 Medium Duty (MD) mechanical duty rating

For further details contact 0800MARLEY (0800 627 539) for POA & availability.

MOQ & lead times may apply to customer specific requests or non stocked items (e.g. Size, Duty, Length, Colour)

# **CALIBRE® TRENCH JOINTING**

#### FOR PVC TYPE JOINTS

#### CALIBRE CABLE DUCT BENDS - SOLVENT TYPE

SIZE ID	RADIUS	CODE	CODE	CODE	CODE
(mm)	(mm)	90°	45°	22°	11º

#### **SWEEPS BENDS**

Non Duty Rated (manufactured to AS/NZS 1260 dimensions)

32	90	703.32.90.O			
40	110	703.40.90.O	703.40.45.O		
50	140	703.50.90.O	703.50.45.O	703.50.22.O	
65	175	703.65.90.O	703.65.45.O		
Medium Du	uty Rated (	AS/NZS 61386)			
80	210	703.80MD.90.OR	703.80MD.45.OR		
100	275	703.100MD.90.OR	703.100MD.45.OR	703.100MD.22.OR	
150	400	703.150MD.90.OR	703.150MD.45.OR	703.150MD.22.OR	
Heavy Duty	Rated (AS	S/NZS 61386)			
80	210	703.80HD.90.OR	703.80HD.45.OR		
100	275	703.100HD.90.OR	703.100HD.45.OR	703.100HD.22.OR	703.100HD.11.OR
150	400	703.150HD.90.OR	703.150HD.45.OR	703.150HD.22.OR	703.150HD.11.OR



#### **SWEEPS BENDS LONG RADIUS**

Non Duty Rated (manufactured to AS/NZS 1260 dimensions)

	-	•	•				
	50	500	703.50.90.R500				
N	ledium Duty	Rated (AS	/NZS 61386)				
	100	900	703.100MD.90.R900.OR				
	150	900	703.150MD.90.R900.OR				
Н	Heavy Duty Rated (AS/NZ 61386)						
	100	900	703.100HD.90.R900.OR				
	150	900	703.150HD.90.R900.OR				



- 1. Orange duct bends typically used for Power applications
- 2. Long radius sweep bends (R1200 & R1500) also available on request
- 3. For PE Duct (straight lengths) jointing refer CALIBRE TRENCHLESS Jointing section
- 4. For further details contact 0800MARLEY (0800 627 539) for POA & availability
- 5. MOQ & lead times may apply to customer specific requests or non stocked items

## **CALIBRE CABLE DUCT BENDS - SOLVENT TYPE**

SIZE ID (mm)	RADIUS (mm)	LENGTH (mm)	CODE 90°		C		
			GREEN	WHITE	GREEN	WHITE	
	100	300	TCB.20.90.300	TCB.20.90.300.WH			
20	240	500	TCB.20.90.500				
	300	660	TCB.20.90.660	TCB.20.90.660.WH			
	240	600			TCB.50.45.600	TCB.50.45.600.WH	
50	350	750			TCB.50.45.750		
	350	1000	TCB.50.90.1000	TCB.50.90.1000.WH			
	300	850			TCB.100.45.850	TCB.100.45.850.WH	
100	400	1200	TCB.100.90.1200	TCB.100.90.1200.WH			
	900	1800	TCB.100.90.1800				

#### Notes:

- 1. Green (and white) cable duct bends typically used for communication applications
- 2. For PE cable duct (straight lengths) jointing refer CALIBRE TRENCHLESS Jointing section
- 3. For further details contact 0800MARLEY (0800 627 539) for POA & availability
- 4. MOQ & lead times may apply to customer specific requests or non stocked items

## **CALIBRE CABLE DUCT ACCESSORIES - SOLVENT TYPE**

DESCRIPTION	PACK	CODE	COLOUR		
DN20 Comms Junction box (uPVC)	1	TCJ.B	White	•	<u> </u>
Comms Screws Tri-wing	50	TC.SCREW.50			7

### uPVC JOINTING

SIZE (mm)	PACK	REC. TRADE PRICE (\$/unit)	CODE	
PVC SOLVENT CEMI	ENT			
125ml (Clear)	1 POT	\$13.95	SC125C	
250ml (Clear)	1 POT	\$17.46	SC250C	
125ml (Gold)	1 POT	\$15.02	MG125	CAUTION
250ml (Gold)	1 POT	\$20.13	MG250	MARLEY (CARLEY)
500ml (Gold)	1 POT	\$29.49	MG500	PVC SOLVENT CLIEBY - CLEB CLIEBY - CLEB
4litre (Gold)	1 TIN	\$139.22	MG4000	
PVC JOINT PRIME				
500ml	1 POT	\$27.31	CF500	CAUTION
4litre	1 TIN	\$119.01	CF4000	OF MARLEY  OFFICE OF THE
PVC RRJ JOINT LUE	BE (MEDLUI	BE)		
275g	1 TUBE	\$18.17	JL250	
500g	1 TIN	\$26.70	JL500	WR.C. MEDLUBE  The state of the

# **CALIBRE® TRENCHLESS JOINTING** FOR PE TYPE JOINTS

### FRIATEC ELECTROFUSION FITTINGS

SIZE (mm)	CALIBRE CABLE DUCT	SLIDE-OVER COUPLER CODE	SLIP COUPLER CODE	SDR EQUIVALENT
32	600.32MD.OR 600.32MD.GN	T612682		11 to 17
40	600.40MD.OR 600.40MD.GN	T612683		11 to 17
50	600.50HD.OR 600.50HD.GN	T612684		11 to 17
63	600.63HD.OR 600.63HD.GN	T612685		11 to 17
90	600.90HD.OR	T612687		11 to 17
110	600.110HD.OR 600.110HD.GN		T680001	17 to 33
125	600.125HD.OR		T680013	17 to 33
140	600.140HD.OR	T612690		11 to 17
160	600.160VHD.OR	T612691		11 to 17
			T680002	17 to 33



### PHILMAC COMPRESSION FITTINGS

SIZE (mm)	JOINER CODE	SLIP COUPLER CODE	
JOINERS &	COUPLERS		
20	MM301.20	MM301.20S	
25	MM301.25	MM301.25S	
32	MM301.32	MM301.32S	
40	MM301.40	MM301.40S	
50	MM301.50	MM301.50S	
63	MM301.63	MM301.63S	

- ${\bf 1.} \ \ Refer to \ www.marley.co.nz \ for \ a \ full \ range \ of \ Electrofusion \ \& \ Compression \ fittings$
- 2. For further details contact 0800MARLEY (0800 627 539) for POA & availability
- 3. MOQ & lead times may apply to customer specific requests or non stocked items

# CALIBRE® TRENCH & TRENCHLESS JOINTING

#### FOR SMALLER PVC CONDUIT & PE CABLE DUCT SIZES

#### **ACCESS PITS**


SIZE (mm) (W x D x H)	PACK	REC. TRADE PRICE (\$/unit)	CODE	
250 x 250 x 240	1	\$247.24	1SD4469	

#### Versatile design for a wide range of applications

- > Suitable for uPVC conduit & PE cable ducting
- Made from non conductive, chemical resistant polypropylene
- Load rating 15KN (Load class A15 / EN124)
- Highly rated IP67 water and dust classification (CEI EN60529)
- Modular / stackable capability
- Adaptability to various outlet sizes
  - uPVC conduit = DN40/50mm;
  - PE cable ducting = DN40/50/63/75mm

4. VARIOUS SIZED

**KNOCK-OUT OUTLETS** 



#### 1. ANTI-SLIP TRAFFICABLE LID



Lid comes with watertight rubber gasket & screws

#### 2. ELECTRICAL IDENTIFICATION



Signifies that live cables are enclosed



5. OUTLET

For condensation gathering and discharge

(sides and bottom)

# 3. WATERTIGHT HERMETIC SCREWING SYSTEM



For water & dust protection (IP67) when installed to manufacturer's specification

# 6. PITS HAVE PRE-CUT BASES AND CAN BE STACKED AS RISERS



(hermetic screwing system applies to pit connection)

- 1. Bonding adhesive use adhesives suitable for joining dissimilar materials (PE, uPVC & PP). Refer TAM TECH ADHESIVE.
- 2. Visit www.marley.co.nz to view the Marley range of stormwater access pits and lids.

# CHORUS NZ APPROVED CABLE DUCT PRODUCTS

"Chorus" branded products are designed to specifically meet Chorus NZ's product specification.

The following product range may only be sold to Chorus approved installers or their approved subcontractors.

For non-Chorus related installation work, refer CALIBRE® Cable Duct Systems (trench & trenchless).

#### TRENCH CABLE DUCT

SIZE (ID)	LENGTH (m)	) MATERIAL	GREEN	WHITE	CRATE Q	
20	6	PVC	TC20E	TC20E.WHITE	900	August 1 Comments
50	6	PVC	TC50.RRJ		105	
110	6	PVC	TC110.RRJ		60	

#### Notes:

All joins are solvent type joints, unless stated otherwise as rubber ring joints (RRJ)

#### TRENCHLESS CABLE DUCT

SIZE (OD) MATERIAL		COIL LENGTH 100m	COIL LENGTH 200m	COIL LENGTH 500m	COIL LENGTH 1000m	
25	HDPE	SERVD.25.100.TG	SERVD.25.200.TG			
32	MDPE		SUBD.32.200.TG	SUBD.32.500.TG	SUBD.32.1000.TG	
50	MDPE	COMD.50.100.TG				



- 1. For further details contact 0800MARLEY (0800 627 539) for POA & availability
- 2. MOQ & lead times may apply to customer specific requests or non stocked items e.g. coil length

# **PRICES:** All prices are recommended trade pricing and subject to alteration without notice. Possession of this price list, a company catalogue or other leaflet is not to be considered as an offer to sell any product to the holder or at the prices stated. Prices quoted within this price list are subject to the addition of goods and services tax (GST). **AVAILABILITY:** All orders and promises of delivery are given in good faith and on the condition of labour, material, and transport being available and without responsibility for delays arising through risks and uncertainties of manufacture, strikes, accidents or other causes beyond our control.







#### Terms of Sale

#### Payment terms:

In the event of the Supplier granting credit facilities to the Customer then the following terms shall apply:

- All accounts are to be settled in full no later than the 20th day of the month following invoice. (a)
- That should the Customer default in payment of any monies due under this agreement then all monies due to the Supplier shall immediately become due and payable and shall (b) be paid by the Customer within SEVEN (7) days of the date of demand and the Supplier shall be entitled to charge interest at the rate then applicable to bank overdraft on businesses of the same kind as the Customer's plus 2% on all overdue accounts from the date of due payment until the date of actual payment.
- Any expenses costs or disbursements incurred by the Supplier in recovering any outstanding monies including debt collection agency fees or legal fees, shall be recoverable from the Customer.
- $The \ Supplier\ shall\ be\ entitled\ without\ notice\ to\ terminate\ any\ credit\ arrangement\ with$ the Customer in the event of the Customer defaulting in any of the terms and conditions herein contained.
- (e) The Supplier shall be entitled at any stage during the continuancy of this Agreement to request such security or additional security as the Supplier shall in its discretion think fit and shall be entitled to withhold supply of goods or credit arrangements until suchsecurity or additional security shall be obtained.

#### Retention of title

Property (both legal and equitable) in all goods delivered by the Supplier to the Customer does not pass (and the Customer is a bailee only in respect of those goods) (a) until payment in full is made for all the goods supplied by the Supplier to the Customer. As from delivery the goods shall be at the Customer's risk AND the Customer shall retain and preserve such goods in new condition and shall ensure that all serial numbers, identification marks, stickers and packaging shall be kept intact with such goods until they have been sold in the normal course of business.

- If the goods are sold prior property passing to the Customer, the proceeds of the sale must be held by the Customer on trust for, and on behalf of the Supplier in a separate account, and the Customer must account to the Supplier for all proceeds of sale of each item of goods irrespective of any terms of credit between the Customer and the Supplier.
- agents may at any time enter upon any land, premises or property where it believes such goods may be to view and inspect them, and if the Customer has not paid for them in full  $\alpha$ retake possession of the goods. The Customer will indemnify the Supplier on demand in respect of any costs or liabilities incurred by the Supplier in exercising its rights under this clause.

All claims for product damaged at the point of delivery should be noted on freight docket and advised to Marley within 7 days.

All returns are in first instance to be referred to the Area Sales Representative or the Area Sales Office with the relevant information.

Product will not be accepted back into our warehouse without prior arrangement. Product that is returned excess to Merchants requirements will incur a 15% charge to cover freight, re-warehousing and credit issue.

Product will only be accepted in pack or carton lots. Any damaged or marked product will not

Change of Ownership – Registered Particulars – the Customer shall no later than 14 days prior to any proposed changes of ownership, change in registered particulars, alteration, addition to the shareholding or directorship, notify the Supplier of the proposed change and the Customer shall notify the Supplier of any change, alteration or addition to the Customers internal shall notify the supplier of any charge, alteration or addition to the Customers internal structure and shall provide full details of the proposed changes, alteration or additions, to the Supplier and the Customer shall be liable for any goods supplied by the Supplier after such change, alteration or addition unless the Supplier shall have acknowledged by written acceptance of the intending change, alteration or addition.

#### **Sustainable Manufacturing**

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice certified for our entire range of manufactured uPVC systems. This means we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint and accept our products back at the end of their useful life for recycling.

#### BEST ENVIRONMENTAL PRACTICE











#### Disclaimer

This price book has been compiled by Marley New Zealand Limited ("The Company") and is supplied subject to acknowledgment of the following conditions:

The price book is protected by Copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. Prices are subject to change, product specifications, usage data and advisory information may also change from time to time with advances in research and field experience. Industry standards are also subject to change, at the time of printing all products featured in this publication adhere to the relevant New Zealand standards where applicable. The Company reserves the right to make such changes to price or product information at any time without notice. Correct usage of the Company's products involve engineering judgements which cannot be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and of the consequences of anything done or omitted to be done by any such person in reliance whether whole or partial upon the whole or any part of the contents of this publication. No offer to trade, nor any conditions of trading, are expressed or implied by the issue or content of this manual. Nothing herein shall override the Company's Conditions of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. This price book is and shall remain the property of the Company, and shall be surrendered on demand to the Company.

#### **Our Partners**













For more information: 0800 MARLEY (0800 627539) | www.marley.co.nz

