NEW CONTENT

ARMA CORRUGATED CONDUIT SYSTEMS with PliaTech™

MAY 26



Kākā

CABLE MANAGEMENT TRADE PRICE BOOK

MARLEY by aliaxis



aliaxis

we make life flow

Aliaxis are passionate about creating sustainable innovative solutions for water and energy. We provide people around the world with advanced plastic piping systems, leading the industry in a way that anticipates the rapidly evolving needs of our times.

Marley has been part of the Aliaxis group since 2003 and providing spouting, downpipes, building, plumbing and electrical solutions for New Zealand since 1959.

With local manufacturing sites employing local people, the vast majority of the products we sell are proudly New Zealand made.

We are committed to keeping New Zealand green. Marley operates a uPVC recycling program as part of our ISO 14001 environmental management system and is Best Environmental Practice certified for its entire manufactured range of uPVC systems.

This allows designers to achieve GreenStar credits when specifying Marley uPVC systems in commercial buildings, and installers / end users to recycle their uPVC products.*

BEST ENVIRONMENTAL PRACTICE

CERTIFIED TO APPROVED STANDARD

AS/NZS 5395: 2024
LICENSE No 2969

* Talk to us about our recycling program and requirements regarding return and condition of product.

40+ Countries worldwide

100+ Distribution centres

70+ Manufacturing sites

15,500+ Employees worldwide

10 Commercial brands

MARLEY by aliaxis

65+ Years in New Zealand

5 NZ sites

3,000+ Products

400+ Employees nationally

Our brands

MARLEY · RXP · DYNEX

CONTENTS

PAGE

02 CONDUIT SYSTEMS

03 MARLEY ARMA® RIGID CONDUIT SYSTEMS

03 Above & Below Ground Rigid Conduit

05 Above & Below Ground Rigid Conduit Fittings

11 Accessories

13 MARLEY ARMA® CORRUGATED CONDUIT SYSTEMS

13 Heavy & Medium Duty Corrugated Conduit

14 Corrugated Conduit Fittings & Accessories

15 TRUNKING SYSTEMS

16 Mini Trunking & Fittings

18 Maxi Trunking & Fittings

19 AIR-CON DUCT SYSTEMS

20 Air Conditioning Duct and Fittings

22 CABLE DUCT SYSTEMS

25 CALIBRE TRENCH CABLE DUCT (STRAIGHT LENGTHS)

26 CALIBRE TRENCHLESS CABLE DUCT (COILS)

27 CALIBRE TRENCH JOINTING

27 Cable Duct Bends

28 Cable Duct Accessories

28 uPVC Jointing

29 CALIBRE TRENCHLESS JOINTING

29 Electrofusion Fittings

29 Compression Fittings

30 CALIBRE TRENCH & TRENCHLESS JOINTING

30 Access Pits & Lids

31 CHORUS NZ APPROVED CABLE DUCT PRODUCTS

31 Trench & Trenchless Cable Duct

ARMA®

RIGID CONDUIT SYSTEMS

THE ULTIMATE DEFENCE

Introducing the latest in high performance cable management with one fully featured solution for **above ground** applications, and another for **below ground** applications.



ABOVE GROUND
BELOW GROUND

MARLEY®

CONDUIT SYSTEMS

ARMA RIGID CONDUIT SYSTEMS — ABOVE GROUND — BELOW GROUND

MARLEY ARMA® RIGID CONDUIT	**03**	**03**
MARLEY ARMA® RIGID CONDUIT FITTINGS	**05**	**05**
Couplers & Nipples	05	05
Adaptors & Reducers	05	05
Locknuts & Rings	06	06
Saddles (Spacers) & Clips	06	06
Elbows & Bends	07	07
Inspection Elbows, Tees & Bends	08	08
Bushes	08	08
Junction Boxes & Enclosures	09	09
MARLEY ARMA® RIGID CONDUIT ACCESSORIES	**11**	**11**
Bending Springs	11	11
Jointing Solvent	11	11

ARMA CORRUGATED CONDUIT SYSTEMS — HEAVY DUTY — MEDIUM DUTY

MARLEY ARMA® CORRUGATED CONDUIT	**13**	**13**
ARMA® CORRUGATED CONDUIT ACCESSORIES	**14**	**14**
Conduit Glands	14	14
Saddles	14	14
Plain to Screw (male) Adapters	14	14
Jointing uPVC	14	14

MARLEY ARMA® RIGID CONDUIT SYSTEMS

ARMA ABOVE GROUND



*Standard length = 4m (incl. socket length)


SIZE (OD) (mm)	PACK*	REC. TRADE PRICE ($/unit)	CODE
RIGID CONDUIT			
20	80m (20 x 4m)	$44.48	01.20HD.GY
25	40m (10 x 4m)	$56.19	01.25HD.GY
32	40m (10 x 4m)	$73.95	01.32HD.GY
40	24m (6 x 4m)	$101.11	01.40HD.GY
50	24m (6 x 4m)	$154.87	01.50HD.GY

ARMA BELOW GROUND



*Standard length = 4m (incl. socket length)

SIZE (OD) (mm)	PACK*	REC. TRADE PRICE ($/unit)	CODE
RIGID CONDUIT			
20	80m (20 x 4m)	$44.48	01.20HD.OR
25	40m (10 x 4m)	$56.19	01.25HD.OR
32	40m (10 x 4m)	$73.95	01.32HD.OR
40	24m (6 x 4m)	$101.11	01.40HD.OR
50	24m (6 x 4m)	$154.87	01.50HD.OR



MARLEY ARMA® RIGID CONDUIT FITTINGS

ARMA ABOVE GROUND

EXTENSIVE FITTINGS RANGE

All Marley fittings are rated for Heavy Duty mechanical & UV protection - designed to withstand outdoor weathering & achieve long term durability

- Couplers & nipples
- Adapters & reducers
- Lock nut & lock rings
- Saddles (spacers) & clips
- Elbows & bends
- Inspections (elbows, tees & bends)
- Bushes
- Junction boxes, enclosures



ARMA BELOW GROUND

EXTENSIVE FITTINGS RANGE

All Marley fittings are rated Heavy Duty performance to withstand mechanical forces below ground

- Elbows & bends
- Couplers
- Adapters & reducers
- Lock nuts
- Inspections (elbows, tees & bends)
- Junction boxes



MARLEY ARMA® RIGID CONDUIT FITTINGS

COUPLERS & NIPPLES

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
PLAIN COUPLINGS							
20	50	02.20G	$2.84		02.20O	$3.05	
25	20	02.25G	$3.11		02.25O	$3.11	
32	20	02.32G	$4.30		02.32O	$4.30	
40	20	02.40G	$7.10		02.40O	$7.10	
50	20	02.50G	$12.10		02.50O	$12.10	
FLEXIBLE EXPANSION COUPLINGS							
20	50	03.20G	$7.92				
25	20	03.25G	$9.50				
SCREWED NIPPLES							
20	50	06.20G	$3.32				
25	20	06.25G	$4.13				
32	20	06.32G	$7.34				
40	20	06.40G	$10.59				
50	10	06.50G	$12.32				

ADAPTORS & REDUCERS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
PLAIN TO SCREW (FEMALE) ADAPTORS							
20	50	04.20G	$4.41		04.20O	$4.41	
25	20	04.25G	$5.86		04.25O	$5.86	
32	10	04.32G	$9.74		04.32O	$9.74	
40	10	04.40G	$16.58				
50	10	04.50G	$26.26				
PLAIN TO SCREW (MALE) ADAPTORS							
20	50	05.20G	$4.77		05.20O	$4.77	
25	20	05.25G	$5.86		05.25O	$5.86	
32	20	05.32G	$7.67		05.32O	$7.67	
40	20	05.40G	$12.34		05.40O	$12.34	
50	20	05.50G	$16.96		05.50O	$16.96	

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
PLAIN REDUCERS (Fittings reduce to next size down)							
20	50	07.20G	$3.07				
25	50	07.25G	$3.07		07.25O	$3.07	
32	20	07.32G	$7.54		07.32O	$7.54	
40	20	07.40G	$10.44		07.40O	$10.77	
50	10	07.50G	$24.48		07.50O	$26.94	
SCREWED REDUCERS (Fittings reduce to next size down)							
20	50	08.20G	$6.26		08.20O	$6.51	
25	50	08.25G	$18.73		08.25O	$18.73	
32	50	08.32G	$19.67		08.32O	$19.67	

LOCKNUTS & RINGS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
LOCKNUTS							
20	100	09.20G	$2.48		09.20O	$2.48	
25	50	09.25G	$2.62		09.25O	$2.62	
32	50	09.32G	$3.03		09.32O	$3.03	
40	20	09.40G	$10.78		09.40O	$10.78	
50	20	09.50G	$13.09		09.50O	$13.09	
LOCKRINGS							
20	100	29.20G	$1.35				
25	50	29.25G	$2.10				

SADDLES (SPACERS) & CLIPS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
SADDLES							
20	100	10.20G	$1.33		10.20O	$1.33	
25	100	10.25G	$1.76		10.25O	$1.76	
32	50	10.32G	$2.49		10.32O	$2.49	
40	50	10.40G	$3.04		10.40O	$3.04	
50	20	10.50G	$3.39		10.50O	$3.39	

SADDLES (SPACERS) & CLIPS CONT.

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
SADDLE SPACER							
20	50	SS.20G	$7.17				
25	20	SS.25G	$8.11				
CONDUIT CLIPS							
20	50	19.20G	$5.36		19.20O	$5.36	
25	50	19.25G	$6.24		19.25O	$6.24	
32	20	19.32G	$7.10		19.32O	$7.10	
40	20	19.40G	$12.74				
50	10	19.50G	$14.51				

ELBOWS & BENDS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
SOLID ELBOWS 90º							
20	20	11.20G	$9.74		11.20O	$9.74	
25	20	11.25G	$10.75		11.25O	$10.75	
PLAIN BENDS 90º							
20	20	12.20G	$9.48		12.20O	$9.48	
25	20	12.25G	$10.52		12.25O	$10.52	
32	10	12.32G	$12.41		12.32O	$12.41	
40	5	12.40G	$13.75		12.40O	$13.75	
50	5	12.50G	$17.74		12.50O	$17.74	
SWEEP BENDS 45º							
20	1	12A.20.45G	$20.70		12A.20.45O	$20.70	
25	1	12A.25.45G	$27.96		12A.25.45O	$26.28	
32	1	12A.32.45G	$37.79		12A.32.45O	$37.79	
40	1	12A.40.45G	$27.34		12A.40.45O	$27.34	
50	1	12A.50.45G	$30.53		12A.50.45O	$30.53	
SWEEP BENDS 90º							
20	1	12A.20.90G	$17.74		12A.20.90O	$17.74	
25	1	12A.25.90G	$25.39		12A.25.90O	$25.39	
32	1	12A.32.90G	$27.01		12A.32.90O	$27.01	
40	1	12A.40.90G	$29.68		12A.40.90O	$29.68	
50	1	12A.50.90G	$41.13		12A.50.90O	$41.13	

INSPECTION ELBOWS, TEES & BENDS

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	PACK	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
INSPECTION ELBOW 90º								
20	20	13.20G	$9.94		5	13.20O	$9.94	
25	20	13.25G	$10.69		5	13.25O	$10.69	
32	10	13.32G	$15.09		5	13.32O	$15.09	
40	10	13.40G	$31.55					
50	5	13.50G	$52.36					
INSPECTION TEES								
20	20	14.20G	$12.41		5	14.20O	$12.41	
25	10	14.25G	$13.75		5	14.25O	$13.75	
32	10	14.32G	$16.68		5	14.32O	$16.68	
40	5	14.40G	$37.85					
50	2	14.50G	$66.79					
INSPECTION BENDS 90˚								
20	20	15.20G	$12.41		20	15.20O	$12.41	
25	20	15.25G	$13.08		20	15.25O	$13.08	
32	10	15.32G	$14.89		10	15.32O	$14.89	

BUSHES

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
MALE BUSH							
20	50	17.20G	$1.47				
25	20	17.25G	$2.65				
32	20	17.32G	$3.20				
40	20	17.40G	$5.93				
50	10	17.50G	$7.17				
FEMALE BUSH							
20	50	18.20G	$1.47				
25	20	18.25G	$2.65				
32	20	18.32G	$3.20				
40	20	18.40G	$5.93				
50	10	18.50G	$7.17				

JUNCTION BOXES

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
CIRCULAR JUNCTION BOXES (75mm diameter)							
(ØxH)							
75 x 35	10	21.20G (1W)	$14.62		21.20O (1W)	$14.62	
75 x 35	10	21.25G (1W)	$15.42		21.25O (1W)	$17.25	
75 x 35	10	22.20G (2W)	$15.33		22.20O (2W)	$15.33	
75 x 35	10	22.25G (2W)	$16.20		22.25O (2W)	$15.66	
75 x 35	10	23.20G (3W)	$15.91		23.20O (3W)	$15.91	
75 x 35	10	23.25G (3W)	$16.80		23.25O (3W)	$16.80	
75 x 35	10	24.20G (4W)	$16.32		24.20O (4W)	$14.83	
75 x 35	10	24.25G (4W)	$17.25		24.25O (4W)	$17.25	
75 x 35	10	25.20G (A)	$15.91		25.20O (A)	$15.91	
75 x 35	10	25.25G (A)	$16.80		25.25O (A)	$15.66	





CIRCULAR JUNCTION BOXES (67mm diameter)

(ØxH)

67 x 38	10	21.20.AE.G (1W)	$14.62
67 x 38	10	21.25.AE.G (1W)	$15.42
67 x 38	10	22.20.AE.G (2W)	$15.33
67 x 38	10	22.25.AE.G (2W)	$16.20
67 x 38	10	23.20.AE.G (3W)	$15.91
67 x 38	10	23.25.AE.G (3W)	$16.80
67 x 38	10	24.20.AE.G (4W)	$14.83
67 x 38	10	24.25.AE.G (4W)	$17.25



Note: Designed to fit most batten holders & ceiling roses.

DEEP CIRCULAR JUNCTION BOXES

(ØxH)

67 x 73	5	21.20.AED.G (1W)	$20.37
67 x 73	5	21.25.AED.G (1W)	$23.69
67 x 73	5	22.20.AED.G (2W)	$21.05
67 x 73	5	22.25.AED.G (2W)	$24.52
67 x 73	5	23.25.AED.G (3W)	$25.39



Note: Designed to fit most batten holders & ceiling roses.

JUNCTION BOX LID

ø75	1	17G	$3.83



Note: Will not fit the AE range.

JUNCTION BOXES CONT.

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)	ABOVE GROUND	CODE	REC. TRADE PRICE ($/unit)	BELOW GROUND
SQUARE JUNCTION BOXES							
32	5	51.32G (1W)	$30.80		51.32O (1W)	$30.80	
40	1	51.40G (1W)	$72.40				
50	1	51.50G (1W)	$75.22		51.50O (1W)	$75.22	
32	5	52.32G (2W)	$33.02		52.32O (2W)	$33.02	
40	1	52.40G (2W)	$85.46				
50	1	52.50G (2W)	$102.31		52.50O (2W)	$102.31	
32	5	53.32G (3W)	$34.79		53.32O (3W)	$34.79	
40	1	53.40G (3W)	$112.43				
50	1	53.50G (3W)	$133.36				
32	5	54.32G (4W)	$35.38				
40	1	54.40G (4W)	$146.81				
50	1	54.50G (4W)	$168.77				
32	5	55.32G (A)	$33.91				
40	1	55.40G (A)	$87.75				
50	1	55.50G (A)	$105.01				
ADAPTABLE BOXES							
(L x W x H)							
76 x 76 x 51	1	16.01G	$38.14				

RIGID CONDUIT ACCESSORIES

SIZE (OD) (mm)	PACK	CODE	REC. TRADE PRICE ($/unit)
BENDING SPRINGS (for Heavy Duty rated conduit to AS/NZS 61386)			
20	1	20.20	$83.18
25	1	20.25	$108.39
32	1	20.32	$115.29
JOINTING uPVC			
PVC SOLVENT CEMENT			
125ml (Clear)	1 POT	SC125C	$15.16
250ml (Clear)	1 POT	SC250C	$18.97





INSIST ON BEP CERTIFIED PRODUCTS

Commercial 'Green Star' building customers demand products that meet the Green Building Council's Best Environmental Practice guidelines.

Marley uPVC conduit pipe and fittings are BEP certified.

Marley is New Zealand's only manufacturer that offers a complete uPVC electrical pipe and fittings system that has been independently certified to meet the Green Building Council's Best Practice Guidelines for PVC in the built environment.

BEP criteria:

- ✓ Audited supply chain
- ✓ Manufacture of PVC Resin
- ✓ Manufacture of PVC Product
- ✓ PVC Product end of life management
- ✓ Use of PVC recyclate in PVC products

Insist on genuine Marley BEP products, proud New Zealand manufacturer.

CERTIFIED TO APPROVED STANDARD

BEST ENVIRONMENTAL PRACTICE

CERTIFIED TO APPROVED STANDARD

AS/NZS 5395: 2024
LICENSE No 2969

MARLEY ARMA® CORRUGATED CONDUIT SYSTEMS


CORRUGATED CONDUIT

MADE IN NZ

HEAVY DUTY

SIZE (OD) (mm)	COIL LENGTH (m)	REC. TRADE PRICE ($/unit)	CODE
20	25	$433.30	30.20HD.25.GY
25	25	$646.91	30.25HD.25.GY
32	25	$1,051.42	30.32HD.25.GY
20	100	$1,733.19	30.20HD.100.GY
25	100	$2,587.60	30.25HD.100.GY

Note: Conduit colour available in grey only.




First choice to achieve best practice installation - max protection, ease of install, made to high quality. Ideal for solar and non solar applications.

MEDIUM DUTY

SIZE (OD) (mm)	COIL LENGTH (m)	REC. TRADE PRICE ($/unit)	CODE
20	25	$301.88	30.20MD.25.GY
25	25	$359.39	30.25MD.25.GY
32	25	$548.13	30.32MD.25.GY
40	25	$1,192.52	30.40MD.25.GY
50	25	$1,815.63	30.50MD.25.GY
20	100	$1,207.53	30.20MD.100.GY
25	100	$1,437.57	30.25MD.100.GY

Note: Conduit colour available in grey only.



All the features of ARMA® HD but with medium duty performance for indoor or outdoor applications.

PRODUCT FEATURES	PERFORMANCE: MD	PERFORMANCE: HD	PERFORMANCE: SERVICE TEMPERATURE RANGE	PERFORMANCE: PLIATECH™	ASSURANCE: COMPLIANCE (AS/NZS 61386 Pliable)	ASSURANCE: RECYCLABLE PVC
	UV RESISTANCE (T)	MEDIUM DUTY 3331	HEAVY DUTY 4431			
ARMA® HD	✓		✓	✓	✓	✓
ARMA® MD	✓	✓		✓	✓	✓

ACCESSORIES

SIZE (OD) (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE
CONDUIT GLANDS			
20	20	$16.46	27.20G
25	20	$20.37	27.25G
32	10	$39.88	27.32G
40	5	$105.49	27.40G
50	5	$137.64	27.50G
PLAIN TO SCREW (MALE) ADAPTORS			
20	50	$4.77	05.20G
25	20	$5.86	05.25G
32	20	$7.67	05.32G
40	10	$12.34	05.40G
50	10	$16.96	05.50G
SADDLE			
20	100	$1.33	10.20G
25	100	$1.76	10.25G
32	50	$2.49	10.32G
40	50	$3.04	10.40G
50	20	$3.39	10.50G
JOINTING uPVC			
PVC SOLVENT CEMENT			
125ml (Clear)	1 POT	$15.16	SC125C
250ml (Clear)	1 POT	$18.97	SC250C









TRUNKING SYSTEMS

PAGE

15 TRUNKING SYSTEMS

16 MINI TRUNKING

16 Mini Trunking Fittings

18 MAXI TRUNKING


18 Maxi Trunking Fittings





MINI TRUNKING SYSTEMS

MINI TRUNKING

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR
MINI TRUNKING – 3m				
16 x 10	60m (20 x 3m)	$33.88	1610.W3	White
16 x 16	60m (20 x 3m)	$36.04	1616.W3	White
25 x 16	60m (20 x 3m)	$52.09	2516.W3	White
25 x 16	60m (20 x 3m)	$56.84	2516.B3	Brown
25 x 25	30m (10 x 3m)	$63.13	2525.W3	White
40 x 16	30m (10 x 3m)	$70.08	4016.W3	White
40 x 25	30m (10 x 3m)	$74.75	4025.W3	White
40 x 40	30m (10 x 3m)	$113.93	4040.W3	White
MINI TRUNKING – 4m				
16 x 10	80m (20 x 4m)	$42.72	1610AD.W4	White
16 x 16	80m (20 x 4m)	$44.81	1616AD.W4	White
25 x 16	80m (20 x 4m)	$66.00	2516AD.W4	White
25 x 25	80m (10 x 4m)	$80.49	2525AD.W4	White
40 x 25	40m (10 x 4m)	$98.12	4025AD.W4	White
TWIN COMPARTMENT MINI TRUNKING – 3m				
40 x 25	30m (10x3m)	$95.26	4025TC.W3	White







MINI TRUNKING FITTINGS

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR
INTERNAL ANGLE				
16 x 16	10	$6.49	1616.AI.W	White
25 x 16	10	$8.46	2516.AI.W	White
40 x 25	10	$32.76	4025.AI.W	White
EXTERNAL ANGLE				
16 x 16	10	$7.03	1616.AE.W	White
25 x 16	10	$8.46	2516.AE.W	White
40 x 25	10	$33.17	4025.AE.W	White
FLAT ANGLE				
16 x 16	10	$6.49	1616.AF.W	White
25 x 16	10	$11.07	2516.AF.W	White
40 x 25	5	$33.46	4025.AF.W	White








MINI TRUNKING FITTINGS CONT.

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR	
SIDE TEE					
25 x 16	10	$18.39	2516.ST.W	White	
FLAT TEE					
16 x 16	10	$11.15	1616.TF.W	White	
25 x 16	10	$11.94	2516.TF.W	White	
END PIECE					
16 x 16	20	$4.95	1616.EP.W	White	
25 x 16	20	$5.70	2516.EP.W	White	
COUPLING					
16 x 16	20	$5.70	1616.C.W	White	
25 x 16	20	$8.46	2516.C.W	White	
40 x 25	10	$11.76	4025.C.W	White	

MAXI TRUNKING SYSTEMS

MAXI TRUNKING

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR
MAXI TRUNKING – 4m				
50 x 50	32m (8 x 4m)	$258.94	5050AD.G4	Dark Grey
75 x 50	24m (6 x 4m)	$313.80	7550AD.G4	Dark Grey
75 x 75	24m (6 x 4m)	$409.91	7575AD.G4	Dark Grey
100 x 100	16m (4 x 4m)	$640.78	100100AD.G4	Dark Grey
150 x 75	8m (2 x 4m)	$722.01	15075AD.G4	Dark Grey




MAXI TRUNKING FITTINGS

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR
END PIECE				
50 x 50	1	$22.79	R5050.EP.G	Grey
75 x 50	1	$23.21	R7550.EP.G	Grey
100 x 100	1	$25.19	100100.EP.G	Grey



EGA TUBE TRUNKING

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR
EGA TUBE TRUNKING – 3m				
50 x 50	18m (6 x 3m)	$205.82	R5050.GP	Grey
75 x 50	18m (6 x 3m)	$249.48	R7550.GP	Grey



Note: EGA Tube Trunking is a rounded edge profile compared to Maxi-Trunking.

Maxi trunking end pieces (R5050.EP.G & R7550.EP.G) can be retro fitted to be used on EGA tube.
This requires mitre-cutting (2 x internal pieces) and rounding off edges to produce an adequate fit.

AIR-CON DUCT SYSTEMS

PAGE


19 AIR-CON DUCT SYSTEM

20 AIR CONDITIONING DUCT AND FITTINGS

INDEPENDENT WEATHERING TEST RESULTS

In an independent weathering test, various brands of Air-Con duct were exposed to 1,000 hours of UV light and condensation testing.

Marley Air-Con duct had the least amount of colour change; indicating the **highest resistance to weathering in our conditions.**



*Source: 'UV/ Condensation testing of PVC ducting materials' – Felix Research Laboratories, May 2011. Report # 1008079.11

AC DUCT

SIZE (mm)	LENGTH (m)	REC. TRADE PRICE ($/unit)	CODE	COLOUR
AC DUCT				
80mm	2	$111.29	PD80IV2000	Ivory



AC DUCT FITTINGS

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE	COLOUR
WALL CAP				
80mm	1	$40.22	PD80WC	Ivory
CEILING CAP				
80mm	1	$48.66	PD80CC	Ivory
CORNER				
80mm	1	$41.65	PD80C	Ivory
ELBOW				
80mm	1	$40.92	PD80E	Ivory
JOINT				
80mm	1	$13.67	PD80J	Ivory
FLEX JOINT				
80mm	1	$69.46	PD80FJ	Ivory
MOUNTING BLOCK				
-	1	$50.52	PDMBIV.450	Ivory



Note: Mounting Block can be used with other AC duct systems.

MARLEY®

by aliaxis

Committed to a sustainable future

Water and resource conservation

Recycling Programs

Energy consumption and management

Waste minimisation

PROUD SUPPORTERS OF CERTIFIED RENEWABLE ELECTRICITY GENERATION



Sustainability @ Marley

CABLE DUCT SYSTEMS

PAGE

25 **CALIBRE® TRENCH CABLE DUCT (STRAIGHT LENGTHS)**


26 **CALIBRE TRENCHLESS CABLE DUCT (COILS)**

27 **CALIBRE TRENCH JOINTING**
27 Cable Duct Bends
28 Cable Duct Accessories (Solvent Type)
28 uPVC Jointing


29 **CALIBRE TRENCHLESS JOINTING**
29 Electrofusion Fittings
29 Compression Fittings

30 **CALIBRE TRENCH & TRENCHLESS JOINTING**
30 Access Pits

31 **CHORUS NZ APPROVED CABLE DUCT PRODUCTS**
31 Trench & Trenchless Cable Duct




CALIBRE™
CABLE DUCT SYSTEMS
PERFORMANCE
REDEFINED



FEATURES & BENEFITS

The new CALIBRE® product range by Marley delivers a unified approach to cable ducting design, manufacture, and installation.

As a **fully featured PE and PVC cable duct range, CALIBRE® CABLE DUCT Systems** is manufactured to the electrical purposed AS/NZS 61386 standard with product classification according to a performance-based mechanical duty rating.

FULLY FEATURED

- **Durability** range: Performance-based Mechanical Protection rating
- **Productivity** features: Saves time and money for improved trenching
- **Assurance** credential: Product based sustainability practices, supporting certifications (BEP), declarations (EPD) and licences for compliance

EASE OF SELECTION

CALIBRE TRENCH

TRENCH
Unified solutions for open cut installations

CALIBRE TRENCHLESS

TRENCHLESS
Unified solutions for HDD installations

			TRENCH	TRENCHLESS
DURABILITY	A VHD HD	Category A Underground Wiring System	✓	✓
		Very Heavy Duty	✓	✓
		Heavy Duty	✓	✓
	B MD	Category B Underground Wiring System	✓	✓
		Medium Duty	✓	✓
		Service Temperature Range	✓	✓
PRODUCTIVITY		Service ID	✓	✓
		Metre Marked		✓
		Custom Length		✓
		Extensive PE Fittings		✓
		Extensive PVC Bends	✓	
ASSURANCE		PE / PVC 100% Recyclable	✓	✓
		Standards Compliance & Licence	✓	✓
		EPD Declaration	✓	✓

CALIBRE® TRENCH CABLE DUCT



SIZE (ID)	LENGTH (m)	DUTY	MATERIAL	ORANGE	GREEN	WHITE	RED	CRATE QUANTITY
20	6	Non Rated	PVC		TC20GRDUCT	TC20WHDUCT	TC20RDDUCT	900
32	6	Non Rated	PVC	700.32.6.O				230
40	6	Non Rated	PVC	700.40.6.O				180
50	6	Non Rated	PVC	700.50.6.O	TC50GRDUCT[2]	TC50WHDUCT.RRJ	700.50.6.RD	149 150 105
65	6	Non Rated	PVC	700.65.6.O				96
80	6	MD HD	PVC	700.80MD.6.OR 700.80HD.6.OR				66
100	6	MD HD VHD	PVC	700.100MD.6.OR 700.100HD.6.OR 700.100VHD.6.OR	700.100HD.6.GN[1]		700.100MD.6.RD[1] 700.100HD.6.RD[1]	60
		Non Rated			TC110GRDUCT[2]	TC110WHDUCT.RRJ	700.100.6.RD	
150	6	MD HD VHD	PVC	700.150MD.6.OR 700.150HD.6.OR 700.150VHD.6.OR	700.150HD.6.GN[1]			28
140 (OD)	12	HD	PE	600.140HD.12.OR				8
160 (OD)	12	VHD	PE	600.160VHD.12.OR				8

NOTES:

1. Product Code Suffix
   a. OR = orange for Power application & comply with AS/NZS 61386
   b. O = non duty rated Power application. Use Marley ARMA rigid conduit for AS/NZS 61386 HD duty rated requirements
   c. GRDUCT = green for Communication application & comply to equivalent Chorus specification (also WHDUCT = white, RD = red)
   d. Suffix designated with notation "[1]" comply with A/NZS 61386

2. In accordance to AS/NZS 61386.21, cable duct designation is typically defined as follows:
   a. Cable Duct Size ≥ DN100 mm: Duty Classification is based on Ring Stiffness (SN number) & Impact testing
   - Medium Duty ≥ SN4
   - Heavy Duty ≥ SN10
   - Very Heavy Duty ≥ SN25

   b. Cable Duct Size < DN100 mm: Duty Classification is based on resistance to Compression & Impact testing


3. All PVC cable duct lengths are inclusive of socket length

4. All PVC joins are solvent type joints, unless stated otherwise as rubber ring joints ("RRJ" or designated with a notation "[2]")

5. All PE joins are electrofusion type joints

For further details contact 0800MARLEY (0800 627 539) for POA & availability.
MOQ & lead times may apply to customer specific requests or non stocked items (e.g. Size, Duty, Length, Colour)

CALIBRE® TRENCHLESS CABLE DUCT



SIZE (OD)	DUTY	MATERIAL	COIL LENGTH 50m	COIL LENGTH 100m	COIL LENGTH 150m	COIL LENGTH 200m	COIL LENGTH 500m	COIL LENGTH 1000m
25	HD	HDPE				600.25HD.200.GN		
32	MD	HDPE				600.32MD.200.OR 600.32MD.200.GN 600.32MD.200.RD	600.32MD.500.OR 600.32MD.500.GN	600.32MD.1000.OR 600.32MD.1000.GN
32	HD	HDPE				600.32HD.200.OR 600.32HD.200.GN 600.32HD.200.RD	600.32HD.500.OR 600.32HD.500.GN	600.32HD.1000.OR 600.32HD.1000.GN
40	MD	HDPE				600.40MD.200.OR		
40	HD	HDPE				600.40HD.200.OR 600.40HD.200.GN		
50	HD	HDPE		600.50HD.100.OR 600.50HD.100.GN 600.50HD.100.RD				
63	HD	HDPE	600.63HD.50.GN	600.63HD.100.OR 600.63HD.100.GN 600.63HD.100.RD	600.63HD.150.OR 600.63HD.150.GN			
90	HD	HDPE		600.90HD.100.OR				
110	HD	HDPE	600.110HD.50.OR 600.110HD.50.GN	600.110HD.100.OR 600.110HD.100.GN 600.110HD.100.RD				
125	HD	HDPE		600.125HD.100.OR				
140	HD	HDPE	600.140HD.50.OR	600.140HD.100.OR				
160	VHD	HDPE	600.160VHD.50.OR	600.160VHD.100.OR				

NOTES:

1. Product Code Suffix
   a. OR = orange for Power application
   b. GN = green for Communication applications (also RD=red and SM=salmon)
2. Comply to AS/NZS 61386 unless otherwise stated.
3. In accordance to AS/NZS 61386.21, cable duct designation is typically defined as follows:
   a. Cable Duct Size ≥ DN100 mm: Duty Classification is based on Ring Stiffness (SN number) & Impact testing
   - Medium Duty ≥ SN4
   - Heavy Duty ≥ SN10
   - Very Heavy Duty ≥ SN25

   b. Cable Duct Size < DN100 mm: Duty Classification is based on resistance to Compression & Impact testing
4. Dimensional parameters satisfy AS/NZS 4130 Table 2 (mean OD, mean ID and wall thickness) and achieve an equivalent SDR 17 or smaller.
5. For communication related installations (non Chorus)
   a. CALIBRE® product (with product suffix code GN) is equivalent to Chorus specification
   b. Must not be used for Chorus work (refer Chorus Approved product listing)

For further details contact 0800MARLEY (0800 627 539) for POA & availability.
MOQ & lead times may apply to customer specific requests or non stocked items (e.g. Size, Duty, Length, Colour)

CALIBRE® TRENCH JOINTING
FOR PVC TYPE JOINTS

CALIBRE CABLE DUCT BENDS - SOLVENT TYPE

SIZE ID (mm)	RADIUS (mm)	CODE 90º	CODE 45º	CODE 22º	CODE 11º
SWEEPS BENDS					
Non Duty Rated (manufactured to AS/NZS 1260 dimensions)					
32	90	703.32.90.O			
40	110	703.40.90.O	703.40.45.O		
50	140	703.50.90.O	703.50.45.O	703.50.22.O	
65	175	703.65.90.O	703.65.45.O		
Medium Duty Rated (AS/NZS 61386)					
80	210	703.80MD.90.OR	703.80MD.45.OR		
100	275	703.100MD.90.OR	703.100MD.45.OR	703.100MD.22.OR	
150	400	703.150MD.90.OR	703.150MD.45.OR	703.150MD.22.OR	
Heavy Duty Rated (AS/NZS 61386)					
80	210	703.80HD.90.OR	703.80HD.45.OR		
100	275	703.100HD.90.OR	703.100HD.45.OR	703.100HD.22.OR	703.100HD.11.OR
150	400	703.150HD.90.OR	703.150HD.45.OR	703.150HD.22.OR	703.150HD.11.OR



SWEEPS BENDS LONG RADIUS					
Non Duty Rated (manufactured to AS/NZS 1260 dimensions)					
50	500	703.50.90.R500			
Medium Duty Rated (AS/NZS 61386)					
100	900	703.100MD.90.R900.OR			
150	900	703.150MD.90.R900.OR			
Heavy Duty Rated (AS/NZ 61386)					
100	900	703.100HD.90.R900.OR			
150	900	703.150HD.90.R900.OR			



Notes:

1. Orange duct bends typically used for Power applications
2. Long radius sweep bends (R1200 & R1500) also available on request
3. For PE Duct (straight lengths) jointing refer CALIBRE TRENCHLESS Jointing section
4. For further details contact 0800MARLEY (0800 627 539) for POA & availability
5. MOQ & lead times may apply to customer specific requests or non stocked items

CALIBRE CABLE DUCT BENDS - SOLVENT TYPE

SIZE ID (mm)	RADIUS (mm)	LENGTH (mm)	CODE 90°		CODE 45°	
			GREEN	WHITE	GREEN	WHITE
20	100	300	TCB.20.90.300	TCB.20.90.300.WH		
	240	500	TCB.20.90.500			
	300	660	TCB.20.90.660	TCB.20.90.660.WH		
50	240	600			TCB.50.45.600	TCB.50.45.600.WH
	350	750			TCB.50.45.750	
	350	1000	TCB.50.90.1000	TCB.50.90.1000.WH		
100	300	850			TCB.100.45.850	TCB.100.45.850.WH
	400	1200	TCB.100.90.1200	TCB.100.90.1200.WH		
	900	1800	TCB.100.90.1800			





Notes:

1. Green (and white) cable duct bends typically used for communication applications
2. For PE cable duct (straight lengths) jointing refer CALIBRE TRENCHLESS Jointing section
3. For further details contact 0800MARLEY (0800 627 539) for POA & availability
4. MOQ & lead times may apply to customer specific requests or non stocked items

CALIBRE CABLE DUCT ACCESSORIES - SOLVENT TYPE

DESCRIPTION	PACK	CODE	COLOUR
DN20 Comms Junction box (uPVC)	1	TCJ.B	White
Comms Screws Tri-wing	50	TC.SCREW.50	





uPVC JOINTING

SIZE (mm)	PACK	REC. TRADE PRICE ($/unit)	CODE
PVC SOLVENT CEMENT			
125ml (Clear)	1 POT	$15.16	SC125C
250ml (Clear)	1 POT	$18.97	SC250C
125ml (Gold)	1 POT	$16.32	MG125
250ml (Gold)	1 POT	$21.88	MG250
500ml (Gold)	1 POT	$32.04	MG500
4litre (Gold)	1 TIN	$151.30	MG4000
PVC JOINT PRIME			
500ml	1 POT	$29.68	CF500
4litre	1 TIN	$129.33	CF4000
PVC RRJ JOINT LUBE (MEDLUBE)			
275g	1 TUBE	$19.75	JL250
500g	1 TIN	$29.02	JL500







CALIBRE® TRENCHLESS JOINTING
FOR PE TYPE JOINTS

FRIATEC ELECTROFUSION FITTINGS

SIZE (mm)	COUPLER CODE	SDR EQUIVALENT
25	T612681	11 to 17
32	T612682	11 to 17
40	T612683	11 to 17
50	T612684	11 to 17
63	T612685	11 to 17
90	T612687	11 to 17
110	T612688	11 to 17
125	T612689	11 to 17
140	T612690	11 to 17
160	T612691	11 to 17



PHILMAC COMPRESSION FITTINGS

SIZE (mm)	JOINER CODE	SLIP COUPLER CODE
JOINERS & COUPLERS		
20	MM301.20	MM301.20S
25	MM301.25	MM301.25S
32	MM301.32	MM301.32S
40	MM301.40	MM301.40S
50	MM301.50	MM301.50S
63	MM301.63	MM301.63S



Notes:

1. Refer to www.marley.co.nz for a full range of Electrofusion & Compression fittings
2. For further details contact 0800MARLEY (0800 627 539) for POA & availability
3. MOQ & lead times may apply to customer specific requests or non stocked items

CALIBRE® TRENCH & TRENCHLESS JOINTING
FOR BOTH PVC & PE CABLE DUCT SIZES

ACCESS PITS

SIZE (mm)	OUTLET (Ømm)	CODE	REC. TRADE PRICE ($/unit)	
ACCESS PIT				
200x200x200	75, 90, 110	1SD5068	$74.34	
300x300x300	75,90,110,125,160	1SD5069	$170.26	
400x400x400	100,125, 140,160, 200, 250	1SD5242	$298.78	
550x550x520	160, 200, 250, 315	1SD5128	$581.10	
ACCESS PIT RISER				
200x200x200	75, 90, 110	1SD5071	$62.74	
300x300x300	75,90,110,125,160	1SD5072	$143.66	
400x400x400	100,125, 140,160, 200, 250	1SD5245	$251.78	
550x550x520	160, 200, 250, 315	1SD4887	$484.98	
SHORT RISER				
300x300x100		1SD5721	$49.51	
400x400x100		1SD5722	$89.84	
550x550x315		1SD5723	$287.88	

Note: Bonding adhesive – use adhesives suitable for joining dissimilar materials (PE, uPVC & PP).
Refer TAM TECH ADHESIVE.

LIDS

SIZE (mm)	BREAK LOAD* (KN)	CODE	REC. TRADE PRICE ($/unit)	
PEDESTRIAN LID (PVC)				
200x200x25	14	1SD4728	$46.54	
300x300x30	20	1SD4729	$97.69	
400x400x35	25	1SD4730	$199.03	
550x550x45	26	1SD4896	$558.13	
HEAVY DUTY TRAFFICABLE LID (PVC)				
200x200x35	57	1SD1759	$90.35	
300x300x45	35	1SD1924	$209.96	
400x400x55	31	1SD1948	$353.89	
550x550x65	56	1SD4782	$830.29	

Note: *Working load = Break Load / Design Safety Factor

Versatile design

- Suitable for uPVC & PE cable ducting
- Modular and stackable for riser capability
- Lightweight for ease of install
- Preformed duct entry knock outs – various sizes
- Not suitable for IP rated water and dust classification requirements

Wide range of jointing applications

- Commercial building lighting and in-floor jointing
- Landscaping and sport fields
- Pedestrian pavements
- Light vehicle driveways

Durability

- Pits and risers made from non conductive, chemical resistant polypropylene
- Lids made from durable PVC
- Trafficable rated lids suitable for light vehicles up to 15KN load (rated A15 class)

CHORUS NZ APPROVED CABLE DUCT PRODUCTS

"Chorus" branded products are designed to specifically meet Chorus NZ's product specification.
The following product range may only be sold to Chorus approved installers or their approved subcontractors.
For non-Chorus related installation work, refer CALIBRE® Cable Duct Systems (trench & trenchless).

TRENCH CABLE DUCT

SIZE (ID)	LENGTH (m)	MATERIAL	GREEN	WHITE	CRATE Q
20	6	PVC	TC20E	TC20E.WHITE	900
50	6	PVC	TC50.RRJ		105
110	6	PVC	TC110.RRJ		60



Notes:
All joins are solvent type joints, unless stated otherwise as rubber ring joints (RRJ)

TRENCHLESS CABLE DUCT

SIZE (OD)	MATERIAL	COIL LENGTH 100m	COIL LENGTH 200m	COIL LENGTH 500m	COIL LENGTH 1000m
25	HDPE	SERVD.25.100.TG	SERVD.25.200.TG		
32	MDPE		SUBD.32.200.TG	SUBD.32.500.TG	SUBD.32.1000.TG
50	HDPE	600.50HD.100.GN.CHO			



Notes:
1. For further details contact 0800MARLEY (0800 627 539) for POA & availability
2. MOQ & lead times may apply to customer specific requests or non stocked items e.g. coil length

PRICES:
All prices are recommended trade pricing and subject to alteration without notice. Possession of this price list, a company catalogue or other leaflet is not to be considered as an offer to sell any product to the holder or at the prices stated. Prices quoted within this price list are subject to the addition of goods and services tax (GST).

AVAILABILITY:
All orders and promises of delivery are given in good faith and on the condition of labour, material, and transport being available and without responsibility for delays arising through risks and uncertainties of manufacture, strikes, accidents or other causes beyond our control.

FOLLOW US

Terms of Sale

Payment terms:

In the event of the Supplier granting credit facilities to the Customer then the following terms shall apply:

(a) All accounts are to be settled in full no later than the 20th day of the month following invoice.

(b) That should the Customer default in payment of any monies due under this agreement then all monies due to the Supplier shall immediately become due and payable and shall be paid by the Customer within SEVEN (7) days of the date of demand and the Supplier shall be entitled to charge interest at the rate then applicable to bank overdraft on businesses of the same kind as the Customer's plus 2% on all overdue accounts from the date of due payment until the date of actual payment.

(c) Any expenses costs or disbursements incurred by the Supplier in recovering any outstanding monies including debt collection agency fees or legal fees, shall be recoverable from the Customer.

(d) The Supplier shall be entitled without notice to terminate any credit arrangement with the Customer in the event of the Customer defaulting in any of the terms and conditions herein contained.

(e) The Supplier shall be entitled at any stage during the continuancy of this Agreement to request such security or additional security as the Supplier shall in its discretion think fit and shall be entitled to withhold supply of goods or credit arrangements until such security or additional security shall be obtained.

Retention of title:

(a) Property (both legal and equitable) in all goods delivered by the Supplier to the Customer does not pass (and the Customer is a bailee only in respect of those goods) until payment in full is made for all the goods supplied by the Supplier to the Customer. As from delivery the goods shall be at the Customer's risk AND the Customer shall retain and preserve such goods in new condition and shall ensure that all serial numbers, identification marks, stickers and packaging shall be kept intact with such goods until they have been sold in the normal course of business.

(b) If the goods are sold prior property passing to the Customer, the proceeds of the sale must be held by the Customer on trust for, and on behalf of the Supplier in a separate account, and the Customer must account to the Supplier for all proceeds of sale of each item of goods irrespective of any terms of credit between the Customer and the Supplier.

(c) Prior to the Customer acquiring full property in the goods the Supplier or the Supplier's agents may at any time enter upon any land, premises or property where it believes such goods may be to view and inspect them, and if the Customer has not paid for them in full retake possession of the goods. The Customer will indemnify the Supplier on demand in respect of any costs or liabilities incurred by the Supplier in exercising its rights under this clause.

Claims:

All claims for product damaged at the point of delivery should be noted on freight docket and advised to Marley within 7 days.

Returns:

All returns are in first instance to be referred to the Area Sales Representative or the Area Sales Office with the relevant information.

Product will not be accepted back into our warehouse without prior arrangement. Product that is returned excess to Merchants requirements will incur a 15% charge to cover freight, re-warehousing and credit issue.

Product will only be accepted in pack or carton lots. Any damaged or marked product will not be credited.

Change of Ownership – Registered Particulars – the Customer shall no later than 14 days prior to any proposed changes of ownership, change in registered particulars, alteration, addition to the shareholding or directorship, notify the Supplier of the proposed change and the Customer shall notify the Supplier of any change, alteration or addition to the Customers internal structure and shall provide full details of the proposed changes, alteration or additions, to the Supplier and the Customer shall be liable for any goods supplied by the Supplier after such change, alteration or addition unless the Supplier shall have acknowledged by written acceptance of the intending change, alteration or addition.

Sustainable Manufacturing

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice certified for our entire range of manufactured uPVC systems. This means we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint and accept our products back at the end of their useful life for recycling.

BEST ENVIRONMENTAL PRACTICE

AS/NZS 5395: 2024
LICENSE No 2969

CERTIFIED ISO 9001 ISO 14001

PROUD SUPPORTERS OF CERTIFIED RENEWABLE ELECTRICITY GENERATION

NZGBC TE KAUNIHERA HANGANGA TAUTAIAO Member 2025–2026

Disclaimer

This price book has been compiled by Marley New Zealand Limited ("The Company") and is supplied subject to acknowledgment of the following conditions:

The price book is protected by Copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. Prices are subject to change, product specifications, usage data and advisory information may also change from time to time with advances in research and field experience. Industry standards are also subject to change, at the time of printing all products featured in this publication adhere to the relevant New Zealand standards where applicable. The Company reserves the right to make such changes to price or product information at any time without notice. Correct usage of the Company's products involve engineering judgements which cannot be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and of the consequences of anything done or omitted to be done by any such person in reliance whether whole or partial upon the whole or any part of the contents of this publication. No offer to trade, nor any conditions of trading, are expressed or implied by the issue or content of this manual. Nothing herein shall override the Company's Conditions of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. This price book is and shall remain the property of the Company, and shall be surrendered on demand to the Company.

MAR7038 October 2026

Our Partners

Master Plumbers® Representing Excellence

Accredited Partner MASTER ELECTRICIANS Electrical Contractors Association of NZ

New Zealand Certified Builders Association NZCB

REGISTERED MASTER BUILDERS ASSOCIATE MEMBER

SPEC ASSIST

MEMBER OF ROOFING ASSOCIATION NZ