

MAY 2024



Lake Wānaka

# PRODUCT CATALOGUE

Rainwater / Plumbing / Civil / Rural

 **MARLEY**  
by aliaxis

# CONTENTS

## 01 RAINWATER SOLUTIONS

### 02 Spouting Systems

- 02 Stormcloud®
- 03 Marley Stratus Design Series® Stormcloud®  
– Grey Friars®, Ironsand®, Black and FlaxBlack®
- 04 Typhoon®
- 05 Marley Stratus Design Series® Typhoon®  
– Grey Friars®, Ironsand®, Black and FlaxBlack®
- 06 – Copper and Titanium
- 07 Classic™
- 08 FL2®
- 09 Magnum®

### 11 Downpipe Systems

- 11 RP80® 80mm Round Downpipe
- 12 Marley Stratus Design Series® RP80®  
– Grey Friars®, Ironsand®, Black and FlaxBlack®
- 13 – Copper and Titanium
- 14 RP65® 65mm Round Downpipe
- 15 Rectangular Downpipes

### 16 Rainwater Harvesting

## 18 uPVC NON PRESSURE SOLUTIONS – DWV

### 22 Marley OPTIM® DWV Sanitary Systems

- 22 OPTIM® Pipes
- 23 OPTIM® Pipes and Fittings – Solvent Joint
- 26 OPTIM® Converge®
- 26 OPTIM® Kompakt®
- 27 PVC Primer, Solvent, Lubricant
- 27 OPTIM® Fittings – Rubber Ring Joint
- 29 dBlue® Acoustic Plumbing System

### 31 Couplings

### 33 Waste Water Traps

- 37 Trap Accessories
- 38 Trap Spares
- 39 Pipe Cover Flanges

## 40 uPVC NON PRESSURE SOLUTIONS – STORMWATER

### 40 Marley STORMLINE® Stormwater Systems

- 40 STORMLINE® Pipes
- 41 STORMLINE® Fittings
- 43 Stormwater Fittings – Large Bore
- 43 Non-Return Valves
- 44 Stormwater Access Pits
- 45 Domestic Access Shafts

## 46 uPVC / mPVC PRESSURE SOLUTIONS

- 47 uPVC Series 1
- 48 mPVC Genex® Series 1
- 48 Marley Blue uPVC Series 2
- 48 Marley Blue mPVC Genex® Series 2
- 49 Pressure Fittings
- 50 Pressure Fittings – Solvent

## 53 POLYETHYLENE NON PRESSURE SOLUTIONS

### 53 Marley HDPE Drainage Systems

- 54 Akatherm Drainage System
- 56 Akasison Siphonic Roof Drainage

## 57 POLYETHYLENE PRESSURE SOLUTIONS

### 59 Polyethylene Pressure Pipe

- 59 Black Polyethylene Pressure Pipe
- 60 Blue Polyethylene Pressure Pipe
- 61 Royal Blue Polyethylene Pressure Pipe

### 62 Friatec - PE Electrofusion fittings

### 70 Philmac Fittings

- 71 Philmac 3G Compression Fittings
- 73 Philmac Universal Transition Fittings
- 73 Philmac Valves
- 74 Philmac Threaded Fittings

### 75 Oasis® 6 & 9 Bar Polyethylene Pipe

### 76 950 Series®

## 78 LAND DRAINAGE SOLUTIONS

### 79 Corrugated Drainage Systems

- 81 Drainflo®
- 81 Drainflo® HD
- 82 Drainflo® Smooth
- 82 Drainflo® Smooth HD
- 82 Drainflo® Fittings

### 82 Culvert Pipe

- 82 Agriduct®

## 83 SURFACE WATER DRAINAGE

### 84 ConnectoTrade®

### 87 Connecto™

### 88 AdjustaPit®

## 92 MISCELLANEOUS/OTHER

### 93 Bathroom Solutions

- 93 Centreflush2®
- 93 Centreflush2® Spares
- 94 Vienna®
- 95 Vienna® Spares
- 96 Loline
- 96 Loline Spares
- 97 Toilet Seats & Spares
- 98 Delmonte/Montego Spares
- 98 Pans
- 98 Macerator Pump Spares
- 99 Valves

### 100 Grease Management

- 100 Endura® XL Grease Traps
- 101 Grease Converter Systems
- 102 Grease Converter Components & Spare Parts
- 103 Endura® Sediment Trap
- 103 Endura® Solids Interceptor

### 104 Marley Merchandise Boxes





# we make life flow



Aliaxis are passionate about creating sustainable innovative solutions for water and energy. We provide people around the world with advanced plastic piping systems, leading the industry in a way that anticipates the rapidly evolving needs of our times.

Marley has been part of the Aliaxis group for 15 years and NZ homes for 65 years. Providing spouting, downpipes, building, plumbing and electrical solutions for kiwis since 1959.


With local manufacturing sites employing local people, the vast majority of the products we sell are proudly New Zealand made.

We are committed to keeping New Zealand green. Marley operates a uPVC recycling program as part of our ISO 14001 environmental management system and is Best Environmental Practice certified for its entire manufactured range of uPVC systems.

This allows designers to achieve GreenStar credits when specifying Marley uPVC systems in commercial buildings, and installers / end users to recycle their uPVC products.\*



\* Talk to us about our recycling program and requirements regarding return and condition of product



# RAINWATER SOLUTIONS

## 02 Spouting Systems

- 02 Stormcloud®
- 03 Marley Stratus Design Series® Stormcloud®
  - Grey Friars®
  - Ironsand®
  - Black
  - FlaxBlack®
- 04 Typhoon®
- 05 Marley Stratus Design Series® Typhoon®
  - Grey Friars®
  - Ironsand®
  - Black
  - FlaxBlack®
- 06 – Copper
- Titanium
- 07 Classic™
- 08 FL2®
- 09 Magnum®

## 11 Downpipe Systems

- 11 RP80® 80mm Round Downpipe
- 12 Marley Stratus Design Series® RP80®
  - Grey Friars®
  - Ironsand®
  - Black
  - FlaxBlack®
- 13 – Copper
- Titanium
- 14 RP65® 65mm Round Downpipe
- 15 Rectangular Downpipes

## 16 Rainwater Harvesting



### Flexipak Customised Ordering Service

Marley provide a custom ordering system for selected rainwater products which means you can order just what you need and it will be ready within 48 hours.

Look for the Flexipak logo to identify products available in the custom order system.

### uPVC Rainwater Systems



15 YEAR GUARANTEE



WILL NOT RUST



U.V RESISTANT



MADE IN NZ



SAFE FOR DRINKING



LOW MAINTENANCE




100% RECYCLABLE

NEW COLOUR  
INSPIRED BY  
NATURE

# FLAX FINESSE


FLAXBLACK® JOINS THE STRATUS DESIGN SERIES®





# MARLEY STORMCLOUD® SPOUTING SYSTEM

NZ's favourite PVC spouting, Stormcloud's quarter round shape frames your house with clean, strong lines, whilst enjoying all the low maintenance and long life benefits of uPVC.




Cross-sectional area 5100mm<sup>2</sup>

COMPONENT	CODE	PRODUCT (MOQ)	PACK QUANTITY
STORMCLOUD SPOUTING 5m Length	MS1.5		4 x 5m Lengths
STORMCLOUD SPOUTING 3m Length	MS1.3		8 x 3m Lengths
STORMCLOUD SPOUTING 1.5m Length	MS1.REPAIR		8 x 1.5m Lengths
STORMCLOUD BRACKET 10 Per Packet	MS2		20 x Packs of 10
STORMCLOUD LEFT HAND STOPEND	MS3		30
STORMCLOUD RIGHT HAND STOPEND	MS4		30
STORMCLOUD JOINER	MS5		40
STORMCLOUD EXPANSION JOINER	MS17		10
STORMCLOUD EXTERNAL ANGLE 90°	MS6		10
STORMCLOUD INTERNAL ANGLE 90°	MS7		10
STORMCLOUD EXPANSION OUTLET 65mm	MS8.65		10
STORMCLOUD EXPANSION OUTLET 80mm	MS8.80		10
DROPPER OUTLET 65mm	MC11.65		30
DROPPER OUTLET 80mm	MC11.80		30
DROPPER OUTLET 100 X 50mm	MC11.100.50		5
OUTLET STRAINER	RWST		1
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10
BRACKET SCREWS FOR METAL FASCIA	SCREW.METAL		100
BRACKET NAILS	MCNAILS		150
SPECIAL SPOUTING ANGLE - FLAT	MSSPEC.F	CUSTOM MANUFACTURED	1
SPECIAL SPOUTING ANGLE - RAKE	MSSPEC.R	CUSTOM MANUFACTURED	1

# MARLEY STORMCLOUD® SPOUTING SYSTEM

NZ's favourite PVC spouting. Stormcloud's quarter round shape frames your house with clean, strong lines, whilst enjoying all the low maintenance and long life benefits of uPVC.

**STRATUS®**  
DESIGN SERIES



Cross-sectional area 5100mm<sup>2</sup>

COMPONENT	GREY FRIARS® PICTURED	GREY FRIARS® CODE	IRONSAND® CODE	BLACK CODE	FLAXBLACK® CODE	PACK QUANTITY*
STORMCLOUD SPOUTING 4m Length		MS1.4.GYF	MS1.4.IRO	MS1.4.BLK	MS1.4.FXB	4
STORMCLOUD BRACKET		MS2.GYF	MS2.IRO	MS2.BLK	MS2.FXB	10
STORMCLOUD LEFT HAND STOPEND		MS3.GYF	MS3.IRO	MS3.BLK	MS3.FXB	1
STORMCLOUD RIGHT HAND STOPEND		MS4.GYF	MS4.IRO	MS4.BLK	MS4.FXB	1
STORMCLOUD JOINER		MS5.GYF	MS5.IRO	MS5.BLK	MS5.FXB	1
STORMCLOUD EXPANSION JOINER		MS17.GYF	MS17.IRO	MS17.BLK	MS17.FXB	1
STORMCLOUD EXTERNAL ANGLE 90°		MS6.GYF	MS6.IRO	MS6.BLK	MS6.FXB	1
STORMCLOUD INTERNAL ANGLE 90°		MS7.GYF	MS7.IRO	MS7.BLK	MS7.FXB	1
STORMCLOUD EXPANSION OUTLET 80mm		MS8.80.GYF	MS8.80.IRO	MS8.80.BLK	MS8.80.FXB	1
STORMCLOUD EXPANSION OUTLET 65mm		MS8.65.GYF	MS8.65.IRO	MS8.65.BLK	MS8.65.FXB	1
DROPPER OUTLET 80mm N.B For flat bottom spouting only		MC11.80.GYF	MC11.80.IRO	MC11.80.BLK	MC11.80.FXB	1
SOLVENT WELDING CEMENT - 180G TUBE		MCS.GYF	MCS.IRO	MCS.BLK	MCS.FXB	1
STORMCLOUD SPECIAL ANGLE - FLAT		MSSPEC.F.GYF	MSSPEC.F.IRO	MSSPEC.F.BLK	MSSPEC.F.FXB	1
STORMCLOUD SPECIAL ANGLE - RAKE		MSSPEC.R.GYF	MSSPEC.R.IRO	MSSPEC.R.BLK	MSSPEC.R.FXB	1

## ACCESSORIES

OUTLET STRAINER			RWST		1
BRACKET SCREWS FOR METAL FASCIA			SCREW.METAL		100
BRACKET NAILS			MCNAILS		150



Order just what you need.



GREY FRIARS® IRONSAND® BLACK FLAXBLACK®



\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.

FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.



# MARLEY TYPHOON® SPOUTING SYSTEM

Typhoon is a half round spouting system with excellent flow capacity. This contemporary design offers a choice of either internal or external brackets.



Cross-sectional area 6100 mm<sup>2</sup>

COMPONENT	CODE	PRODUCT	PACK QUANTITY*
TYPHOON SPOUTING 5m Length	MT1.5		4 x 5m Lengths
TYPHOON SPOUTING 3m Length	MT1.3		4 x 3m Lengths
TYPHOON INTERNAL BRACKET 10 Per Packet	MT2I		10 x Packs of 10
TYPHOON EXTERNAL BRACKET 10 Per Packet	MT2E		10 x Packs of 10
TYPHOON LEFT HAND STOPEND	MT3		30
TYPHOON RIGHT HAND STOPEND	MT4		30
TYPHOON JOINER	MT5		30
TYPHOON EXPANSION JOINER	MT17		10
TYPHOON EXTERNAL ANGLE 90°	MT6		30
TYPHOON INTERNAL ANGLE 90°	MT7		10
TYPHOON EXPANSION OUTLET 80mm	MT8.80		10
TYPHOON DROPPER 80mm	MT11.80		10
OUTLET STRAINER	RWST		1
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10
BRACKET SCREWS FOR METAL FASCIA	SCREW.METAL		100
BRACKET NAILS	MCNAILS		150
SPECIAL SPOUTING ANGLE - FLAT	MTSPEC.F		1
SPECIAL SPOUTING ANGLE - RAKE	MTSPEC.R		1

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.




# MARLEY TYPHOON® SPOUTING SYSTEM

Typhoon is a half round spouting system with excellent flow capacity. This contemporary design offers a choice of either internal or external brackets.

**STRATUS®**  
DESIGN SERIES

RAINWATER SOLUTIONS



Cross-sectional area 6100 mm<sup>2</sup>

COMPONENT	GREY FRIARS® PICTURED	GREY FRIARS® CODE	IRONSAND® CODE	BLACK CODE	FLAXBLACK® CODE	PACK QUANTITY*
TYPHOON SPOUTING 4m Length		MT1.4.GYF	MT1.4.IRO	MT1.4.BLK	MT1.4.FXB	4
TYPHOON INTERNAL BRACKET		MT2I.GYF	MT2I.IRO	MT2I.BLK	MT2I.FXB	10
TYPHOON EXTERNAL BRACKET		MT2E.GYF	MT2E.IRO	MT2E.BLK	MT2E.FXB	10
TYPHOON LEFT HAND STOPEND		MT3.GYF	MT3.IRO	MT3.BLK	MT3.FXB	1
TYPHOON RIGHT HAND STOPEND		MT4.GYF	MT4.IRO	MT4.BLK	MT4.FXB	1
TYPHOON JOINER		MT5.GYF	MT5.IRO	MT5.BLK	MT5.FXB	1
TYPHOON EXPANSION JOINER		MT17.GYF	MT17.IRO	MT17.BLK	MT17.FXB	1
TYPHOON EXTERNAL ANGLE 90°		MT6.GYF	MT6.IRO	MT6.BLK	MT6.FXB	1
TYPHOON INTERNAL ANGLE 90°		MT7.GYF	MT7.IRO	MT7.BLK	MT7.FXB	1
TYPHOON EXPANSION OUTLET 80mm		MT8.80.GYF	MT8.80.IRO	MT8.80.BLK	MT8.80.FXB	1
TYPHOON DROPPER OUTLET 80mm		MT11.80.GYF	MT11.80.IRO	MT11.80.BLK	MT11.80.FXB	1
SOLVENT WELDING CEMENT - 180G TUBE		MCS.GYF	MCS.IRO	MCS.BLK	MCS.FXB	1
TYPHOON SPECIAL ANGLE - FLAT		MTSPEC.F.GYF	MTSPEC.F.IRO	MTSPEC.F.BLK	MTSPEC.F.FXB	1
TYPHOON SPECIAL ANGLE - RAKE		MTSPEC.R.GYF	MTSPEC.R.IRO	MTSPEC.R.BLK	MTSPEC.R.FXB	1

## ACCESSORIES

OUTLET STRAINER			RWST	1
BRACKET SCREWS FOR METAL FASCIA			SCREW.METAL	100
BRACKET NAILS			MCNAILS	150



Order just what you need.



GREY FRIARS® IRONSAND® BLACK FLAXBLACK®

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.


FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®, Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.

# MARLEY TYPHOON® SPOUTING SYSTEM

Typhoon is a half round spouting system with excellent flow capacity. This contemporary design offers a choice of either internal or external brackets.

**STRATUS®**

DESIGN SERIES



Cross-sectional area 6100 mm<sup>2</sup>

COMPONENT	COPPER PRODUCT	COPPER CODE	TITANIUM PRODUCT	TITANIUM CODE	PACK QUANTITY*
TYPHOON SPOUTING 4m Length		MT1.4.COP		MT1.4.TTN	4
TYPHOON INTERNAL BRACKET		MT2I.COP		MT2I.TTN	10
TYPHOON EXTERNAL BRACKET		MT2E.COP		MT2E.TTN	10
TYPHOON LH SPOUTING STOPEND		MT3.COP		MT3.TTN	1
TYPHOON RH SPOUTING STOPEND		MT4.COP		MT4.TTN	1
TYPHOON JOINER		MT5.COP		MT5.TTN	1
TYPHOON EXPANSION JOINER		MT17.COP		MT17.TTN	1
TYPHOON EXTERNAL ANGLE 90°		MT6.COP		MT6.TTN	1
TYPHOON INTERNAL ANGLE 90°		MT7.COP		MT7.TTN	1
TYPHOON EXPANSION OUTLET 80mm		MT8.80.COP		MT8.80.TTN	1
TYPHOON DROPPER OUTLET 80mm		MT11.80.COP		MT11.80.TTN	1
SOLVENT WELDING CEMENT - 180G TUBE		MCS.COP		MCS.TTN	1
TYPHOON SPECIAL ANGLE - FLAT		MTSPEC.F.COP		MTSPEC.F.TTN	1
TYPHOON SPECIAL ANGLE - RAKE		MTSPEC.R.COP		MTSPEC.R.TTN	1

## ACCESSORIES

OUTLET STRAINER		RWST	1
BRACKET SCREWS FOR METAL FASCIA		SCREW.METAL	100
BRACKET NAILS		MCNAILS	150



Order just what you need.




COPPER (METALLIC)




TITANIUM (METALLIC)

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.




# MARLEY CLASSIC™ SPOUTING SYSTEM

Based on an original Roman design, the Classic shape is synonymous with Marley and is particularly suited to villas and colonial style houses.





COMPONENT	CODE	PRODUCT (MOQ)	PACK QUANTITY
CLASSIC SPOUTING 5m Length	MC1.5		4 x 5m Lengths
CLASSIC SPOUTING 3m Length	MC1.3		8 x 3m Lengths
CLASSIC SPOUTING 1.5m Length	MC1.REPAIR		8 x 1.5m Lengths
CLASSIC BRACKET 10 Per Packet	MC2		20 x Packs of 10
CLASSIC LEFT HAND STOPEND	MC3		30
CLASSIC RIGHT HAND STOPEND	MC4		30
CLASSIC JOINER	MC5		40
CLASSIC EXPANSION JOINER	MC17		10
CLASSIC EXTERNAL ANGLE 90°	MC6		10
CLASSIC INTERNAL ANGLE 90°	MC7		10
CLASSIC EXPANSION OUTLET 65mm	MC8.65		10
CLASSIC EXPANSION OUTLET 80mm	MC8.80		10
DROPPER OUTLET 65mm	MC11.65		30
DROPPER OUTLET 80mm	MC11.80		30
DROPPER OUTLET 100 X 50mm	MC11.100.50		5
OUTLET STRAINER	RWST		1
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10
BRACKET SCREWS FOR METAL FASCIA	SCREW.METAL		100
BRACKET NAILS	MCNAILS		150
SPECIAL SPOUTING ANGLE - FLAT	MCSPEC.F	CUSTOM MANUFACTURED	1
SPECIAL SPOUTING ANGLE - RAKE	MCSPEC.R	CUSTOM MANUFACTURED	1



# MARLEY FL2® SPOUTING SYSTEM


The high face of FL2 masks untidy roof edges while its ultra-clean lines offer a subtle design to complement any house.



Cross-sectional area 4800mm<sup>2</sup>

COMPONENT	CODE	PRODUCT	PACK QUANTITY*
FL2 SPOUTING 5m Length	FL1.5		4 x 5m Lengths
FL2 SPOUTING 3m Length	FL1.3		8 x 3m Lengths
FL2 INTERNAL BRACKET 10 Per Packet	FL2I		20 x Packs of 10
FL2 EXTERNAL BRACKET 10 Per Packet	FL2E		10 x Packs of 10
FL2 LEFT HAND STOPEND	FL3		30
FL2 RIGHT HAND STOPEND	FL4		30
FL2 JOINER	FL5		40
FL2 EXPANSION JOINER	FL17		10
FL2 EXTERNAL ANGLE 90°	FL6		30
FL2 INTERNAL ANGLE 90°	FL7		10
FL2 EXPANSION OUTLET 65mm	FL8.65		10
FL2 EXPANSION OUTLET 80mm	FL8.80		10
DROPPER OUTLET 65mm	MC11.65		30
DROPPER OUTLET 80mm	MC11.80		30
DROPPER OUTLET 100 x 50mm	MC11.100.50		5
OUTLET STRAINER	RWST		1
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10
BRACKET SCREWS FOR METAL FASCIA	SCREW.METAL		100
BRACKET NAILS	MCNAILS		150
SPECIAL SPOUTING ANGLE - FLAT	FLSPEC.F	CUSTOM MANUFACTURED	1
SPECIAL SPOUTING ANGLE - RAKE	FLSPEC.R	CUSTOM MANUFACTURED	1

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.




# MARLEY MAGNUM® SPOUTING AND DOWNPIPE SYSTEM

A rugged half round PVC solvent cement system, which is ideally suited to collect rainwater from large roof areas in commercial, agricultural and domestic applications.



Order just what you need.

UNIVERSAL SPOUTING  
STOPEND MAG8



Cross-sectional area 14,300mm<sup>2</sup>

COMPONENT	CODE	PRODUCT	PACK QUANTITY*
MAGNUM SPOUTING 4m Length	MAG1.4		1 x 4m Length
MAGNUM SPOUTING BRACKET	MAG2E		1
MAGNUM SPOUTING STOPEND	MAG9		1
MAGNUM SPOUTING JOINER	MAG5		1
MAGNUM EXPANSION JOINER	MAG17		1
MAGNUM 90° ANGLE	MAG6		1
MAGNUM EXPANSION OUTLET 100mm	MAGE8.100		1
MAGNUM DROPPER OUTLET 100mm	MAG8.100		1
MAGNUM OUTLET STOPEND	MAG8		1
MAGNUM DOWNPIPE 100mm 4m Length	RP100.GY.4		1 x 4m Length
MAGNUM 88° SOCKET BEND 100mm	RB2.100.GY		1
DWV HOLDERBAT PIPE CLIP 100DN	140.100HB		1
MAGNUM RAINHEAD 100mm	MAGRH.100		1
SOLVENT WELDING CEMENT GREY 180g Tube	MCS.GY		1
INTERNAL/EXTERNAL SPECIAL ANGLE	MAG.ANGLE	CUSTOM MANUFACTURED	1

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.  
Note: Magnum spouting and downpipe system is only available in grey.

# MADE OF COLOUR



## DESIGNER **NZ MADE** RAINWATER SYSTEMS



BLACK



IRONSAND<sup>®</sup>



GREY  
FRIARS<sup>®</sup>



FLAXBLACK<sup>®</sup>



TITANIUM  
(Metallic)




COPPER  
(Metallic)




# MARLEY RP80® 80MM ROUND DOWNPIPE SYSTEM

Round downpipes are well suited to most houses and buildings and can be used when subjected to head pressure eg. connected to water tanks. **Note: Round downpipes must not be used in wall or ceiling cavities.**



Spreader kit



Twist® Rainwater Diverter

COMPONENT	CODE	PRODUCT	PACK QUANTITY (MOQ)
RP80® ROUND DOWNPIPE 80mm 3m Length NB: Socket at one end	RP80		9 x 3m Lengths
RP80® ROUND DOWNPIPE 80mm 1.5m Length NB: Nonsocketed	RP80.REPAIR		9 x 1.5m Lengths
95° F+F BEND	RB2.80		20
95° M+F BEND	RB4.80		10
43° F+F BEND	RB3.80		10
43° M+F BEND	RB5.80		10
JOINING SOCKET	RS80		15
95° JUNCTION	RJ80		5
PIPE CLIP 10 Per Packet	RC80		5 x Packs of 10
PIPE CLIP 80mm – 2 Part 10 Per Packet	RC80.2		5 x Packs of 10
PIPE CLIP SPACER NB: This spacer also fits the RC65.2	RC80.2S		20
ADAPTOR 80 to 90mm	RA80.90		10
ADAPTOR 80 to 100mm	RA80.100		10
ADAPTOR STORMCLOUD	RAS80		10
DOWNPIPE SPREADER KIT	SKIT80		1
SPREADER END CAP	CS80		10 in bag
RAINWATER GULLY	1SD6166		1
DROPPER OUTLET	MC11.80		30
OUTLET STRAINER	RWST		1
CURVE® LEAF DIVERTER	CURVE		1
CURVE® LEAF DIVERTER TWIN PACK	CURVE.TWIN		2
TWIST® RAINWATER DIVERTER*	TWIST		1
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10

# RP80® 80MM ROUND DOWNPIPE SYSTEM


The Marley RP80® 80mm round downpipe system is New Zealand's most popular downpipe system. Match to Stratus Design Series® Typhoon® and Stormcloud® spouting.

# STRATUS®

DESIGN SERIES



Order just what you need.



COMPONENT	GREY FRIARS® PICTURED	GREY FRIARS® CODE	IRONSAND® CODE	BLACK CODE	FLAXBLACK® CODE	PACK QUANTITY*
ROUND DOWNPIPE 80mm 3m Length NB: Nonsocketed – use jointing socket		RP80.GYF	RP80.IRO	RP80.BLK	RP80.FXB	5
95° F+F BEND		RB2.80.GYF	RB2.80.IRO	RB2.80.BLK	RB2.80.FXB	1
95° M+F BEND		RB4.80.GYF	RB4.80.IRO	RB4.80.BLK	RB4.80.FXB	1
43° F+F BEND		RB3.80.GYF	RB3.80.IRO	RB3.80.BLK	RB3.80.FXB	1
43° M+F BEND		RB5.80.GYF	RB5.80.IRO	RB5.80.BLK	RB5.80.FXB	1
JOINER		RS80.GYF	RS80.IRO	RS80.BLK	RS80.FXB	1
95° JUNCTION		RJ80.GYF	RJ80.IRO	RJ80.BLK	RJ80.FXB	1
SADDLE PIPE CLIP		RC80.GYF	RC80.IRO	RC80.BLK	RC80.FXB	10
ADJUSTABLE PIPE CLIP		RC80.2.GYF	RC80.2.IRO	RC80.2.BLK	RC80.2.FXB	10
PIPE CLIP SPACER		RC80.2S.GYF	RC80.2S.IRO	RC80.2S.BLK	RC80.2S.FXB	20
SPREADER KIT		SKIT80.GYF	SKIT80.IRO	SKIT80.BLK	SKIT80.FXB	1
END CAP		CS80.GYF	CS80.IRO	CS80.BLK	CS80.FXB	1
DROPPER OUTLET N.B For flat bottom spouting only		MC11.80.GYF	MC11.80.IRO	MC11.80.BLK	MC11.80.FXB	1
ADAPTOR 80 TO 90mm		RA80.90.GYF	RA80.90.IRO	RA80.90.BLK	RA80.90.FXB	1
ADAPTOR 80 TO 100mm		RA80.100.GYF	RA80.100.IRO	RA80.100.BLK	RA80.100.FXB	1
CURVE® LEAF DIVERTER		CURVE.GYF	CURVE.IRO	CURVE.BLK	CURVE.FXB	1
TWIST® RAINWATER DIVERTER <sup>^</sup>		TWIST.GYF	TWIST.IRO	TWIST.BLK	TWIST.FXB	1
SOLVENT WELDING CEMENT - 180G TUBE		MCS.GYF	MCS.IRO	MCS.BLK	MCS.FXB	1

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.

FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.


Note: Round downpipes must not be used in wall or ceiling cavities.



# RP80® 80MM ROUND DOWNPIPE SYSTEM

The Marley RP80® 80mm round downpipe system is New Zealand's most popular downpipe system. Match to Stratus Design Series® Typhoon® spouting.

**STRATUS®**  
DESIGN SERIES



COMPONENT	COPPER PRODUCT	COPPER CODE	TITANIUM PRODUCT	TITANIUM CODE	PACK QUANTITY*
ROUND DOWNPIPE 80mm 3m Length NB: Nonsocketed – use jointing socket		RP80.COP		RP80.TTN	5
95° F+F BEND		RB2.80.COP		RB2.80.TTN	1
95° M+F BEND		RB4.80.COP		RB4.80.TTN	1
43° F+F BEND		RB3.80.COP		RB3.80.TTN	1
43° M+F BEND		RB5.80.COP		RB5.80.TTN	1
JOINER		RS80.COP		RS80.TTN	1
95° JUNCTION		RJ80.COP		RJ80.TTN	1
SADDLE PIPE CLIP		RC80.COP		RC80.TTN	10
ADJUSTABLE PIPE CLIP		RC80.2.COP		RC80.2.TTN	10
PIPE CLIP SPACER		RC80.2S.COP		RC80.2S.TTN	20
SPREADER KIT		SKIT80.COP		SKIT80.TTN	1
END CAP		CS80.COP		CS80.TTN	1
DROPPER OUTLET N.B For flat bottom spouting only		MC11.80.COP		MC11.80.TTN	1
ADAPTOR 80 TO 90mm		RA80.90.COP		RA80.90.TTN	1
ADAPTOR 80 TO 100mm		RA80.100.COP		RA80.100.TTN	1
CURVE® LEAF DIVERTER		CURVE.COP		CURVE.TTN	1
TWIST® RAINWATER DIVERTER^		TWIST.COP		TWIST.TTN	1
SOLVENT WELDING CEMENT - 180G TUBE		MCS.COP		MCS.TTN	1

\*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.



FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®, Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.

Note: Round downpipes must not be used in wall or ceiling cavities.



## MARLEY RP65® 65MM ROUND DOWNPIPE SYSTEM

Round downpipes are well suited to most houses and buildings and can be used when subjected to head pressure eg. connected to water tanks. **Note: Round downpipes must not be used in wall or ceiling cavities.**



COMPONENT	CODE	PRODUCT	PACK QUANTITY (MOQ)
RP65® ROUND DOWNPIPE 65mm 3m Length NB: Socket at one end	RP65		12 x 3m Lengths
RP65® ROUND DOWNPIPE 65mm 1.5m Length NB: Nonsocketed	RP65.REPAIR		12 x 1.5m Lengths
95° F+F BEND	RB2.65		20
43° F+F BEND	RB3.65		10
JOINING SOCKET	RS65		20
95° JUNCTION	RJ65		5
PIPE CLIP 10 Per Packet	RC65		5 x Packs of 10
PIPE CLIP 65mm – 2 PART 10 Per Packet	RC65.2		5 x Packs of 10
PIPE CLIP SPACER NB: This spacer also fits the RC80.2	RC80.2S		20
ADAPTOR 65 to 90mm	RA65.90		10
ADAPTOR 65 to 80mm	RA65.80		10
DROPPER OUTLET	MC11.65		30
OUTLET STRAINER	RWST		1
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10



# MARLEY RECTANGULAR DOWNPIPE SYSTEMS

Rectangular downpipes provide clean lines and are well suited to plaster finished homes and buildings.  
**Note: Rectangular downpipes must not be used in wall or ceiling cavities, in a horizontal application or when subjected to head pressure eg. connected to water tanks. Not suitable to use in a wet syphon system.**

## RECTANGULAR DOWNPIPE 65 x 50mm




COMPONENT	CODE	PRODUCT	PACK QUANTITY (MOQ)
RECTANGULAR DOWNPIPE 65 x 50 3m Length <b>NB: Nonsocketed</b>	MC16		6 x 3m Lengths
112° SOCKET BEND OFFSET	MC12		5
95° SOCKET BEND	MC13		5
PIPE SOCKET	MC14		5
90° CHANGE OF DIRECTION	MC18		1
SQUARE TO ROUND SOCKET 65 x 50 to 65mm	MC19.65		5
SQUARE TO ROUND SOCKET 65 x 50 to 80mm	MC19.80		5
RECT JUNCTION 112°	MC20		1
PIPE CLIP STAND-OFF 10 Per Packet	MC22S		1 x bag of 10
PIPE CLIP 10 Per Packet	MC22		1 x bag of 10
DROPPER OUTLET	MC11.65		30
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10

## RECTANGULAR DOWNPIPE 100 x 50mm

RECTANGULAR DOWNPIPE 100 x 50 3m Length <b>NB: Nonsocketed</b>	MC140		4 x 3m Lengths
95° SOCKET BEND	MC142		5
45° SOCKET BEND	MC145		5
PIPE SOCKET	MC149		5
ADAPTOR 100 x 50 to 80mm	MC141.80		5
ADAPTOR 100 x 50 to 90mm	MC141.90		5
95° REVERSE FACE ELBOW	MC146		5
45° REVERSE FACE ELBOW	MC147		1
95° REVERSE FACE TEE	MC148T		1
PIPE CLIP-STAND-OFF 10 Per Packet	MC144S		1 x bag of 10
PIPE CLIP 10 Per Packet	MC144		1 x bag of 10
DROPPER OUTLET	MC11.100.50		5
SOLVENT WELDING CEMENT WHITE 180g Tube	MCS		10

## RAINWATER HARVESTING

COMPONENT	CODE	PRODUCT	PACK QUANTITY (MOQ)
-----------	------	---------	---------------------

<b>TWIST FILTER</b>			
	TWIST.FILTER	Twist Replacement Filter	1
<b>CURVE®</b>			
	CURVE	Curve® Leaf Diverter White	1
	CURVE.TWIN	Curve® Leaf Diverter White Twin Pack	2
	CURVE.IRO	Curve® Leaf Diverter Ironsand®	1
	CURVE.GYF	Curve® Leaf Diverter Grey Friars®	1
	CURVE.BLK	Curve® Leaf Diverter Black	1
	CURVE.FXB	Curve® Leaf Diverter FlaxBlack®	1
	CURVE.COP	Curve® Leaf Diverter Copper	1
	CURVE.TTN	Curve® Leaf Diverter Titanium	1
<b>CURVE SCREEN</b>			
	CURVE.SCREEN	Curve Replacement Screen	1
<b>TWIST®</b>			
	TWIST	Twist® Rainwater Diverter White	1
	TWIST.IRO	Twist® Rainwater Diverter Ironsand®	1
	TWIST.GYF	Twist® Rainwater Diverter Grey Friars®	1
	TWIST.BLK	Twist® Rainwater Diverter Black	1
	TWIST.FXB	Twist® Rainwater Diverter FlaxBlack®	1
	TWIST.COP	Twist® Rainwater Diverter Copper	1
	TWIST.TTN	Twist® Rainwater Diverter Titanium	1
<b>TWIST FILTER</b>			
	TWIST.FILTER	Twist® Replacement Filter	1
<b>TANK-IT</b>			
	TANK.316.GRY	Tank-It® 316L Light Grey	3
<b>FLOATING OUTTAKE WITH COLLAR</b>			
	RHFO	Floating Outtake with collar 2m hose. 32mm fitting with through wall option. 25mm reducer also included.	1
<b>CALMED INLET</b>			
	RHCI	Calmed Inlet for tank inlet pipe Fits 100mm pipe or smaller.	1

# Urban Rain Harvesting Made Easy

Marley's Tank-It<sup>®</sup> urban tank, coupled with a Marley Twist<sup>®</sup> downpipe diverter, offer a simple rain harvesting solution for capturing free rainwater from your roof.



Great for gardeners




Fill the pool or pond



Vegetable gardens



Summertime lawn envy



Back up supply



Scan for more information



# uPVC NON PRESSURE SOLUTIONS – DWV

## 22 Marley OPTIM® DWV Sanitary Systems

- 22 OPTIM® Pipes
- 23 OPTIM® Pipes and Fittings – Solvent Joint
- 26 OPTIM® Converge®
- 26 OPTIM® Kompakt®
- 27 PVC Primer, Solvent, Lubricant
- 27 OPTIM® Fittings – Rubber Ring Joint
- 29 dBlue® Acoustic Plumbing System


## 31 Couplings

## 33 Waste Water Traps

- 37 Trap Accessories
- 38 Trap Spares
- 39 Pipe Cover Flanges

# Introducing converge®

The newest addition to Marley's OPTIM® range, Converge® is a unique PVC aerator ideal for single stack system applications.



### Save space

in service risers with integrated vent tube allowing more usable floor area



### Less pipework

means less penetrations, less time, less cost



### Seamless integration

with other OPTIM® PVC DWV pipes and fittings



### Design flexibility

a single aerator fitting offers 6 branch connection options

**W**  
WaterMark  
WMKA1246

  
Recyclable  
uPVC

See page 26 for details.

# OPTIM<sup>®</sup>


# Quality Standards

## Buy a pipe you can trust

Don't risk your reputation by specifying or installing anything less.

The Marley OPTIM<sup>®</sup> DWV System is manufactured to the AS/NZS1260 Product Standard.

We have had enquires from plumbers, drainlayers and industry professionals asking us to provide some detail on why our adherence to the AS/NZ 1260 standard ("PVC-U pipes and fittings for drain,waste and vent) should matter to them.



This print is your insurance policy. If you want DWV uPVC pipe you can trust and trace then make it Marley.

### What the printing on the pipe means:

- ① **Manufacturers Name or Trademark:** You need to know who made it. Choose a brand you can trust.
- ② **Size:** DN100 makes the size easily identifiable to the customer.
- ③ **PVC-U:** Shows the material it is made from.
- ④ **DWV:** This shows it is designated for use in Drain, Waste and Vent applications.
- ⑤ **Class:** This details the Stiffness Rating. You need to know this rating for use in the correct buried application.
- ⑥ **SC (Solid):** Sandwich construction. This is still a solid wall pipe (not foam core) but is co-extruded.
- ⑦ **Date of Manufacture:** We all need to know when it was made if there are any issues. We also identify the time.
- ⑧ **Standard:** This indicates the standard the pipe is made to.
- ⑨ **Identification of Place of Manufacture:** Marley is certified to manufacture in our Auckland and Canterbury factories. This code lets you know our product is externally certified and which factory it was made in.
- ⑩ **Made in NZ:** You know its made in New Zealand. Marley has been making quality uPVC pipe in New Zealand for over 30 years.
- ⑪ **Recyclable:** Marley uPVC is 100% recyclable and we recycle all manufactured waste uPVC on site. Marley is also certified to meet BEP criteria. This means our uPVC products meet the Green Building Council's Best Practice guidelines for PVC in the built environment.

The above are requirements to meet the AS/NZS1260 standard. Marley also adds the following as added value.







**QUALITY ASSURANCE**

Rigorous internal testing by our IANZ accredited laboratory.



**CERTIFICATION**

Rigorous external testing by auditors to meet the New Zealand standard.



**PROVEN RELIABILITY**

30 years proven reliability manufacturing New Zealand product.



**FULL RANGE**

Marley supplies a complete system with over 300 compatible pipes and fittings.



**RECYCLABLE**

Marley uPVC is 100% recyclable and we recycle all manufactured uPVC on site. Marley is Best Environmental Practice certified.



**SUPPORT**

Nationwide technical and sales support whenever you need us.

**OPTIM® PIPE SIZE GUIDE**


DN (mm)	SN4		SN6		SN8		SN10		SN16	
	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ
32	✓									
40	✓									
50	✓									
65	✓									
80	✓									
100			✓	✓			✓	✓	✓	✓
150	✓	✓			✓	✓			✓	✓
175	✓	✓			✓	✓				✓
225		✓				✓				✓
300		✓				✓				✓
375		✓				✓				✓
475						✓				✓

## MARLEY OPTIM® DWV SANITARY SYSTEMS

OPTIM

OPTIM® SOLID WALL PIPE : 100DN (SN6), 150-375DN (SN4)


AS/NZS 1260 : 2017



PRODUCT CODE	DESCRIPTION	LENGTH	CRATE QUANTITY
100.32.1	32DN DWV PIPE 1SJ	1m	230
100.32.3	32DN DWV PIPE 3SJ	3m	230
100.32.6	32DN DWV PIPE 6SJ	6m	230
100.40.1	40DN DWV PIPE 1SJ	1m	180
100.40.3	40DN DWV PIPE 3SJ	3m	180
100.40.6	40DN DWV PIPE 6SJ	6m	180
100.50.1	50DN DWV PIPE 1SJ	1m	149
100.50.3	50DN DWV PIPE 3SJ	3m	149
100.50.6	50DN DWV PIPE 6SJ	6m	149
100.65.1	65DN DWV PIPE 1SJ	1m	96
100.65.3	65DN DWV PIPE 3SJ	3m	96
100.65.6	65DN DWV PIPE 6SJ	6m	96
100.80.1	80DN DWV PIPE 1SJ	1m	66
100.80.4	80DN DWV PIPE 4SJ	4m	66
100.80.6	80DN DWV PIPE 6SJ	6m	66
100SN6.100.1	100DN DWV PIPE SN6 1SJ	1m	60
100SN6.100.3	100DN DWV PIPE SN6 3SJ	3m	60
100SN6.100.4	100DN DWV PIPE SN6 4SJ	4m	60
100SN6.100.4RJ	100DN DWV PIPE SN6 4RJ	4m	60
100SN6.100.6	100DN DWV PIPE SN6 6SJ	6m	60
100SN6.100.6RJ	100DN DWV PIPE SN6 6RJ	6m	60
100SN4.150.4RJ	150DN DWV PIPE SN4 4RJ	4m	28
100SN4.150.6	150DN DWV PIPE SN4 6SJ	6m	28
100SN4.150.6RJ	150DN DWV PIPE SN4 6RJ	6m	28
100SN4.175.6	175DN DWV PIPE SN4 6SJ	6m	10
100SN4.175.6RJ	175DN DWV PIPE SN4 6RJ	6m	10
100SN4.225.6RJ	225DN DWV PIPE SN4 6RJ	6m	8
100SN4.300.6RJ	300DN DWV PIPE SN4 6RJ	6m	6
100SN4.375.6RJ	375DN DWV PIPE SN4 6RJ	6m	6

OPTIM® SOLID WALL PIPE : 100DN (SN10), 150-375DN (SN8)

AS/NZS 1260 : 2017



100SN10.100.6	100DN DWV PIPE SN10 6SJ	6m	60
100SN10.100.6RJ	100DN DWV PIPE SN10 6RJ	6m	60
100SN8.150.6	150DN DWV PIPE SN8 6SJ	6m	28
100SN8.150.6RJ	150DN DWV PIPE SN8 6RJ	6m	28
100SN8.175.6	175DN DWV PIPE SN8 6SJ	6m	10
100SN8.175.6RJ	175DN DWV PIPE SN8 6RJ	6m	10
100SN8.225.6RJ	225DN DWV PIPE SN8 6RJ	6m	8
100SN8.300.6RJ	300DN DWV PIPE SN8 6RJ	6m	6
100SN8.375.4RJ	375DN DWV PIPE SN8 4RJ	4m	6
100SN8.375.6RJ	375DN DWV PIPE SN8 6RJ	6m	6
100SN8.475.4RJ*	OPTIM SN8 PIPE 475DN 4RJ	4m	6
100SN8.475.6RJ*	OPTIM SN8 PIPE 475DN 6RJ	6m	6


\*Only available in the South Island. MOQ & leadtimes may apply. For further details, contact your TM or phone **0800MARLEY (0800 627 539)**

Note: Marley manufactures 6 metre OPTIM DWV pipes over 100DN at an effective length. All other lengths stated are an overall length.

OPTIM® SOLID WALL PIPE : 100-475DN (SN16)

AS/NZS 1260 : 2017

PRODUCT CODE	DESCRIPTION	LENGTH	CRATE QUANTITY
100SN16.100.6	100DN DWV PIPE SN16 6SJ	6m	60
100SN16.100.6RJ	100DN DWV PIPE SN16 6RJ	6m	60
100SN16.150.3RJ	150DN DWV PIPE SN16 3RJ	3m	28
100SN16.150.4RJ	150DN DWV PIPE SN16 4RJ	4m	28
100SN16.150.6	150DN DWV PIPE SN16 6SJ	6m	28
100SN16.150.6RJ	150DN DWV PIPE SN16 6RJ	6m	28
100SN16.175.6RJ	175DN DWV PIPE SN16 6RJ	6m	10
100SN16.225.3RJ	225DN DWV PIPE SN16 3RJ	3m	8
100SN16.225.4RJ	225DN DWV PIPE SN16 4RJ	4m	8
100SN16.225.6RJ	225DN DWV PIPE SN16 6RJ	6m	8
100SN16.300.3RJ	300DN DWV PIPE SN16 3RJ	3m	6
100SN16.300.4RJ	300DN DWV PIPE SN16 4RJ	4m	6
100SN16.300.6RJ	300DN DWV PIPE SN16 6RJ	6m	6
100SN16.375.3RJ	375DN DWV PIPE SN16 3RJ	3m	6
100SN16.375.4RJ	375DN DWV PIPE SN16 4RJ	4m	6
100SN16.375.6RJ	375DN DWV PIPE SN16 6RJ	6m	6
100SN16.475.3RJ*	OPTIM SN16 PIPE 475DN 3RJ	3m	6
100SN16.475.4RJ*	OPTIM SN16 PIPE 475DN 4RJ	4m	4
100SN16.475.6RJ*	OPTIM SN16 PIPE 475DN 6RJ	6m	6



\*Only available in the South Island. MOQ & leadtimes may apply. For further details, contact your TM or phone 0800MARLEY (0800 627 539)

SOLVENT JOINT 32DN > 150DN

AS/NZS 1260 : 2017

MINIMUM ORDER: 10 UNITS 32 - 40 - 50 - 65mm 5 UNITS 80 - 100 - 150mm

PRODUCT CODE	SIZE	CARTON QTY.
<b>PLAIN BEND F&amp;F</b>		
101.32.45	32 x 45°	250
101.32.88	32 x 88°	400
101.40.15	40 x 15°	260
101.40.45	40 x 45°	200
101.40.60	40 x 60°	200
101.40.88	40 x 88°	250
101.50.15	50 x 15°	150
101.50.45	50 x 45°	100
101.50.88	50 x 88°	100
101.65.15	65 x 15°	90
101.65.45	65 x 45°	10
101.65.88	65 x 88°	10
101.80.15	80 x 15°	50
101.80.45	80 x 45°	40
101.80.88	80 x 88°	35
101.100.5	100 x 5°	60
101.100.15	100 x 15°	27
101.100.30	100 x 30°	34
101.100.45	100 x 45°	30
101.100.60	100 x 60°	10
101.100.88	100 x 88°	15
101.150.45	150 x 45°	5
101.150.88	150 x 88°	5

PRODUCT CODE	SIZE	CARTON QTY.
<b>M&amp;F SPIGOT BEND</b>		
171.40.43	40 x 43°	240
171.40.88	40 x 88°	60
171.50.43	50 x 43°	100
171.50.88	50 x 88°	90
171.65.40	65 x 40°	75
171.80.45	80 x 45°	10
171.80.88	80 x 88°	30
171.100.5	100 x 5°	27
171.100.11	100 x 11°	50
171.100.15	100 x 15°	25
171.100.22	100 x 22°	50
171.100.30	100 x 30°	25
171.100.43	100 x 43°	28
171.100.88	100 x 88°	15
<b>REDUCING</b>		
171.50.40.45	50 x 40 x 45°	120

PRODUCT CODE	SIZE	CARTON QTY.
<b>REAR INSPECTION BEND</b>		
101.50.45W	50 x 45°	85
101.50.88W	50 x 88°	80
101.65.45W	65 x 45°	45
101.80.45W	80 x 45°	40
101.80.88W	80 x 88°	30


PRODUCT CODE	SIZE	CARTON QTY.
<b>REAR ACCESS BEND</b>		
102.100.88	100 x 88°	15


PRODUCT CODE	SIZE	CARTON QTY.
<b>SIDE ACCESS BEND</b>		
103.100.45S	100 x 45°	10
103.100.88S	100 x 88°	10

PRODUCT CODE	SIZE	CARTON QTY.
<b>PLAIN JUNCTION</b>		
104.32.88	32 x 88°	200
104.40.45	40 x 45°	100
104.40.88	40 x 88°	100
104.50.45	50 x 45°	60
104.50.88	50 x 88°	80
104.65.45	65 x 45°	15
104.65.85	65 x 85°	40
104.80.45	80 x 45°	30
104.80.88	80 x 88°	30
104.100.45	100 x 45°	15
104.100.88	100 x 88°	15
104.150.45	150 x 45°	4
104.150.88	150 x 88°	3


SOLVENT JOINT 32DN > 150DN


AS/NZS 1260 : 2017


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>104.80.50.45</b>	80x50x45°	32
	<b>104.100.50.88</b>	100x50x88°	22
	<b>104.100.50.45</b>	100x50x45°	25
	<b>104.100.65.45</b>	100x65x45°	20
	<b>104.100.80.45</b>	100x80x45°	15
	<b>104.150.100.45F</b>	150x100x45°	5
	<b>104.150.100.88F</b>	150x100x88°	6


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>191.40S</b>	40mm in socket elbow*	200
	<b>191.40P</b>	40mm in pipe elbow**	200
	<b>191.50S</b>	50mm in socket elbow*	200
	<b>191.50P</b>	50mm in pipe elbow**	200


Made from ABS material.  
\* one end fits inside pipe socket  
\*\* one end fits inside pipe


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>104.50.88W</b>	50 x 88°	100
	<b>104.80.88W</b>	80 x 88°	20

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>105.80.88</b>	80 x 88°	15
	<b>105.100.88</b>	100 x 88°	12


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>105.100.45LH</b>	100 x 45°	10
	<b>105.100.45RH</b>	100 x 45°	10


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>EQUAL</b>		
	<b>106.100.88</b>	100 x 88°	12


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>109.80</b>	80DN	100
	<b>109.100</b>	100DN	100


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>110.32</b>	32DN	350
	<b>110.40</b>	40DN	300
	<b>110.50</b>	50DN	200
	<b>110.65</b>	65DN	95
	<b>110.80</b>	80DN	100
	<b>110.100</b>	100DN	40
	<b>110.100T*</b>	100DN	10
	<b>110.150*</b>	150DN	18


\* Coupler has external thread on one end


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>111.50</b>	50DN	110
	<b>111.65*</b>	65DN	40
	<b>111.80</b>	80DN	72
	<b>111.100</b>	100DN	20
	<b>111.100C*</b>	100DN	20
	* Product has removable cardboard spacer		


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>111.100JL*</b>	100DN	7
	* Product has removable cardboard spacer		


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>112.32</b>	32DN	150
	<b>112.40</b>	40DN	300
	<b>112.50</b>	50DN	200


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>104.150.100.45</b>	150x100x45°	5

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>113.32</b>	32DN	150
	<b>113.40</b>	40DN	350
	<b>113.50</b>	50DN	200

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>114.32</b>	32DN	100
	<b>114.40</b>	40DN	80
	<b>114.50</b>	50DN	50
	<b>114.100</b>	100DN	22


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>119.80.50</b>	80 X 50DN	50
	<b>119.100.50</b>	100 X 50DN	50

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>119.100.50S</b>	100 X 50DN	25


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>120.100</b>	100DN	45


SOLVENT JOINT 32DN > 150DN


AS/NZS 1260 : 2017


	PRODUCT CODE	SIZE	CARTON QTY.
<b>LEVEL INVERT REDUCER</b> 	123.40.32	40 X 32DN	150
	123.50.32	50 X 32DN	100
	123.50.40	50 X 40DN	100
	123.65.40	65 X 40DN	120
	123.65.50	65 X 50DN	100
	123.80.50	80 X 50DN	60
	123.80.65	80 X 65DN	10
	123.100.50	100 X 50DN	75
	123.100.65	100 X 65DN	10
	123.100.80	100 X 80DN	50
	123.150.100	150 X 100DN	20


\* Eg: 123.40.32  
Spigot Socket

	PRODUCT CODE	SIZE	CARTON QTY.
<b>IN-PIPE REDUCING BUSH</b> 	198.100.40	100 x 40DN	65
	198.100.50	100 x 50DN	65
	198.100.65	100 x 65DN	65
	198.65.50	65 x 50DN	65
	198.65.40	65 x 40DN	65


	PRODUCT CODE	SIZE	CARTON QTY.
<b>SOCKET REDUCING BUSH</b> 	124.40.32	40 x 32DN	300
	124.50.40	50 x 40DN	200
	124.65.40	65 x 40DN	200
	124.65.50	65 x 50DN	10
	124.80.50	80 x 50DN	150
	124.80.65	80 x 65DN	60
	124.100.50	100 x 50DN	50
	124.100.65	100 x 65DN	10
	124.100.80	100 x 80DN	65


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PVC – CERAMIC ADAPTOR</b> 	124.100S	100DN	45


	PRODUCT CODE	SIZE	CARTON QTY.
<b>CERAMIC – PVC ADAPTOR</b> 	125.100S	100DN	10


	PRODUCT CODE	SIZE	CARTON QTY.
<b>CONCRETE SLAB ADAPTOR</b> 	178.50	50	250
	178.100P*	100	60


\* One end fits inside pipe, other end fits inside pipe socket


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PAN CONNECTOR F&amp;F</b> 	127.80	80DN	30
	127.100	100DN	30
	<b>OFFSET</b> 127M.100	100DN	36


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PAN CONNECTOR M&amp;F</b> 	<b>CONCENTRIC</b> 127C.100	100DN	36


	PRODUCT CODE	SIZE	CARTON QTY.
<b>INSPECTION PIPE M&amp;F</b> 	129.100S	100DN	10


	PRODUCT CODE	SIZE	CARTON QTY.
<b>INSPECTION PIPE F&amp;F</b> 	129.100	100DN	16


	PRODUCT CODE	SIZE	CARTON QTY.
<b>FLASHING CONE</b> 	131.32	32DN	150
	131.40	40DN	110
	131.50	50DN	80
	131.65	65DN	90
	131.80	80DN	40
	131.100	100DN	20


	PRODUCT CODE	SIZE	CARTON QTY.
<b>ACCESS PLUG SPIGOT END</b> 	136.32	32DN	200
	136.40	40DN	100
	136.50	50DN	60

	PRODUCT CODE	SIZE	CARTON QTY.
<b>ACCESS PLUG SPIGOT END</b> 	136.80	80DN	40
	136.100	100DN	30

	PRODUCT CODE	SIZE	CARTON QTY.
<b>SCREW CAP &amp; BASE SOCKET END</b> 	136.100S	100DN	45
	136C.100 (Cap only)	100DN	45
	136.150S	150DN	12
	136C.150 (Cap only)	150DN	40


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PUSH ON CAP</b> 	137.32	32DN	200
	137.40	40DN	100
	137.50	50DN	100
	137.65	65DN	200
	137.80	80DN	100
	137.100	100DN	50
	137.150	150DN	40


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PIPE CLIP SADDLE</b> 	140.32	32DN	250
	140.40	40DN	250
	140.50	50DN	250
	140.80	80DN	100
	140.100	100DN	180


	PRODUCT CODE	SIZE	CARTON QTY.
<b>2 PART ALUMINIUM HOLDER BAT</b> 	140.80HB	80DN	25
	140.100HB	100DN	50
	140.150HB	150DN	50


SOLVENT JOINT 32DN > 150DN


AS/NZS 1260 : 2017


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PIPE CLIP STAND OFF</b> 	140.32S	32DN	250
	140.40S	40DN	250
	140.50S	50DN	250
	140.80S	80DN	100


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PIPE CLIP SIDE HANGER</b> 	140.80H	80DN	100


	PRODUCT CODE	SIZE	CARTON QTY.
<b>VENT COWL</b> 	150.50.40	50 & 40DN	200
	150.65	65DN	150
	150.80	80DN	80
	150.100	100DN	40


	PRODUCT CODE	SIZE	CARTON QTY.
<b>CONVERGE PVC AERATOR 100MM</b> 	CONV.100.PVC	100DN	1
	CONV.M10.CLIP	100DN	40
	Inlets = 3 x 100DN, 3 x 65DN		
Converge Mitre 10 Nutclip sold separately as per CONV.M10.CLIP code above.			


	PRODUCT CODE	CARTON QTY.
<b>COMPAKT BOSS GULLY TRAP</b> 	COMP.100.50.40	12
	COMP.INSERT	10
Just 199mm high 100mm female floor inlet 65mm male outlet 50mm female inlet 40mm female inlet x 2 Includes removable siphon insert (spares available to order as per COMP.INSERT code above)		


	PRODUCT CODE	CARTON QTY.
<b>4 WAY BOSS JUNCTION M&amp;F</b> 	170.80.50.40.88	15
	80 M&F 50 x 40 x 40 x 40 BOSSES	
	170.100.50.40.88	20
100 M&F 50 x 50 x 40 x 40 BOSSES		


	PRODUCT CODE	SIZE	CARTON QTY.
<b>ADJUSTABLE FLOOR WASTE GULLY</b> 	159.80.50P	80 x 50DN	30
	159.80.65P	80 x 65DN	28
	159.100.50P	100 x 50DN	20
	159.100.65P	100 x 65DN	12
	159.100.100P	100 x 100DN	12


	PRODUCT CODE	SIZE	CARTON QTY.
<b>COLLAR</b> 	172.100	100DN	30


	PRODUCT CODE	SIZE	CARTON QTY.
<b>GULLY COLLAR &amp; GRATE</b> 	<b>LOOSE FIT TOP</b>		
	168.100L	100DN	30


	PRODUCT CODE	SIZE	CARTON QTY.
<b>DOME COLLAR &amp; GRATE</b> 	<b>LOOSE FIT TOP</b>		
	168.100D	100DN	30


	PRODUCT CODE	SIZE	CARTON QTY.
<b>DOME GRATE</b> 	172.G.100	100DN	30


	PRODUCT CODE	SIZE	CARTON QTY.
<b>FLOOR GRATE FOR TILE FLOORS</b> 	<b>ROUND (WHITE PVC)</b>		
	168.80RDW	80DN	10
	168.100RDW	100DN	10

	PRODUCT CODE	SIZE	CARTON QTY.
<b>LEAK CONTROL FLOOR FLANGE</b> 	126.80.LC80	80DN	40
	126.100.LC100	100DN	40
(For vinyl remove lugs from LC80)			

	PRODUCT CODE	SIZE	CARTON QTY.
<b>VINYL RITE FLOOR WASTE SYSTEM</b> 	VR100SS	100DN	10
<b>STAINLESS STEEL ROUND (vinyl floors)</b>			

	PRODUCT CODE	SIZE	CARTON QTY.
<b>SHOWER WASTE KITS FOR TILE FLOORS</b> 	<b>CHROME ON BRASS GRATE (SQUARE)</b>		
	TK80SC	80DN	1
*All Shower Waste Kits contain chrome grate, leak control flange, riser and gully trap.			


	PRODUCT CODE	SIZE	CARTON QTY.
<b>TILE FLOOR FLANGE &amp; GRATE COMBO (ROUND)</b> 	<b>FLANGE WITH STAINLESS GRATE (ROUND)</b>		
	TFW100RS	100DN	1

	PRODUCT CODE	SIZE	CARTON QTY.
<b>TILE FLOOR FLANGE &amp; GRATE COMBO (SQUARE)</b> 	<b>FLANGE WITH CHROME GRATE (SQUARE)</b>		
	TFW80SC	80DN	1


# PVC PRIMER, SOLVENT, LUBRICANT

## PVC Primer, Solvent, Lubricant


### MARLEY "GOLD" (AS/NZS 3879) (For both High and Low Pressure Applications)

	<b>MG125</b>	MARLEY GOLD 125m	10
	<b>MG250</b>	MARLEY GOLD 250ml	10
	<b>MG500</b>	MARLEY GOLD 500ml	10
	<b>MG4000</b>	MARLEY GOLD 4 litre	4


### SOLVENT JOINT PRIMER (Pink Tint) AS/NZS 3879

	<b>CF500</b>	MARLEY JOINT PRIMER 500ml	12
	<b>CF4000</b>	MARLEY JOINT PRIMER 4 litre	4



### MARLEY "CLEAR" (For Low Pressure Applications Only)

	<b>SC125C</b>	MARLEY CLEAR 125ml	10
	<b>SC250C</b>	MARLEY CLEAR 250ml	10

### JOINT LUBRICANT

	<b>JL250</b>	RRJ LUBRICANT 275g (TUBE)	42
	<b>JL500</b>	RRJ LUBRICANT 500g (TIN)	18

### Gap Filling Jointing (For parallel & clearance fit joints)

	<b>CF1000GF</b>	GAP FILLING PRIMER RED	1 litre
	<b>GF1000C</b>	GAP FILLING CEMENT CLEAR (TYPE G)	1 litre

Primer to Cement ratio = 1:2 (approx.)

Note: for Marley Rainwater systems use only colour matched Marley MCS Solvent Welding Cement.


Note: for Marley Rainwater systems use only colour matched Marley MCS Solvent Welding Cement.

## MARLEY OPTIM® DWV SYSTEMS





### RUBBER RING JOINT 100DN > 150DN


AS/NZS 1260 : 2017


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>1501.100.45</b>	100 x 45°	30
	<b>1501.100.88</b>	100 x 88°	20
	<b>1501.150.45</b>	150 x 45°	6
	<b>1501.150.88</b>	150 x 88°	6


\*This item is now fabricated.

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>1504.150.45</b>	150 x 45°	4

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>1571.100.5</b>	100 x 5°	30
	<b>1571.100.11</b>	100 x 11°	30
	<b>1571.100.15</b>	100 x 15°	27
	<b>1571.100.22</b>	100 x 22°	30
	<b>1571.100.30</b>	100 x 30°	27









	PRODUCT CODE	SIZE	CARTON QTY.
	<b>1504.150.100.45</b>	150 x 100 x 45°	6








	PRODUCT CODE	SIZE	CARTON QTY.
	<b>1503.100.45</b>	100 x 45°	10
	<b>1503.100.88</b>	100 x 88°	10

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>1505.100.45LH</b>	100 x 45°	10
	<b>1505.100.45RH</b>	100 x 45°	10

RUBBER RING JOINT 100DN > 150DN









AS/NZS 1260 : 2017


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PLAIN JUNCTION F&amp;F</b> 	1504.100.45	100 x 45°	10
	1504.100.88	100 x 88°	10
	1504.150.45F	150 x 45°	6
	1504.150.88F	150 x 88°	6
	<b>REDUCING</b>		
	1504.150.100Y.F	150 x 100 x 45°	6
<b>RING SEAL COUPLER</b> 	1511.150	150DN	12
<b>FRESH AIR INLET</b> 	1516.100	100DN	10
<b>LEVEL INVERT REDUCER</b> 	1523.100.80	100 X 80DN	40
	1523.150.100	150 X 100DN	12
<b>PVC TO CERAMIC ADAPTER</b> 	1524.100	100DN	8
<b>PRESSURE/SEWER ADAPTER</b> 	1524.114.100	114 X 100DN	10
<b>CERAMIC - PVC ADAPTER</b> 	125.100S	100DN	10
<b>ACCESS PIPE M&amp;F</b> 	1529.100	100DN	10


	PRODUCT CODE	SIZE	CARTON QTY.
<b>COMBINATION STANDARD / SLIP COUPLER</b> 	1511.100C	100DN	40
	1511S.150	150DN	15
<b>SEPTIC TANK JUNCTION</b> 	1514.100.88	100 X 88°	10
<b>SCREW CAP &amp; BASE SOLVENT SOCKET</b> 	136.100S	100DN	20
	136C.100	(CAP ONLY)	10
	136.150S	150DN	12
	136C.150	(CAP ONLY)	150
<b>PUSH ON CAP SOLVENT</b> 	137.100	100DN	40
	137.150	150DN	10
<b>ADJUSTABLE GULLY TRAP</b> 	1559.100A	100DN	10
<b>GULLY DISH</b> 	<b>COMPLETE WITH LID</b>		
	1575.100	100DN OUTLET	10
	<b>LID ONLY</b>		
<b>GULLY DISH RISER</b> 	1575L.100	100DN	10
	*These products are not licensed to AS/NZS 1260		
	1575R.100.100	100mm HIGH	6
	1575R.100.200	200mm HIGH	6
	1575R.100.300	300mm HIGH	6





## dBLUE POLYPROPYLENE ACOUSTIC PIPE SYSTEM


	PRODUCT CODE	SIZE	CARTON QTY.	
<b>PIPE WITH SOCKET</b> 	PA.100.50.0.15	50 x 0.15	1	
	PA.100.50.0.25	50 x 25	1	
	PA.100.50.0.50	50 x 0.5	1	
	PA.100.50.1.0	50 x 1.0	1	
	PA.100.50.3.0	50 x 3.0	10	
	PA.100.75.0.15	75 x 0.15	1	
	PA.100.75.1.0	75 x 1.0	1	
	PA.100.75.1.5	75 x 1.5	1	
	PA.100.75.3.0	75 x 3.0	10	
	PA.100.75.0.50	75 x 0.5	1	
	PA.100.110.0.15	110 x 0.15	1	
	PA.100.110.0.50	110 x 0.5	1	
	PA.100.110.1.0	110 x 1.0	1	
	PA.100.110.3.0	110 x 3.0	10	
PA.100.160.3.0	160 x 3.0	10		
<b>BEND</b> 	PA.101.50.15	50 x 15°	20	
	PA.101.75.15	75 x 15°	20	
	PA.101.110.15	110 x 15°	8	
	PA.101.50.30	50 x 30°	20	
	PA.101.75.30	75 x 30°	20	
	PA.101.110.30	110 x 30°	8	
	PA.101.50.45	50 x 45°	20	
	PA.101.75.45	75 x 45°	20	
	PA.101.110.45	110 x 45°	14	
	PA.101.160.45	160 x 45°	14	
	PA.101.50.88	50 x 87.5°	20	
	PA.101.75.88	75 x 87.5°	20	
	PA.101.110.88	110 x 87.5°	14	
	PA.101.160.88	160 x 87.5°	14	
<b>JUNCTION 45°</b> 	PA.104.50.45	50/50 x 45°	20	
	PA.104.75.50.45	75/50 x 45°	10	
	PA.104.75.45	75/75 x 45°	10	
	PA.104.110.50.45	110/50 x 45°	6	
	PA.104.110.75.45	110/75 x 45°	8	
	PA.104.110.45	110/110 x 45°	7	
	PA.104.160.45	160/160 x 45°	7	
	PA.104.160.110.45	160/110 x 45°	7	
	<b>JUNCTION 88°</b> 	PA.104.50.88	50/50 x 88°	20
		PA.104.75.88	75/75 x 88°	10
PA.104.110.88		110/110 x 88°	7	
<b>LEVEL INVERT</b> 	PA.123.75.50	75/50	20	
	PA.123.110.50	110/50	17	
	PA.123.110.75	110/75	15	
	PA.123.160.110	160/110	15	
<b>STOP COUPLER</b> 	PA.121.50	50	20	
	PA.121.75	75	20	
	PA.121.110	110	6	
	PA.121.160	160	6	
<b>SLIP COUPLER</b> 	PA.110.50	50	20	
	PA.110.75	75	20	
	PA.110.110	110	6	
	PA.110.160	160	6	
<b>INSPECTION PIPE</b> 	PA.129.110	110	6	
	PA.129.160	160	3	


	PRODUCT CODE	SIZE	CARTON QTY.
<b>SOCKET PLUG</b> 	PA.137.50	50	20
	PA.137.75	75	20
	PA.137.110	110	20


	PRODUCT CODE	SIZE	CARTON QTY.
<b>PIPE ACOUSTIC CLAMP</b> 	PA.140.50M	50	10
	PA.140.75M	75	10
	PA.140.110M	110	-
	PA.140.160M	160	-


	PRODUCT CODE	SIZE	CARTON QTY.
<b>FLOOR WASTE GULLY</b> 	PA.159.110.75	110/75	-

	PRODUCT CODE	SIZE	CARTON QTY.
<b>PP-PVC REDUCER</b> 	PA.50.50.200	50/50	-
	PA.75.65.200	75/65	-

	PRODUCT CODE	SIZE	CARTON QTY.
<b>PP-PVC REDUCER BUNG</b> 	PA.PVC.40.50	40 x 50	100
	PA.PVC.50.75	50 x 75	50

	PRODUCT CODE	SIZE	CARTON QTY.
<b>SOCKET CLIP</b> 	PA.137.50CLIP	50	1
	PA.137.75CLIP	75	1
	PA.137.110CLIP	110	1
	PA.137.160CLIP	160	1

	PRODUCT CODE	SIZE	CARTON QTY.
<b>RRJ LUBRICATION</b> 	DBJL250	250ml	-

	PRODUCT CODE	SIZE	CARTON QTY.
<b>PIPE BEVEL TOOL</b> 	DBPBT00L	-	1


# dBLUE BENEFITS

## Noise reduction



Marley dBlue® has been independently tested by the Commonwealth Scientific and Industrial Research Organisation (CSIRO) and meets the Australian  $R_w + C_{tr}$  25 and 40 benchmarks without the need for lagging.

## Temperature resistant



Temperature resistant up to 90 degrees and down to -10, dBlue is ideal for use in hot waste removal.

## Faster install



dBlue doesn't require lagging which saves on installation time and allows for easy inspection.

## High chemical resistance



Ranging from acids (pH2) to alkalis (pH12).

## Space saving



With no lagging required, dBlue allows for more useable space in your building.

## 100% Recyclable



This sustainable system is 100% recyclable and adheres to the environmental standard ISO4001.

### dBlue has Certification to Australian and New Zealand Standards

dBlue is designed in accordance with the installation standard AS/NZS3500.2. The system complies with AS/NZS 7671 and has WaterMark certification. The dBlue system has been developed under a ISO 9001 Quality management system and ISO 14001 Environmental management system.

**AS/NZS 7671:2010** – Plastic piping systems for soil and waste discharge (low and high temperature) inside buildings – Polypropylene(PP)

- WaterMark - WMK25729

**AS/NZS 5065:2005** – Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

- WaterMark – WMK25751

**Branz appraisal - No 610**



**BRANZ Appraised**  
Appraisal No.610 [2021]




## COUPLINGS


- Especially designed for sewer, drain, waste and vent pipes in non-pressure applications
- All measurements are coupling ID (Pipe OD) and in millimetres. Watermark Lic. #26168


	PRODUCT CODE	A (mm)	B (mm)	C (mm)	
<b>D101 SERIES - CLAY TO CLAY</b>					
	<b>D101-66</b>	188 range (179-197)	188 range (179-197)	152	
	<b>D101-1010</b>	298 range (283-313)	298 range (283-313)	152	
<b>D106 SERIES - CONCRETE TO CAST IRON (CI), PVC, COPPER (CU), GALVANISED IRON OR LEAD</b>					
	<b>D106-43</b>	85 range (81-89)	144 range (137-151)	101	
	<b>D106-44</b>	110 range (105-116)	144 range (137-151)	101	
	<b>D106-64</b>	110 range (105-116)	198 range (188-208)	152	
	<b>D106-66</b>	162 range (154-170)	198 range (188-208)	152	
	<b>D106-1010</b>	265 range (252-278)	320 range (304-336)	160	
<b>D104 SERIES - CONCRETE TO CONCRETE</b>					
	<b>D104-44</b>	144 range (137-151)	144 range (137-151)	101	
	<b>D104-66</b>	198 range (188-208)	198 range (188-208)	152	
	<b>D104-88</b>	260 range (247-273)	260 range (247-273)	152	
<b>D151 SERIES - FIBRE CEMENT FIBRE OR DUCTILE IRON TO PVC, GALVANISED IRON OR CAST IRON</b>					
	<b>D151-44</b>	111 range (105-117)	121 range (115-127)	101	
	<b>D151-66</b>	160 range (152-168)	180 range (171-189)	152	
	<b>D151-1010</b>	265 range (252-278)	280 range (266-294)	152	
<b>D155 SERIES - FIBRE CEMENT FIBRE OR DUCTILE IRON TO FIBRE CEMENT FIBRE OR DUCTILE IRON</b>					
	<b>D155-44</b>	120 range (114-126)	120 range (114-126)	99	
<b>D156 SERIES - ANY COMBINATION OF PLASTIC, PVC, COPPER, GALVANISED IRON, CAST IRON OR LEAD</b>					
	<b>D156-125</b>	42 range (40-44)	42 range (40-44)	88	
	<b>D156-150</b>	49 range (47-51)	49 range (47-51)	90	
	<b>D156-22</b>	60 range (57-63)	60 range (57-63)	88	
	<b>D156-32</b>	60 range (57-63)	89 range (85-93)	101	
	<b>D156-33</b>	88 range (84-92)	88 range (84-92)	101	
	<b>D156-350</b>	90 range (85-95)	90 range (85-95)	93	
		<b>D156-42</b>	60 range (57-63)	110 range (105-116)	101
		<b>D156-43</b>	86 range (82-90)	110 range (105-116)	101
		<b>D156-44</b>	110 range (105-116)	110 range (105-116)	101
		<b>D156-64</b>	112 range (106-118)	170 range (162-179)	147
<b>D156-66</b>		170 range (162-179)	170 range (162-179)	147	
<b>D156-88</b>		215 range (204-226)	215 range (204-226)	147	
<b>D156-1010</b>	268 range (255-281)	268 range (255-281)	160		
<b>D156-1212</b>	326 range (310-342)	326 range (310-342)	160		

# COUPLINGS


## COUPLINGS (CONTINUED)

	PRODUCT CODE	A (mm)	B (mm)	C (mm)
<b>D160 SERIES - PLASTIC TO PLASTIC</b>				
	D160-22	70 range (67-74)	70 range (67-74)	100
	D160-44	125 range (119-131)	125 range (119-131)	100

<b>RESIDENTIAL SERIES</b>				
	DKCTC150	35 range (33-37)	35 range (33-37)	60
	DKDTC150	38 range (36-40)	48 range (46-50)	58
	DKDTC215	36 range (34-38)	60 range (58-63)	59
	DKDWC100	18 range (17-19)	23 range (22-24)	68

<b>QWIK CAPS</b>				
	DKC101	38 range (36-40)		38
	DKC102	50 range (48-53)		38
	DKC103	75 range (71-79)		43
	DKC104	100 range (95-105)		50

## COUPLING SPARES

	PRODUCT CODE	SUITABLE FOR
<b>CLAMPS</b>		
	DC12	DKDWC100
	DC24	DKCTC150, DKDTC150, DKDTC215
	DC28	D156-125
	DC32	D156-150, DKDTC150, DKC101
	DC40	D156-22, D156-32, D156-42, D160-22, DKDTC215, DKC102
	DC60	D106-43, D156-32, D156-33, D156-43, DKC103
	DC76	D106-44, D106-64, D151-44, D156-42, D156-43, D156-44, D156-64, DKC104
	DC80	D151-44, D155-44, D160-44
	DC96	D104-44, D106-43, D106-44
	DC112	D106-66, D151-66, D156-64, D156-66
	DC128	D101-66, D104-66, D106-64, D106-66, D106-64, D106-66, D151-66
	DC144	D156-88
	DC184	D104-88, D106-1010, D151-1010, D156-1010
	DC216	D101-1010, D106-1010, D156-1212

**THE ONLY TRAP**  
**WITH A** **5 DEGREE**  
**RANGE OF MOTION**



**FLEXI  
TRAP**

## COMPACT TRAPS

- Features a 5° range of motion, providing a quick and easy installation
- Options include telescopic for extra reach, supplementary inlets for dishwashers and reducing kits

PRODUCT CODE

### P&S COMPACT TRAP 40mm



#### PS40C

Inlet: 40mm  
Outlet: 40mm

### P&S TELESCOPIC TRAP 32/40mm



#### PS32/40TA

Inlet: 32mm or 40mm BSP  
Outlet: 32mm or 40mm compression  
Reducing kit included.

### P&S TELESCOPIC REDUCER TRAP 32/40mm



#### PS32/40TR

Inlet: 32mm BSP  
Outlet: 32mm or 40mm compression

### P&S TELESCOPIC TRAP 40mm



#### PS40T

Inlet: 40mm telescopic  
Outlet: 40mm

- WaterMark certified LicWMK 26068.4
- Patented design

PRODUCT CODE

### P&S TELESCOPIC TRAP 40mm WITH SUPPLEMENTARY INLET



#### PS40TS

Inlet: 40mm  
Outlet: 40mm  
Supplementary inlet for dishwasher outlet.

### P&S COMPACT TRAP 32/40mm



#### PS32/40C

Inlet: 32mm or 40mm BSP  
Outlet: 32mm or 40mm compression  
Reducing kit included.

### P&S ADJUSTABLE TRAP 40mm



#### PS40A

Inlet: 40mm extra long telescopic  
Outlet: 40mm

## VENTED TRAPS

- Vented trap with air admittance valve (AAV) eases syphonic action, reduces noise and protects the water seal
- Vent is easily accessed for maintenance
- Telescopic inlet for quick easy height adjustment
- WaterMark certified LicWMK 26068.4 & LicWMK 26069.4
- Patented design

PRODUCT CODE

### P&S VENTED TELESCOPIC TRAP 40mm WITH S INLET



#### PS40CVTS

Inlet: 40mm  
Outlet: 40mm  
Supplementary inlet for dishwasher outlet.

### P&S VENTED TELESCOPIC REDUCER TRAP 32/40mm



#### PS32/40VTR

Inlet: 32mm BSP  
Outlet: 32mm or 40mm compression

PRODUCT CODE

### P&S VENTED TELESCOPIC TRAP 32/40mm



#### PS32/40CVTA

Inlet: 32mm or 40mm BSP  
Outlet: 32mm or 40mm compression  
Reducing kit included.

### P&S VENTED TELESCOPIC TRAP 40mm



#### PS40CVT

Inlet: 40mm telescopic  
Outlet: 40mm

# FLEXITRAP™

## POP UP AND PLUG & WASTE TRAPS

- Integrated waste
- Inlet Size - 32mm or 40mm waste with or without overflow
- Outlet Size - 32mm or 40mm compression
- Compact adjustable size

PRODUCT CODE

### P&S POP UP WASTE TRAP - 32/40mm


**PS32/40PU**

Integrated pop up waste with flat style plug.

### P&S POP UP WASTE TRAP DOME - 32/40mm


**PS32/40PUD**

Integrated pop up waste with dome style plug.

### P&S PLUG & WASTE TRAP - 32/40mm


**PS32/40PW**

Integrated plug &amp; waste grate.

### P&S BLACK POP UP WASTE TRAP - 32/40mm


**PS32/40PUB**

Integrated pop up waste with flat style plug in a matte black finish.

- Telescopic inlet for quick easy height adjustment
- WaterMark certified LicWMK 26068.4 & LicWMK 26069.4
- Patented design

PRODUCT CODE

### P&S VENTED POP UP WASTE TRAP - 32/40mm


**PS32/40PUV**

Integrated pop up waste with flat style plug. Vented trap with air admittance valve (AAV).

### P&S VENTED POP UP WASTE TRAP DOME - 32/40mm


**PS32/40PUVD**

Integrated pop up waste with dome style plug. Vented trap with air admittance valve (AAV).

### P&S VENTED PLUG & WASTE TRAP - 32/40mm


**PS32/40PWV**

Integrated plug &amp; waste grate. Vented trap with air admittance valve (AAV).

## TIGHT P TRAPS

- The significantly reduced width of the Tight P trap makes it an ideal solution for installations when space is limited
- Inlet Size - 32mm or 40mm BSP, or Pop up waste suitable for basins with or without overflow

PRODUCT CODE

### TELESCOPIC TIGHT P TRAP - 32/40mm


**32/40TTP**

Inlet: 32mm BSP

Outlet: 32mm or 40mm compression

### POP UP TIGHT P TRAP - 32/40mm


**32/40PUTP**

Integrated pop up waste with flat style plug.

PRODUCT CODE

### TELESCOPIC TIGHT P TRAP - 40mm


**40TTP**

Inlet: 40mm

Outlet: 40mm

### TELESCOPIC VENTED TIGHT P TRAP - 32/40mm


**32/40TTPV**

Inlet: 32mm BSP

Outlet: 32mm or 40mm compression

**TIGHT P TRAPS (CONTINUED)**

PRODUCT CODE

**POP UP VENTED TIGHT P TRAP - 32/40MM**

**32/40PUTPV**

 Integrated pop up waste with flat style plug.  
 Vented trap with air admittance valve (AAV).

PRODUCT CODE

**TELESCOPIC VENTED TIGHT P TRAP - 40MM**

**40TTPV**

 Inlet: 40mm  
 Outlet: 40mm  
 Vented trap with air admittance valve (AAV).

**STANDARD TRAPS**

PRODUCT CODE

**P SHORT INLET TRAP - 32MM**

**P32**

 Inlet: 32mm  
 Outlet: 32mm  
 P installation only.

PRODUCT CODE

**P SHORT INLET TRAP - 40MM**

**P40**

 Inlet: 40mm  
 Outlet: 40mm  
 P installation only.

**S SHORT INLET TRAP - 32MM**

**S32**

 Inlet: 32mm  
 Outlet: 32mm  
 S installation only.

**P&S ADJUSTABLE TRAP - 50MM**

**PS50S**

 Inlet: 50mm  
 Outlet: 50mm  
 P&S installation options.  
 2 supplementary inlets for  
 dishwasher connection.

**S ADJUSTABLE INLET TRAP - 32MM**

**S32A**

 Inlet: 32mm telescopic  
 Outlet: 32mm  
 S installation only.

**P&S TELESCOPIC TRAP - 50MM**

**PS50TS**

 Inlet: 50mm  
 Outlet: 50mm  
 Supplementary inlet for dishwasher connection.

**P ADJUSTABLE INLET TRAP - 32MM**

**P32A**

 Inlet: 32mm telescopic  
 Outlet: 32mm  
 P installation only.

**S SHORT INLET TRAP - 40MM**

**S40**

 Inlet: 40mm  
 Outlet: 40mm  
 S installation only.



**BOTTLE TRAPS**

- Ideal when space is limited under the sink
- Easily installed and cleaned – simply unscrew bottom section

PRODUCT CODE

**BOTTLE TRAP - 32MM**



**BP32**

Inlet: 32mm  
Outlet: 32mm  
P installation only.

PRODUCT CODE

**BOTTLE TRAP - 40MM**



**BP40**

Inlet: 40mm  
Outlet: 40mm  
P installation only.

**CHROME PLATED BOTTLE TRAP - 32MM**



**S-438**

Inlet: 32mm telescopic  
Outlet: 32/40mm  
P installation only.

**TRAP ACCESSORIES**

PRODUCT CODE

**40MM DISHWASHER ADAPTOR**



**DWA40S**

Inlet: 40mm  
Outlet: 40mm

PRODUCT CODE

**40MM EXTENSION PIPE**



**E40A**

40mm diameter extension tube.  
Adjustable up to 240mm.

**40MM DOUBLE WASTE CONNECTOR**



**DWC40**

Inlet: 40mm  
Outlet: 40mm

**40MM COMPRESSION COUPLING, F BSP**



**C40F**

Inlet: 40mm BSP nut  
Outlet: 40mm compression nut

**40MM DOUBLE WASTE ADAPTOR**



**DWTA40**

Inlet: 40mm  
Outlet: 40mm

**40MM COMPRESSION COUPLING, M BSP**



**C40MWH**

Inlet: 40mm male  
Outlet: 40mm compression

**40MM ADAPTOR TEE**



**T40FM**

Inlet: 40mm  
Outlet: 40mm  
40mm compression branch.

**32MM/40MM ADAPTOR NUT**



**TA3240WH**

Inlet: 32mm BSP female  
Outlet: 40mm BSP male

**40MM X 95° WASTE BEND**



**B4095F**

Inlet: 40mm adjustable female  
Outlet: 40mm compression nut

**40MM REDUCER COUPLING BSP**



**R40F32M**

Inlet: 40mm swivel nut  
Outlet: 32mm BSP male

**TRAP ACCESSORIES (CONTINUED)**

PRODUCT CODE

**40MM REDUCER COUPLING**

**R4032WH**

40mm to 32mm compression coupling.

**50MM REDUCER COUPLING BSP**

**R50F40M**

 Inlet: 50mm BSP nut  
 Outlet: 40mm BSP male

PRODUCT CODE

**PVC STRAPPING**

**SC1630**

16mm x 30m (coil).

**TRAP SPARES**

PRODUCT CODE

**SUPPLEMENTARY INLET CAP**

**DSICWO**

Replacement supplementary inlet cap.

PRODUCT CODE

**40MM ADJUSTABLE TRAP COMPRESSION WASHER**

**WT40A**

Use at inlet of B4095F.

**32MM BLACK SINGLE TAPERED WASHER**

**ST32**

Bottle trap code - BP32.

**32MM FLAT TRAP WASHER**

**WF32**

Use at inlet of FlexiTrap™ 32mm traps and accessories.

**40MM BLACK SINGLE TAPERED WASHER**

**ST40**

Bottle trap code - BP40.

**40MM FLAT TRAP WASHER**

**WF40**

Use at inlet of FlexiTrap™ 40mm traps and accessories.

**32MM DOUBLE TAPER WASHER**

**WT32**

Use at outlet of FlexiTrap™ 32mm traps.

**40MM MIDDLE TRAP WASHER**

**WF40M**

Use in middle joint of 40mm standard traps.

**40MM DOUBLE TAPER WASHER**

**WT40**

Use at outlet of FlexiTrap™ 40mm traps.

**40MM DOUBLE TAPER WASHER**

**PU3240S**


10 Pack.


Use in FlexiTrap™ and Tight P Pop Up traps.


**PIPE COVER FLANGES**


PRODUCT CODE


PRODUCT CODE


15MM BSP COVER FLANGE	
	<b>DCF15B</b>
	Inner diameter: 21mm Outer diameter: 70mm


65MM COVER FLANGE	
	<b>DCF65</b>
	Inner diameter: 69mm Outer diameter: 120mm


15MM COPPER COVER FLANGE	
	<b>DCF15C</b>
	Inner diameter: 14mm Outer diameter: 70mm


80MM COVER FLANGE	
	<b>DCF80</b>
	Inner diameter: 82mm Outer diameter: 140mm


15MM PB COVER FLANGE	
	<b>DCF15PB</b>
	Inner diameter: 16mm Outer diameter: 70mm

100MM COVER FLANGE	
	<b>DCF100</b>
	Inner diameter: 110mm Outer diameter: 168mm

20MM BSP COVER FLANGE	
	<b>DCF20B</b>
	Inner diameter: 26mm Outer diameter: 70mm

32MM COVER FLANGE	
	<b>DCF32</b>
	Inner diameter: 36mm Outer diameter: 81mm

40MM COVER FLANGE	
	<b>DCF40</b>
	Inner diameter: 43mm Outer diameter: 88mm

50MM COVER FLANGE	
	<b>DCF50</b>
	Inner diameter: 56mm Outer diameter: 101mm

# uPVC NON PRESSURE SOLUTIONS – STORMWATER

## 40 Marley STORMLINE® Stormwater Systems

- 40 STORMLINE® Pipes
- 41 STORMLINE® Fittings
- 43 Stormwater Fittings – Large Bore
- 43 Non-Return Valves
- 44 Stormwater Access Pits
- 45 Domestic Access Shafts

### STORMLINE® PIPE SIZE GUIDE



DN (mm)	SN4	
	SJ	RJ
90	✓	
100	✓	
150	✓	✓
175	✓	✓
225		✓
300		✓
375		✓

## MARLEY STORMLINE® STORMWATER SYSTEMS


**STORMLINE®**


### STORMLINE STORMWATER PIPE (SN4)


AS/NZS 1254 : 2010


	PRODUCT CODE	DESCRIPTION	LENGTH	CRATE QUANTITY
<b>Solvent Joint</b> 	700.90.1	90DN STORMLINE PIPE 6SJ	1m	100
	700.90.3	90DN STORMLINE PIPE 6SJ	3m	105
	700.90.6	90DN STORMLINE PIPE 6SJ	6m	105
	700.100.6	100DN STORMLINE PIPE 6SJ	6m	60
	700.150.6	150DN STORMLINE PIPE 6SJ	6m	28
	700.175.6	175DN STORMLINE PIPE 6SJ	6m	10
<b>Rubber Ring Joint</b> 	700.150.6RJ	150DN STORMLINE PIPE 6RJ	6m	28
	700.175.6RJ	175DN STORMLINE PIPE 6RJ	6m	10
	700.225.6RJ	225DN STORMLINE PIPE 6RJ	6m	8
	700.300.6RJ	300DN STORMLINE PIPE 6RJ	6m	6
	700.375.6RJ	375DN STORMLINE PIPE 6RJ	6m	6


## SOLVENT JOINT 90DN > 150DN

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>701.90.15</b>	90 x 15°	120
	<b>701.90.22</b>	90 x 22°	60
	<b>701.90.45</b>	90 x 45°	60
	<b>701.90.88</b>	90 x 88°	60
	<b>101.100.15</b>	100 x 15°	20
	<b>701.100.45</b>	100 x 45°	20
	<b>701.100.88</b>	100 x 88°	20
	<b>701.150.45</b>	150 x 45°	6
	<b>701.150.88</b> 'swept'	150 x 88°	5
	<b>701.150.90</b> 'tight radius'	150 x 90°	12


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>771.90.45</b>	90 x 45°	105


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>103.100.45S</b>	100 x 45°	10
	<b>103.100.88S</b>	100 x 88°	10

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>704.90.45</b>	90 x 45°	30
	<b>704.90.88</b>	90 x 88°	30
	<b>704.100.45</b>	100 x 45°	15
	<b>704.100.88</b>	100 x 88°	15
	<b>704.150.45</b>	150 x 45°	6
	<b>704.150.88</b> 'swept'	150 x 88°	5


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>704.150.100.45*</b>	150 x 100 x 45°	7
	<b>704.150.100.90</b>	150 x 100 x 90°	5


\* M&F socket ends


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>105.100.45LH</b>	100 x 45°	10
	<b>105.100.45RH</b>	100 x 45°	10


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>710.90*</b>	90DN	170
	<b>710.100*</b>	100DN	40
	<b>710.150</b>	150DN	24


\* Coupler has external thread on one end


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>724.100.80.90</b>	100 x 80/90DN	40
	<b>724.100.90</b> (Bush)	100 x 90DN	70
	<b>724.90.100</b>	90 x 100DN	30
	<b>724.150.100</b> (Bush)	150 x 100DN	25

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>129.100S</b>	100DN	1

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>736C.90</b> (Cap Only)		100
	<b>136.150S</b> (Cap + Base)	150DN	10

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>765.90</b>	90DN x 300	10
	<b>765.100</b>	100DN x 300	10


	PRODUCT CODE	SIZE	CARTON QTY.
	<b>737.90</b>	90DN	60
	<b>737.100</b>	100DN	20

	PRODUCT CODE	SIZE	CARTON QTY.
	<b>769.90</b>	90DN	166
	<b>769.150.100</b>	100DN	56

# BIG BORE SOLUTIONS


An extensive range of large diameter stormwater uPVC pipes and moulded fittings – sizes 175mm to 375mm.


- **INJECTION MOULDED FITTINGS**
- **CONSISTENT QUALITY EVERY TIME**
- **COMPLIANT TO AS/NZS 1254**
- **TRUSTED NEW ZEALAND SUPPLIER**





# STORMWATER FITTINGS – LARGE BORE


## LARGE DIAMETER MOULDED FITTINGS

	PRODUCT CODE	SIZE	UNIT QTY.
<b>PLAIN BEND 45° F &amp; F</b> 	701M.175.45	● 175 x 45°	1
	701A.225.45	● 225 x 45°	1
	701A.300.45	● 300 x 45°	1
	701A.375.45	● 375 x 45°	1


	PRODUCT CODE	SIZE	UNIT QTY.
<b>PLAIN BEND 90° F &amp; F</b> 	701M.175.90	● 175 x 90°	1
	701A.225.90	● 225 x 90°	1
	701A.300.90	● 300 x 90°	1
	701A.375.90	● 375 x 90°	1


	PRODUCT CODE	SIZE	UNIT QTY.
<b>PLAIN JUNCTION 45° F &amp; F</b> 	704M.175.45	● 175 x 175 x 45°	1
	704A.225.45	● 225 x 225 x 45°	1
	704A.300.45	● 300 x 300 x 45°	1

	PRODUCT CODE	SIZE	UNIT QTY.
<b>PLAIN JUNCTION 90° F &amp; F</b> 	704M.175.90	● 175 x 175 x 90°	1
	704A.225.90	● 225 x 225 x 90°	1
	704A.300.90	● 300 x 300 x 90°	1


	PRODUCT CODE	SIZE	UNIT QTY.
<b>REDUCING JUNCTION 45° M &amp; F</b> 	704M.175.100.45MF	● 175 x 100 x 45°	1
	704M.175.150.45MF	● 175 x 150 x 45°	1
	704A.225.150.45*	● 225 x 150 x 45°	1


\*FF socket

	PRODUCT CODE	SIZE	UNIT QTY.
<b>COUPLER</b> 	Slip Coupler		
	710M.175	● 175	1
	710M.225	● 225	1
	710A.225	● 225	1
	710A.300	● 300	1

	PRODUCT CODE	SIZE	UNIT QTY.
<b>LEVEL INVERT REDUCER</b> 	723M.175.150*	● 175 x 150	1
	723M.225.100	● 225 x 100	1
	723A.225.150	● 225 x 150	1
	723M.225.175	● 225 x 175	1
	723A.300.150	● 300 x 150	1
	723M.300.175	● 300 x 175	1
723A.300.225	● 300 x 225	1	

\*fabricated fitting


	PRODUCT CODE	SIZE	UNIT QTY.
<b>PUSH ON CAP</b> 	737M.175	● 175	1
	737A.225	● 225	1
	737A.300	● 300	1

	PRODUCT CODE	SIZE	UNIT QTY.
<b>REDUCING JUNCTION 90° F &amp; F</b> 	704M.175.150.90FF	● 175 x 150 x 90°	1

The Marley Large Diameter Range is made from uPVC and are designed for non-pressure applications in stormwater, commercial rainwater and rural installations.


- Fittings have a tapered socket and are designed for above ground use. Marley recommends the use of Marley Solvent Joint Primer in conjunction with Marley Gold Solvent. Prolonged exposure to UV light can result in some loss of impact strength although changes are minor and should not reduce the systems long term performance. Additional protection can be added by painting with acrylic paint.
- Fittings have a parallel socket and should be joined with Primer and gap filling cement. If installed above ground it is recommended to paint the fittings with a light coloured acrylic paint.

## GAP FILLING JOINTING

FOR PARALLEL & CLEARANCE FIT JOINTS	PRODUCT CODE	DESCRIPTION	UNIT QTY.
	CF1000GF	GAP FILLING PRIMER RED	1 litre
	GF1000C	GAP FILLING CEMENT 250ml CLEAR (TYPE G)	

Primer to Cement ratio = 1:2 (approx.)



## NON RETURN VALVES

NON RETURN VALVES NON PRESSURE	PRODUCT CODE	SIZE	UNIT QTY.
	1588.100	100DN	1
	1588.150	150DN	1
	1588.175*	175DN	1
	1588.225*	225DN	1
	1588.300*	300DN	1

\*non stocked items are available on request

## STORMWATER ACCESS PITS

## ACCESS PITS, GRATES AND LIDS

PRODUCT	PRODUCT CODE	DESCRIPTION	SIZE	QTY
<b>ACCESS PIT</b>				
	1SD5068	Access Pit 200	200 x 200 (4.48 litre capacity)	1
	1SD5069	Access Pit 300	300 x 300 (16.8 litre capacity)	1
	1SD5242	Access Pit 400	400 x 400 (44.7 litre capacity)	1
	1SD5128	Access Pit 550	550 x 550 (120 litre capacity)	1
<b>ACCESS PIT RISERS</b>				
	1SD5071	Pit Riser 200 Socket	200 x 200 x 200	1
	1SD5072	Pit Riser 300 Socket	300 x 300 x 300	1
	1SD5245	Pit Riser 400 Socket	400 x 400 x 400	1
	1SD4887	Pit Riser 550 Socket	550 x 550 x 550	1
<b>ACCESS PIT RISERS</b>				
	1SD5721	Pit Riser 300 No Socket	300 x 300 x 100	1
	1SD5722	Pit Riser 400 No Socket	400 x 400 x 100	1
	1SD5723	Pit Riser 550 No Socket	550 x 550 x 315	1
<b>PVC PEDESTRIAN GRATE</b>				
	1SD4725	Pedestrian Grate 200	200 x 200	1
	1SD4726	Pedestrian Grate 300	300 x 300	1
	1SD4727	Pedestrian Grate 400	400 x 400	1
	1SD4893	Pedestrian Grate 550	550 x 550	1
<b>Non trafficable item*</b>				
<b>PVC TRAFFICABLE GRATE</b>				
	1SD1769	Trafficable Grate 200	200 x 200	1
	1SD1923	Trafficable Grate 300	300 x 300	1
	1SD2022	Trafficable Grate 400	400 x 400	1
	1SD4781	Trafficable Grate 550	550 x 550	1
<b>Trafficable item: Loading 1.5 tonne per wheel**</b>				
<b>PVC PEDESTRAIN LID</b>				
	1SD4728	Pedestrian Lid	200 x 200	1
	1SD4729	Pedestrian Lid	300 x 300	1
	1SD4730	Pedestrian Lid	400 x 400	1
	1SD4896	Pedestrian Lid	550 x 550	1
<b>Non trafficable item*</b>				
<b>PVC TRAFFICABLE LID</b>				
	1SD1759	Trafficable Lid	200 x 200	1
	1SD1924	Trafficable Lid	300 x 300	1
	1SD1948	Trafficable Lid	400 x 400	1
	1SD4782	Trafficable Lid	550 x 550	1





# DOMESTIC ACCESS SHAFTS


## CHAMBER BASES, RAISERS AND COVERS


	PRODUCT CODE	SIZE	CARTON QTY.
<b>SHALLOW ACCESS BASE</b>			
	<b>HSB.100.230</b>	DN230/100	1
	PP 189mm high Side sockets supplied with blanking plugs		


	PRODUCT CODE	SIZE	CARTON QTY.
<b>INSPECTION BASE</b>			
	<b>HIB.100.450</b>	DN450/100	1
	PP 280mm high 3 sockets supplied with blanking plugs		


	PRODUCT CODE	SIZE	CARTON QTY.
<b>SHALLOW RAISER</b>			
	<b>HSR.230</b>	DN230	1
	205mm effective height 2 risers form overall height of 600mm		


	PRODUCT CODE	SIZE	CARTON QTY.
<b>INSPECTION ACCESS SHAFT RAISER</b>			
	<b>HIR.450</b>	DN450/160	1
	164mm effective height 5 risers form overall height of 1100mm		

	PRODUCT CODE	SIZE	CARTON QTY.
<b>SHALLOW COVER PLASTIC – ROUND</b>			
	<b>HSC.230.PR</b>	DN230	1
	uPVC Pedestrian areas only 1 tonne loading		

	PRODUCT CODE	SIZE	CARTON QTY.
<b>INSPECTION COVER – PLASTIC</b>			
	<b>HIC.450.P</b>	DN450	1
	PP Pedestrian areas/domestic driveways 3.5 tonne loading		

	PRODUCT CODE	SIZE	CARTON QTY.
<b>RUBBER O-RING</b>			
	<b>HSO.230</b>	DN230	1
	For HSC.230.PR only		

	PRODUCT CODE	SIZE	CARTON QTY.
<b>BLANKING PLUG</b>			
	<b>HP.100</b>	DN100	1

	PRODUCT CODE	SIZE	CARTON QTY.
<b>SHALLOW COVER PLASTIC – SQUARE</b>			
	<b>HSC.230.PS</b>	DN230	1
	uPVC Pedestrian areas only 1 tonne loading		

### DOMESTIC SHALLOW ACCESS SHAFT 230/100

CONFIGURATION	INVERT HEIGHT
Base only	189
Base & 1 riser	394
Base & 2 risers	600



### DOMESTIC INSPECTION ACCESS SHAFT 450/100

CONFIGURATION	INVERT HEIGHT
Base only	280
Base & 1 riser	444
Base & 2 risers	608
Base & 3 risers	772
Base & 4 risers	936
Base & 5 risers	1100



# uPVC / mPVC PRESSURE PIPE SYSTEMS

- 47 Marley uPVC Series 1
- 48 Marley mPVC Genex® Series 1
- 48 Marley Blue uPVC Series 2
- 48 Marley Blue mPVC Genex® Series 2
- 49 Pressure Fittings
- 50 Pressure Fittings – Solvent

PN6 -	CLASS B	Rated 60m Head	=	.6MPA	=	600 KPA	=	87 P.S.I.
PN9 -	CLASS C	Rated 90m Head	=	.9MPA	=	900 KPA	=	130 P.S.I.
PN12 -	CLASS D	Rated 120m Head	=	1.2MPA	=	1200 KPA	=	173 P.S.I.
PN15 -	CLASS E	Rated 150m Head	=	1.5MPA	=	1500 KPA	=	217 P.S.I.
PN18 -	CLASS F	Rated 180m Head	=	1.8MPA	=	1800 KPA	=	260 P.S.I.

## MARLEY uPVC PRESSURE PIPE SIZE GUIDE

800 Series

1800 Series

DN (mm)	PN6		PN9		PN12		PN15		PN16	
	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ
15							✓			
20							✓			
25							✓			
32					✓		✓			
40	✓		✓		✓		✓			
50	✓		✓	✓	✓	✓	✓	✓		
65	✓		✓	✓	✓	✓	✓	✓		
80	✓	✓	✓	✓	✓	✓	✓	✓		
100		✓	✓	✓	✓	✓	✓	✓		
125	✓	✓	✓	✓	✓	✓		✓		
150	✓	✓	✓	✓	✓	✓	✓		✓	
175	✓	✓		✓		✓				
200		✓	✓	✓	✓	✓	✓			
225		✓		✓		✓				
250		✓		✓		✓	✓			
300		✓		✓		✓	✓			✓
375		✓		✓		✓				

## MARLEY mPVC PRESSURE PIPE SIZE GUIDE

850 Series

1850 Series


DN (mm)	PN9		PN12		PN15		PN16	
	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ
100		✓		✓		✓		
125		✓		✓		✓		
150		✓		✓		✓		✓
175		✓						
200		✓		✓		✓		✓
225		✓		✓				
250		✓		✓				
300		✓		✓		✓		
375		✓		✓				✓

NOTE: Minimum quantities and manufacturing/delivery times may apply, for stock availability phone 0800 MARLEY (0800 627 539)

**PRESSURE PIPE 800 SERIES uPVC (6m Effective)**


**AS/NZS 1477 : 2017**

**PN6**




Product Code*	Nominal DN	Crate Quantity	Length
800.40PN6	40	209	6m
800.50PN6	50	150	6m
800.65PN6	65	96	6m
800.80PN6	80	57	6m
800.100PN6.RJ	100	38	6m
800.125PN6	125	22	6m
800.150PN6	150	28	6m
800.175PN6	175	10	6m
800.200PN6.RJ	200	8	6m
800.225PN6.RJ	225	8	6m
800.250PN6.RJ	250	6	6m
800.300PN6.RJ	300	6	6m
800.375PN6.RJ	375	6	6m

**PN9**




800.40PN9	40	209	6m
800.50PN9	50	150	6m
800.65PN9	65	96	6m
800.80PN9	80	57	6m
800.100PN9	100	38	6m
800.125PN9	125	22	6m
800.150PN9	150	28	6m
800.175PN9.RJ	175	10	6m
800.200PN9	200	8	6m
800.225PN9.RJ	225	8	6m
800.250PN9.RJ	250	6	6m
800.300PN9.RJ	300	6	6m
800.375PN9.RJ	375	6	6m

**PN12**



800.32PN12	32	264	6m
800.40PN12	40	209	6m
800.50PN12	50	150	6m
800.65PN12	65	96	6m
800.80PN12	80	57	6m
800.100PN12	100	38	6m
800.125PN12	125	22	6m
800.150PN12	150	28	6m
800.175PN12.RJ	175	10	6m
800.200PN12	200	8	6m
800.225PN12.RJ	225	8	6m
800.250PN12.RJ	250	6	6m
800.300PN12.RJ	300	6	6m
800.375PN12.RJ	375	6	6m

**PN15**



800.15PN15	15	480	6m
800.20PN15	20	456	6m
800.25PN15	25	413	6m
800.32PN15	32	264	6m
800.40PN15	40	209	6m
800.50PN15	50	150	6m
800.65PN15	65	96	6m
800.80PN15	80	57	6m
800.100PN15	100	38	6m
800.125PN15.RJ	125	22	6m
800.150PN15.RJ	150	28	6m

**NOTE:** \* To order Rubber Ring Pipe - add suffix ".RJ" to Product Code e.g. 800.125PN6.RJ

All SJ and RJ pipe 100mm and above is 6m effective. All SJ and RJ pipe below 100mm is 6m measured.  
For stock availability phone 0800 MARLEY (0800 627 539)

## GENEX®

## PRESSURE PIPE WHITE 850 SERIES 1 mPVC (6m effective)

AS/NZS 4765 : 2017

## PN9



Code	Nominal Size mm	Length	Crate Quantity
850.100PN9.RJ	100	6m	38
850.125PN9.RJ	125	6m	22
850.150PN9.RJ	150	6m	28
850.175PN9.RJ	175	6m	10
850.200PN9.RJ	200	6m	8
850.225PN9.RJ	225	6m	8
850.250PN9.RJ	250	6m	6
850.300PN9.RJ	300	6m	6
850.375PN9.RJ	375	6m	6

## PN12



850.100PN12.RJ	100	6m	38
850.125PN12.RJ	125	6m	22
850.150PN12.RJ	150	6m	28
850.200PN12.RJ	200	6m	8
850.225PN12.RJ	225	6m	8
850.250PN12.RJ	250	6m	6
850.300PN12.RJ	300	6m	6
850.375PN12.RJ	375	6m	6

## PN15



850.100PN15.RJ	100	6m	38
850.125PN15.RJ	125	6m	22
850.150PN15.RJ	150	6m	28
850.200PN15.RJ	200	6m	8
850.300PN15.RJ	300	6m	4

## MARLEY BLUE

## MARLEY BLUE SERIES 2 (AC/CI compatible uPVC pressure pipe) (6m effective) AS/NZS 1477 : 2017



1800.100PN12.RJ	100	6m	30
1800.150PN12.RJ	150	6m	10
1800.200PN12.RJ	200	6m	8
1800.250PN12.RJ	250	6m	6
1800.300PN12.RJ	300	6m	4
1800.300PN16.RJ	300	6m	4

## GENEX BLUE SERIES 2 (AC/CI compatible mPVC pressure pipe) (6m effective) AS/NZS 4765 : 2017



1850.100PN12.RJ	100	6m	30
1850.150PN12.RJ	150	6m	10
1850.200PN12.RJ	200	6m	8
1850.150PN16.RJ	150	6m	10
1850.200PN16.RJ	200	6m	8
1850.250PN12.RJ	250	6m	6
1850.300PN12.RJ	300	6m	4
1850.375PN16.RJ	375	6m	4

For stock availability phone 0800 MARLEY (0800 627 539)

**PRESSURE FITTINGS**

**AS/NZS 1477 : 2017**


uPVC pressure fittings are manufactured in accordance with AS/NZS.1477. to pressure class PN15 rating. However, certain exceptions apply to individual fittings, in particular to some fittings which are sourced internationally. Before any installation, please check PN pressure rating on fittings. In general, the following PN rating specifications apply;


NOTE: Maximum working pressures for injected moulded uPVC fittings:


15-50mm	1500 KPA	217 PSI
65mm	1200 KPA	173 PSI
80-125mm	1500 KPA	217 PSI
150-200mm	1200 KPA	173 PSI
225-300mm	600 KPA	87 PSI


**PACKAGING**

Fittings	15-32mm	bagged in 10's
Fittings	40-50mm	bagged in 5's
Fittings	65mm and above	Single units
Pipe Clips	15mm	100/bag
Pipe Clips	20mm	50/bag
Pipe Clips	25mm, 32mm, 40mm	25/bag

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
	<b>803.15D.90</b>	15	200
	<b>803.20D.90</b>	20	80
	<b>803.25D.90</b>	25	30
	<b>803.32D.90</b>	32	20
	<b>803.40D.90</b>	40	5
	<b>803.50D.90</b>	50	5
	<b>803.65D.90</b>	65	5
	<b>803.80D.90</b>	80	1
	<b>803.100D.90</b>	100	1
	<b>803.125D.90</b>	125	1
	<b>803.175D.90</b>	175	1
	<b>803.200D.90</b>	200	1
	<b>803.225C.90</b>	225	1


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
	<b>803.15D.45</b>	15	160
	<b>803.20D.45</b>	20	80
	<b>803.25D.45</b>	25	40
	<b>803.32D.45</b>	32	30
	<b>803.40D.45</b>	40	5
	<b>803.50D.45</b>	50	5
	<b>803.65D.45</b>	65	5
	<b>803.80D.45</b>	80	1
	<b>803.125D.45</b>	125	1
	<b>803.150D.45</b>	150	1
	<b>803.175D.45</b>	175	1
	<b>803.200D.45</b>	200	1


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
	<b>801.15.90</b>	15	250
	<b>801.20.90</b>	20	150
	<b>801.25.90</b>	25	100
	<b>801.32.90</b>	32	60
	<b>801.40.90</b>	40	50
	<b>801.50.90</b>	50	60
	<b>801.65.90</b>	65	30
	<b>801.80.90</b>	80	22
	<b>801.100.90</b>	100	8
	<b>801.125.90</b>	125	5
	<b>801.150.90</b>	150	3
	<b>801.300.90</b>	300	1


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
	<b>801.15.45</b>	15	200
	<b>801.20.45</b>	20	200
	<b>801.25.45</b>	25	200
	<b>801.32.45</b>	32	80
	<b>801.40.45</b>	40	140
	<b>801.50.45</b>	50	60
	<b>801.80.45</b>	80	22
	<b>801.100.45</b>	100	10
	<b>801.150.45</b>	150	4
	<b>801.200.45</b>	200	2
	<b>801.300.45</b>	300	1


**PRESSURE FITTINGS (Solvent)**


**AS/NZS 1477 : 2017**


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>PLAIN 90° TEE</b> 	<b>804.15</b>	15	200
	<b>804.20</b>	20	200
	<b>804.25</b>	25	100
	<b>804.32</b>	32	50
	<b>804.40</b>	40	30
	<b>804.50</b>	50	40
	<b>804.65</b>	65	20
	<b>804.80</b>	80	13
	<b>804.100</b>	100	5
	<b>804.150</b>	150	2
	<b>804.200</b>	200	2


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>PLAIN 90° REDUCING TEE</b> 	<b>805.20.15</b>	20x15	60
	<b>805.25.15</b>	25x15	80
	<b>805.25.20</b>	25x20	80
	<b>805.32.25</b>	32x25	60
	<b>805.40.25</b>	40x25	80
	<b>805.40.32</b>	40x32	80
	<b>805.50.20</b>	50x20	50
	<b>805.50.25</b>	50x25	50
	<b>805.80.25</b>	80x25	50
	<b>805.80.40</b>	80x40	10
	<b>805.80.50</b>	80x50	9
	<b>805.100.50</b>	100x50	12
	<b>805.100.80</b>	100x80	9


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>FAUCET SOCKET</b> 	<b>806.15</b>	15	300
	<b>806.20</b>	20	250
	<b>806.25</b>	25	180
	<b>806.32</b>	32	100
	<b>806.40</b>	40	80
	<b>806.50</b>	50	90
	<b>806.80</b>	80	20
	<b>806.100</b>	100	9


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>REDUCED FAUCET ADAPTOR</b> 	<b>819.25.20</b>	25x20	140
	<b>819.32.25</b>	32x25	100
	<b>819.40.25</b>	40x25	100
	<b>819.50.25</b>	50x25	100


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>FAUCET TEE 90°</b> 	<b>807.15.90</b>	15	200
	<b>807.20.90</b>	20	60
	<b>807.25.90</b>	25	80

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>FAUCET REDUCING TEE 90°</b> 	<b>807.20.15.90</b>	20x15	180
	<b>807.25.15.90</b>	25x15	180
	<b>807.25.20.90</b>	25x20	80
	<b>807.40.25.90</b>	40x25	80
	<b>807.50.20.90</b>	50x20	50
	<b>807.50.25.90</b>	50x25	50

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>FAUCET ELBOW 90°</b> 	<b>808.15.90</b>	15	200
	<b>808.20.90</b>	20	150
	<b>808.25.90</b>	25	120
	<b>808.32.90</b>	32	60


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>FAUCET REDUCING ELBOW 90°</b> 	<b>808.25.15.90</b>	25x15	140


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>EXPANSION COUPLER</b> 	<b>809.15</b>	15	28
	<b>809.20</b>	20	24
	<b>809.25</b>	25	15
	<b>809.32</b>	32	10
	<b>809.40</b>	40	16
	<b>809.50</b>	50	12
	<b>809.80</b>	80	1


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>PLAIN SOCKET COUPLER</b> 	<b>810.15</b>	15	400
	<b>810.20</b>	20	300
	<b>810.25</b>	25	150
	<b>810.32</b>	32	100
	<b>810.40</b>	40	80
	<b>810.50</b>	50	50
	<b>810.65</b>	65	50
	<b>810.80</b>	80	39
	<b>810.100</b>	100	18
	<b>810.125</b>	125	8
	<b>810.150</b>	150	4


**PRESSURE FITTINGS (Solvent)**


**AS/NZS 1477 : 2017**


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>SOCKET UNION</b> 	<b>811.20</b>	20	100
	<b>811.25</b>	25	60
	<b>811.32</b>	32	40
	<b>811.40</b>	40	50
	<b>811.50</b>	50	40


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>VALVE SOCKET</b> 	<b>813.15</b>	15	400
	<b>813.20</b>	20	300
	<b>813.25</b>	25	150
	<b>813.32</b>	32	100
	<b>813.40</b>	40	50
	<b>813.50</b>	50	50
	<b>813.65</b>	65	30
	<b>813.80</b>	80	25
	<b>813.100</b>	100	12

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>VALVE ADAPTOR</b> 	<b>817.15</b>	15	300
	<b>817.20</b>	20	300
	<b>817.25</b>	25	260
	<b>817.32</b>	32	100
	<b>817.40</b>	40	100
	<b>817.50</b>	50	100
	<b>817.80</b>	80	12
	<b>817.100</b>	100	7

DESCRIPTION	PRODUCT CODE	CARTON QTY.
<b>REDUCING VALVE ADAPTOR</b> 	<b>817.20.15</b>	300
	<b>817.25.20</b>	300
	<b>817.32.25</b>	100
	<b>817.40.32</b>	100
	<b>817.50.32</b>	10


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>REDUCING SOCKET</b> 	<b>823.20.15</b>	20X15	200
	<b>823.25.15</b>	25X15	120
	<b>823.25.20</b>	25X20	280
	<b>823.32.25</b>	32X25	100
	<b>823.40.20</b>	40X20	120
	<b>823.40.32</b>	40X32	80
	<b>823.50.40</b>	50X40	120
	<b>823.65.50</b>	65X50	30
	<b>823.80.50</b>	80X50	30
	<b>823.80.65</b>	80X65	26
	<b>823.100.50</b>	100X50	25
	<b>823.100.80</b>	100X80	25
	<b>823.125.100</b>	125X100	6
	<b>823.150.100</b>	150X100	4


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>REDUCING BUSH</b> 	<b>824.20.15 (grey)</b>	20x15	1000
	<b>824.25.15</b>	25x15	300
	<b>824.25.20</b>	25x20	2000
	<b>824.32.25</b>	32x25	200
	<b>824.40.32</b>	40x32	200
	<b>824.50.25</b>	50x25	70
	<b>824.50.40</b>	50x40	100
	<b>824.80.50 (grey)</b>	80x50	55
	<b>824.80.65 (grey)</b>	80x65	26
	<b>824.100.50</b>	100x50	25
	<b>824.100.80</b>	100x80	25
	<b>824.150.100</b>	150x100	12
	<b>824.200.150 (grey)</b>	200x150	1


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>M&amp;F REDUCING BUSH</b> 	<b>824.40.25</b>	40x25	200


**PRESSURE FITTINGS (Solvent)**


**AS/NZS 1477 : 2017**


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>FULL FACE FLANGE</b> 	<b>825.25</b>	25	60
	<b>825.32</b>	32	50
	<b>825.65</b>	65	35
	<b>825.125</b>	125	7


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>COMBO.STUB FLANGE /PVC BACKING RING ASSEMBLY</b> 	<b>825.826.50</b>		50
	<b>825.826.80</b>		80
	<b>825.826.100</b>		100
	<b>825.826.150</b>		150
	Combination Stub Flange with PVC backing ring, pre-drilled to table D & E, PN18 rated.		


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>STUB FLANGE</b> 	<b>826.125 (grey)</b>	125	6
	<b>826.200 (grey)</b>	200	9
	<b>826.300 (grey)</b>	300	3


DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>METAL BACKING RING (Drilled to Table E)</b> 	<b>827.50</b>	50	1
	<b>827.65</b>	65	10
	<b>827.80</b>	80	1
	<b>827.100</b>	100	1
	<b>827.150</b>	150	10
	<b>827.200</b>	200	6
	<b>827.300</b>	300	10

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>PLAIN END CAP</b> 	<b>830.15</b>	15	600
	<b>830.20</b>	20	300
	<b>830.25</b>	25	300
	<b>830.32</b>	32	100
	<b>830.40</b>	40	100
	<b>830.50</b>	50	80
	<b>830.65</b>	65	45
	<b>830.80</b>	80	50
	<b>830.100</b>	100	15
	<b>830.125</b>	125	12
	<b>830.150</b>	150	6

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>THREADED END PLUG</b> 	<b>837.15</b>	15	460
	<b>837.20</b>	20	300
	<b>837.25</b>	25	200
	<b>837.32</b>	32	120
	<b>837.40</b>	40	100
	<b>837.50</b>	50	50
	<b>837.80</b>	80	40
	<b>837.100</b>	100	24

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>PIPE CLIP</b> 	<b>840.15</b>	15	1000
	<b>840.20</b>	20	500
	<b>840.25</b>	25	500
	<b>840.32</b>	32	500
	<b>840.40</b>	40	500
	<b>840.50</b>	50	500

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>NEOPRENE GASKET FOR FULL FACE FLANGE 825</b> 	<b>842.65</b>	65	1
	<b>842.80</b>	80	1
	<b>842.100</b>	100	1
	<b>842.150</b>	150	1

DESCRIPTION	PRODUCT CODE	SIZE (mm)	CARTON QTY.
<b>NEOPRENE GASKET FOR STUB FLANGE 826</b> 	<b>845.50</b>	50	1
	<b>845.65</b>	65	1
	<b>845.100</b>	100	1
	<b>845.150</b>	150	1



# POLYETHYLENE NON PRESSURE SOLUTIONS

## 53 Marley HDPE Drainage Systems

54 Akatherm Drainage System

56 Akasion Siphonic Roof Drainage



# MARLEY HDPE DRAINAGE SYSTEMS

## AKATHERM DRAINAGE SYSTEM

Item Number	Item Description	Wall Thickness (mm)
<b>PE DRAINAGE PIPE 5 METRES</b>		
A100400	40mm x 5m	3
A100500	50mm x 5m	3
A105600	56mm x 5m	3
A100600	63mm x 5m	3
A100700	75mm x 5m	3
A100900	90mm x 5m	3.5
A101100	110mm x 5m	4.2
A101200	125mm x 5m	4.8
A101600	160mm x 5m	6.2
A102010	200mm x 5m	7.7
A102510	250mm x 5m	9.6
A103110	315mm x 5m	12.1

Item Number	Item Description
<b>PE DRAINAGE BEND 45°</b>	
A120445	40mm
A120545	50mm
A125645	56mm
A120645	63mm
A120745	75mm
A120945	90mm
A121145	110mm
A121245	125mm
A121645	160mm
A122045	200mm
A122545	250mm
A123145	315mm

<b>PE DRAINAGE BEND 88°</b>	
A120488	40mm
A120588	50mm
A125688	56mm
A120688	63mm
A120788	75mm
A120988	90mm
A121188	110mm
A121288	125mm
A121688	160mm
A122088	200mm
A122588	250mm
A123188	315mm

<b>AKAVENT AERATORS</b>	
A601117	110mm
A601617	160mm

<b>REDUCER ECCENTRIC</b>	
A160504	REDUCER 50mm/40mm
A165604	REDUCER 56mm/40mm
A165605	REDUCER 56mm/50mm
A160604	REDUCER 63mm/40mm
A160605	REDUCER 63mm/50mm
A160656	REDUCER 63mm/56mm
A160704	REDUCER 75mm/40mm
A160705	REDUCER 75mm/50mm
A160756	REDUCER 75mm/56mm
A160706	REDUCER 75mm/63mm
A160904	REDUCER 90mm/40mm
A160905	REDUCER 90mm/50mm
A160956	REDUCER 90mm/56mm
A160906	REDUCER 90mm/63mm
A160907	REDUCER 90mm/75mm
A161105	REDUCER 110mm/50mm
A161156	REDUCER 110mm/56mm
A161106	REDUCER 110mm/63mm
A161107	REDUCER 110mm/75mm
A161109	REDUCER 110mm/90mm
A161256	REDUCER 125mm/56mm
A161207	REDUCER 125mm/75mm
A161209	REDUCER 125mm/90mm
A161211	REDUCER 125mm/110mm
A161611	REDUCER 160mm/110mm
A161612	REDUCER 160mm/125mm

<b>REDUCER ECCENTRIC LONG</b>	
A142012	REDUCER 200mm/125mm
A142016	REDUCER 200mm/160mm
A142520	REDUCER 250mm/200mm
A143120	REDUCER 315mm/200mm
A143125	REDUCER 315mm/250mm


<b>CLEANOUT BRANCH 90°</b>	
A231120	CLEANOUT BRANCH 110mm
A231200	CLEANOUT BRANCH 125mm/110mm
A231620	CLEANOUT BRANCH 160mm/110mm
A232000	CLEANOUT BRANCH 200mm/110mm
A232500	CLEANOUT BRANCH 250mm/110mm
A233100	CLEANOUT BRANCH 315mm/110mm


<b>JUNCTIONS 88.5°</b>	
A200404	JUNCTION 40mm
A201111	JUNCTION 110mm


<b>JUNCTIONS 45°</b>	
A300404	JUNCTION 40mm
A300504	JUNCTION 50mm/40mm
A300505	JUNCTION 50mm
A305604	JUNCTION 56mm/40mm
A300605	JUNCTION 63mm/50mm
A300606	JUNCTION 63mm
A300704	JUNCTION 75mm/40mm
A300705	JUNCTION 75mm/50mm
A300756	JUNCTION 75mm/56mm
A300706	JUNCTION 75mm/63mm
A300707	JUNCTION 75mm
A300904	JUNCTION 90mm/40mm
A300905	JUNCTION 90mm/50mm
A300956	JUNCTION 90mm/56mm
A300906	JUNCTION 90mm/63mm
A300907	JUNCTION 90mm/75mm
A300909	JUNCTION 90mm
A301104	JUNCTION 110mm/40mm
A301105	JUNCTION 110mm/50mm
A301156	JUNCTION 110mm/56mm
A301106	JUNCTION 110mm/63mm
A301109	JUNCTION 110mm/90mm
A301111	JUNCTION 110mm
A301205	JUNCTION 125mm/50mm
A301256	JUNCTION 125mm/56mm
A301206	JUNCTION 125mm/63mm
A301207	JUNCTION 125mm/75mm
A301209	JUNCTION 125mm/90mm
A301211	JUNCTION 125mm/110mm
A301212	JUNCTION 125mm
A301605	JUNCTION 160mm/50mm
A301606	JUNCTION 160mm/63mm
A301607	JUNCTION 160mm/75mm
A301609	JUNCTION 160mm/90mm
A301611	JUNCTION 160mm/110mm
A301612	JUNCTION 160mm/125mm
A301616	JUNCTION 160mm


**NOTE:** All HDPE available as single units.


## AKATHERM DRAINAGE SYSTEM


Item Number	Item Description
<b>JUNCTIONS 45° CONTINUED</b>	
	A302006 JUNCTION 200mm/63mm
	A302007 JUNCTION 200mm/75mm
	A302009 JUNCTION 200mm/90mm
	A302011 JUNCTION 200mm/110mm
	A302012 JUNCTION 200mm/125mm
	A302016 JUNCTION 200mm/160mm
	A302020 JUNCTION 200mm
	A302507 JUNCTION 250mm/75mm
	A302512 JUNCTION 250mm/125mm


Item Number	Item Description
<b>PE DRAINAGE EXPANSION SOCKET</b>	
	A400420 40mm
	A400520 50mm
	A405620 56mm
	A400620 63mm
	A420720 75mm
	A420920 90mm
	A421120 110mm
	A421220 125mm
	A421620 160mm
	A403120 315mm


Item Number	Item Description
<b>INSPECTION CAP AND BASE</b>	
	A660540 50mm
	A660640 63mm
	A660940 90mm
	A661140 110mm


Item Number	Item Description
<b>PLUG IN SOCKET WITH PROTECTIVE PLUG</b>	
	A421150 110mm


Item Number	Item Description
<b>SNAP SOCKETS WITH PROTECTIVE PLUG</b>	
	A400910 90mm
	A401110 110mm

Item Number	Item Description
<b>END CAP ( BUTT WELD )</b>	
	A670507 50mm
	A675607 56mm
	A670607 63mm
	A670707 75mm
	A670907 90mm
	A671107 110mm
	A671209 125mm
	A671609 160mm
	A672009 200mm
	A672509 250mm
	A673109 315mm

Item Number	Item Description
<b>TRAP</b>	
	A040401 S TRAP 40mm
	A050501 S TRAP 50mm

Item Number	Item Description
<b>4 FOLD BOSS JUNCTION 88.5°</b>	
	A441114 110/50 88.5°

Item Number	Item Description
<b>PE DRAINAGE ELECTROFUSION COUPLER</b>	
	A410495 40mm
	A410595 50mm
	A415695 56mm
	A410695 63mm
	A410795 75mm
	A410995 90mm
	A411195 110mm
	A411295 125mm
	A411695 160mm
	A412065 200mm
	A412565 250mm
	A413165 315mm

Item Number	Item Description
<b>PE DRAINAGE ELECTROFUSION COUPLER</b>	
	A419830 AKAFUSION WELDER CB160 (40-160mm)
	A419910 AKAFUSION WELDER CB315-U (40-315mm)
	A419971 CB315-U YELLOW OUTPUT LEADS 40-160mm
	A419972 CB315-U BLUE OUTPUT LEADS 200-315mm
	A419975 CB315-U BLUE OUTPUT LEADS 200-315mm

# MARLEY HDPE DRAINAGE SYSTEMS



## AKASISON SIPHONIC ROOF DRAINAGE

Item Number      Item Description

Item Number      Item Description

### AKASISON ROOF OUTLETS



A740650	63mm METAL GUTTER
A749283	63mm CONNECTOR
A747514	75mm PVC FLANGE
A747500	75mm NON-BITUMINOUS*
A747312	75mm BITUMINOUS*
A740930	90mm NON-BITUMINOUS
A740932	90mm BITUMINOUS
A740950	90mm METAL GUTTER
A749285	90mm CONNECTOR
A747590	O/FLOW COLLAR 75mm/90mm
A745551	AIRBAFFLE NUT (SET OF 2)
A745582	O/FLOW EXTENSION NUT (SET OF 2)

\* Includes connector

### AKASISON RAIL & FITTINGS



A700005	RAIL 30mmx30mm 5m For brackets 40 to 200mm
A700007	RAIL 41mmx41mm 5m For brackets 250 to 315mm
A700015	CONNECTOR 30mm/41mm
A700025	SUSPENSION BKT 30x30mm
A750435	BKT 40mm x M10
A750535	BKT 50mm x M10
A755635	BKT 56mm x M10
A750635	BKT 63mm x M10
A750735	BKT 75mm x M10
A750935	BKT 90mm x M10
A751135	BKT 110mm x M10
A751235	BKT 125mm x M10
A751635	BKT 160mm x M10
A752035	BKT 200mm x M10
A752535	BKT 250mm x M10
A700007	BKT 250mm x M35
A730025	ANCHORPOINT SET x M10 For brackets 40 to 200mm
A730027	ANCHORPOINT SET x M10 For brackets 250 to 315mm

### AKASISON GUIDE AND ANCHOR BRACKETS



A700410	WALL GUIDE BKT 40mm x M10
A700510	WALL GUIDE BKT 50mm x M10
A705610	WALL GUIDE BKT 56mm x M10
A700610	WALL GUIDE BKT 63mm x M10
A700710	WALL GUIDE BKT 75mm x M10
A700910	WALL GUIDE BKT 90mm x M10
A701110	WALL GUIDE BKT 110mm x M10
A701210	WALL GUIDE BKT 125mm x M10
A701610	WALL GUIDE BKT 160mm x M10
A700478	WALL ANCHOR BKT 40mm x 1/2"
A700578	WALL ANCHOR BKT 50mm x 1/2"
A705678	WALL ANCHOR BKT 56mm x 1/2"
A700678	WALL ANCHOR BKT 63mm x 1/2"
A700778	WALL ANCHOR BKT 75mm x 1/2"
A700978	WALL ANCHOR BKT 90mm x 1/2"
A701178	WALL ANCHOR BKT 110mm x 1/2"
A701278	WALL ANCHOR BKT 125mm x 1/2"
A701678	WALL ANCHOR BKT 160mm x 1/2"
A702080	WALL GUIDE & ANCHOR BKT 200mm x 1"
A709410	WALL GUIDE BKT MOUNTING PLATE M10
A709478	WALL GUIDE BKT MOUNTING PLATE 1/2"
A709480	WALL GUIDE & ANCHOR BKT MOUNTING PLATE 1"

**NB.** Larger capacity systems are also available on request. Leadtimes apply so please contact Marley to discuss your project requirements.

In addition to the specific siphonic drainage items shown above, Akason also utilises the Akatherm Drainage System range of pipe and fittings shown on Pg 44 and Pg 45 to complete the system. Marley offers a local design service for Akason siphonic drainage projects so please get in touch to help us optimise the drainage on your next project.

# POLYETHYLENE PRESSURE SOLUTIONS

## 59 Polyethylene Pressure Pipe

- 59 Black Polyethylene Pressure Pipe
- 60 Blue Polyethylene Pressure Pipe
- 61 Royal Blue Polyethylene Pressure Pipe


## 62 Friatec - PE Electrofusion Fittings

## 70 Philmac Fittings

- 71 Philmac 3G Compression Fittings
- 73 Philmac Universal Transition Fittings
- 73 Philmac Valves
- 74 Philmac Threaded Fittings

## 75 Oasis® 6 & 9 Bar Polyethylene Pipe

## 76 950 Series®






# MARLEY POLYETHYLENE (PE) 80 PIPES

SDR/PRESSURE RATING	NOMINAL DIAMETER (MM)	20	25	32	40	50	63	75	90	110	125	140	160	180	200	225	250	280	315	355	400	450	500	560	630	
	SDR21 PN6.3																									
SDR17 PN8																										
SDR13.6 PN10																										
SDR11 PN12.5																										
SDR9 PN16																										






# MARLEY POLYETHYLENE (PE) 100 PIPES

SDR/PRESSURE RATING	NOMINAL DIAMETER (MM)	20	25	32	40	50	63	75	90	110	125	140	160	180	200	225	250	280	315	355	400	450	500	560	630	
	SDR26 PN6.3																									
SDR21 PN8																										
SDR17 PN10																										
SDR13.6 PN12.5																										
SDR11 PN16																										

## PIPE COLOUR KEY – PE80

	Black
	Sky Blue Skin
	Black with Sky Blue Stripe

## PIPE COLOUR KEY – PE100

	Black
	Black with Cream Stripe
	Black with Lilac Stripe
	Black with Royal Blue Stripe
	Royal Blue Skin

Made to AS/NZS 4130: Polyethylene Pipes for Pressure Applications.


Marley PE Pipes are certified by Bureau Veritas Lic No 2639 (Auckland)

Lic No 2727 (Christchurch)

Phone 0800 MARLEY (0800 627 539) for technical support and further information on lengths, pricing, stock availability and stock locations. If you require a pipe size or colour that is not on this chart call us as we may be able to assist.

# MARLEY POLYETHYLENE PRESSURE PIPE

## "BLACK" POLYETHYLENE PRESSURE PIPE

LENGTHS AND COILS – PE 100 BLACK		METRIC AS/NZS 4130 : 2018		
Code	Diameter	Pressure Rating PN (Bar)	Length (m)	
310.90.12.12	90	12	12	
310.90.12.100	90	12	100	
310.90.16.12	90	16	12	
310.90.16.100	90	16	100	
310.110.12.12	110	12	12	
310.110.12.100	110	12	100	
310.110.16.12	110	16	12	
310.110.16.100	110	16	100	
310.125.12.12	125	12	12	
310.125.12.100	125	12	100	
310.140.16.12	140	16	12	
310.160.12.12	160	12	12	
310.160.16.12	180	16	12	
310.180.12.12	180	12	12	
310.180.16.12	180	16	12	
310.200.12.12	200	12	12	
310.200.16.12	200	16	12	
310.250.12.12	250	12	12	
310.250.16.12	250	16	12	
310.280.12.12	280	12	12	
310.280.16.12	280	16	12	
310.315.12.12	315	12	12	
310.315.16.12	315	16	12	
310.355.12.12	355	12	12	
310.355.16.12	355	16	12	
310.400.12.12	400	12	12	
310.450.12.12	450	12	12	
310.450.16.12	450	16	12	
310.500.12.12	500	12	12	
310.500.16.12	500	16	12	
310.560.12.12	560	12	12	
310.560.16.12	560	16	12	
310.630.12.12	630	12	12	

Available in cream stripe on request for sewer networks 32mm to 110mm 16 BAR.

# MARLEY POLYETHYLENE PRESSURE PIPE

## "BLUE" POLYETHYLENE PRESSURE PIPE


COILS – PE 80 BLUE CO-EX SKIN		Maximum : Pressure Rating PN 12.5 (12.5 bar) or (174 psi)	METRIC AS/NZS 4130 : 2018
Code	Diameter	Length (m)	
1200.20.25	20	25	
1200.20.50	20	50	
1200.20.100	20	100	
1200.20.200	20	200	
1200.25.25	25	25	
1200.25.50	25	50	
1200.25.100	25	100	
1200.25.200	25	200	
1200.32.25	32	25	
1200.32.50	32	50	
1200.32.100	32	100	
1200.32.200	32	200	
1200.40.25	40	25	
1200.40.50	40	50	
1200.40.100	40	100	
1200.40.200	40	200	
1200.50.25	50	25	
1200.50.50	50	50	
1200.50.100	50	100	
1200.63.25	63	25	
1200.63.50	63	50	
1200.63.100	63	100	

LENGTHS – PE 80 BLUE CO-EX SKIN		Maximum : Pressure Rating PN 12.5 (12.5 bar)	METRIC AS/NZS 4130 : 2018
Code	Diameter	Length (m)	
1200.20.5	20	5	
1200.25.5	25	5	
1200.32.5	32	5	
1200.40.5	40	5	
1200.50.5	50	5	
1200.63.5	63	5	



# MARLEY POLYETHYLENE PRESSURE PIPE

## "ROYAL BLUE" POLYETHYLENE PRESSURE PIPE

LENGTHS AND COILS PE 100 - ROYAL BLUE		METRIC AS/NZS 4130 : 2018		
Code	Diameter	Pressure Rating PN (Bar)	Length (m)	
1210.63.12.100	63	12	100	
1210.63.16.100	63	16	100	
1210.75.12.100	75	12	100	
1210.90.12.12	90	12	12	
1210.90.12.100	90	12	100	
1210.90.16.12	90	16	12	
1210.110.16.100	110	16	100	
1210.125.16.12	125	16	12	
1210.125.16.100	125	16	100	
1210.140.16.12	140	16	12	
1210.160.16.12	160	16	12	
1210.180.16.12	180	16	12	
1210.225.16.12	225	16	12	
1210.250.16.12	250	16	12	
1210.280.16.12	280	16	12	
1210.315.16.12	315	16	12	
12.10.355.16.12	355	16	12	
1210.400.12.12	400	12	12	
1210.400.16.12	400	16	12	
1210.450.16.12	450	16	12	
1210.500.12.12	500	12	12	
1210.500.16.12	500	16	12	
1210.560.12.12	560	12	12	



## SLIDE OVER COUPLERS



### PN 16 WATER PN 10 GAS SDR 11

### PN10 (WATER/SEWER) SDR 17

Size DN (mm)	Product Code		Stocking Policy
20	T612680	*	STOCKED
25	T612681	*	STOCKED
32	T612682	*	STOCKED
40	T612683	*	STOCKED
50	T612684	*	STOCKED
63	T612685	*	STOCKED
75	T612686	*	STOCKED
90	T612687	*	STOCKED
110	T612688	*	STOCKED
125	T612689	*	STOCKED
140	T612690	*	STOCKED
160	T612691	*	STOCKED
180	T612672		STOCKED
200	T612673		STOCKED
225	T612674		STOCKED
250			
280	T615073		STOCKED
315			
355	T615074		STOCKED
400	T615075		STOCKED
450	T615076		STOCKED
500	T615124		STOCKED
560	T616312		STOCKED
630	T616269		STOCKED
710	T616313		STOCKED
800	T616314		STOCKED

Product Code	Stocking Policy
T680001	STOCKED
T680013	STOCKED
T680002	STOCKED
T680003	STOCKED
T680004	STOCKED
T680005	STOCKED
T680006	STOCKED
T680007	INDENT
T680008	INDENT
T680009	INDENT
T680010	INDENT
T680011	INDENT
T680012	INDENT
T680018	INDENT
T680019	INDENT

\* REMOVABLE STOP

Available on Request:

- 1) Couplers rated at PN 25
- 2) Larger size couplers

#### FRIATEC SDR GUIDE

FITTINGS RATING	COMPATIBLE WITH PIPE RATED TO
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33

# FRIATEC ELECTROFUSION FITTINGS



## ELBOW (W)



### 90 DEG (W90) PN 16 WATER, PN 10 GAS, SDR 11

### 45 DEG (W45) PN 16 WATER, PN 10 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy
25	T612091	STOCKED
32	T612093	STOCKED
40	T612095	STOCKED
50	T612097	STOCKED
63	T612099	STOCKED
75	T612101	STOCKED
90	T612103	STOCKED
110	T612105	STOCKED
125	T612107	STOCKED
160	T615276	STOCKED
180	T615689	STOCKED
200	T616265	STOCKED
225	T615690	STOCKED
250	T616408 *	STOCKED
280	T616409 *	INDENT
315	T616410 *	INDENT

Product Code	Stocking Policy
T612092	STOCKED
T612094	STOCKED
T612096	STOCKED
T612098	STOCKED
T612100	STOCKED
T612102	STOCKED
T612104	STOCKED
T612106	STOCKED
T615275	STOCKED
T615687	STOCKED
T616264	STOCKED
T615688	STOCKED
T616404 *	STOCKED
T616405 *	INDENT
T616406 *	INDENT

\* EXTRA LARGE



### 30 DEG (W30) PN 16 WATER, PN 10 GAS, SDR 11

### 11 DEG (WS11) SOCKET ONE END PN 16 WATER, PN 10 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy
25		
32		
40		
50		
63		
75		
90	T615272	INDENT
110	T615273	INDENT
125	T615274	STOCKED
160	T615340	INDENT
180	T616261	STOCKED
200	T616262	INDENT
225	T616263	INDENT
250		
280		
315		

Product Code	Stocking Policy
T616139	INDENT
T616140	INDENT
T616141	INDENT
T616142	INDENT
T616143	INDENT

#### FRIATEC SDR GUIDE

FITTINGS RATING	COMPATIBLE WITH PIPE RATED TO
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33

## TEE PIECE



**LONG SPIGOT (TA)**  
PN 16 WATER, PN 10 GAS, SDR 11



**STANDARD (T)**  
PN 16 WATER, PN 10 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy
32	T615719	STOCKED
40	T615720	STOCKED
50	T615721	STOCKED
63	T615722	STOCKED
75		
90		
110		
125		
160		
180		

Product Code	Stocking Policy
T612165	STOCKED
T612166	STOCKED
T612167	STOCKED
T612168	STOCKED
T615277	STOCKED
T615691	STOCKED

## REDUCERS (MR)



**PN 16 WATER**  
**PN 10 GAS, SDR 11**

Size DN (mm)	Product Code	Stocking Policy
20/16	T616824	INDENT
32/16	T616452	STOCKED
32/20	T615386	INDENT
32/25	T615502	STOCKED
40/20	T615387	INDENT
40/25	T616751	INDENT
40/32	T615388	STOCKED
50/20	T612069	INDENT
50/25	T616752	INDENT
50/32	T612070	STOCKED
50/40	T612071	STOCKED
63/32	T615389	STOCKED
63/40	T615390	STOCKED
63/50	T612072	STOCKED
75/63	T616583	STOCKED
90/50	T615391	INDENT
90/63	T615392	STOCKED
90/75	T616582	INDENT
110/63	T615393	STOCKED
110/90	T615693	STOCKED
125/90	T615694	STOCKED
125/110	T616510	STOCKED
160/110	T615695	STOCKED
180/125	T616511	STOCKED
225/160	T616356	STOCKED

## END CAP COUPLERS (MV)



**PN 16 WATER**  
**PN 10 GAS**  
**SDR 11**

Size DN (mm)	Product Code	Stocking Policy
20	T612025	STOCKED
25	T612026	STOCKED
32	T612027	STOCKED
40	T612028	STOCKED
50	T612029	STOCKED
63	T612030	STOCKED
75	T612031	STOCKED
90	T612032	STOCKED
110	T612033	STOCKED
125	T612034	STOCKED
160	T612035	STOCKED
180	T616183	STOCKED
200	T616184	INDENT
225	T616185	INDENT

## FRIATEC ELECTROFUSION FITTINGS



## PRESSURE TAPPING FITTING (EXTRA LONG OUTLET SPIGOT)


**STANDARD TEE (DAA)**  
 PN 16 WATER, PN 10 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy
40/20	T612630	INDENT
50/25	T612702	INDENT
50/32	T615080	INDENT
63/20	T612631	INDENT
63/25	T612633	STOCKED
63/32	T612632	INDENT
63/40		
63/63	T616334	STOCKED
75/32		
90/32	T612634	INDENT
90/50		
90/63	T612701	INDENT
110/25	T616488	STOCKED
110/32	T612637	INDENT
110/50		
110/63	T612624	STOCKED
125/25	T616492	STOCKED
125/32	T612649	STOCKED
125/50		
125/63	T612309	STOCKED
140/63		
160/25	T616498	STOCKED
160/32	T612641	INDENT
160/50		
160/63	T612650	STOCKED
180/25	T616502	STOCKED
180/32	T612651	STOCKED
180/50	T616481	INDENT
180/63	T612652	STOCKED
200/32	T612654	INDENT
200/50		
200/63	T612659	INDENT
225/32	T612657	INDENT
225/50		
225/63	T612655	INDENT
250/63	T615339	STOCKED

**VALVE (DAV)**  
 PN 16 WATER, PN 10 GAS, SDR 11

Product Code	Stocking Policy
T617024	INDENT
T617025	STOCKED
T617026	INDENT
T617027	INDENT
T616960	INDENT
T616962	INDENT
T616963	INDENT
T616964	INDENT
T616966	INDENT
T616967	STOCKED
T616968	INDENT
T616970	INDENT
T616971	INDENT
T616973	INDENT
T616974	INDENT
T616976	INDENT
T616977	INDENT
T616978	STOCKED
T616980	INDENT
T616981	STOCKED
T616982	INDENT
T616984	INDENT
T616985	INDENT
T616987	INDENT
T616988	INDENT

Note: Pressure Tapping Tee with Parallel Dome (DAP) PN16 / SDR 11

- 1) Size 180/32 T615716 STOCKED
- 2) All other sizes available on request

**FRIATEC SDR GUIDE**

FITTINGS RATING	COMPATIBLE WITH PIPE RATED TO
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33

## SPIGOT SADDLES



**SA**  
PN 16 WATER, PN 10 GAS, SDR 11

**SA UNI**  
PN 16 WATER, PN 10 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy	Product Code	Stocking Policy
63/32	T612757	STOCKED		
63/50	T612759	INDENT		
75/50	T615020	STOCKED		
90/32	T615285	INDENT		
90/63	T612819	STOCKED		
110/32	T615334	STOCKED		
110/50	T615031	INDENT		
110/63	T612760	STOCKED		
110/90	T615411	INDENT		
125/32	T615087	STOCKED		
125/63	T612761	STOCKED		
125/90	T615412	INDENT		
125/110	T615584	INDENT		
160/32	T612886	INDENT		
160/63	T612762	STOCKED		
160/90	T615413	INDENT		
160/110	T615739	INDENT		
160/125	T615585	STOCKED		
180/63	T612763	STOCKED		
180/90	T615414	INDENT		
180/110	T615948	INDENT		
180/125	T615740	STOCKED		
200/63	T612764	STOCKED		
225/63	T612765	STOCKED		
225/90	T615415	INDENT		
225/110	T616044	INDENT		
225/125	T616045	STOCKED		
225/160	T616046	INDENT		
250-280/125			T616555	STOCKED
250-280/160			T616556	INDENT
315-400/90			T616557	INDENT
315-400/110			T616558	INDENT
315-400/125			T616559	STOCKED
315-400/160			T616560	INDENT
450/225				
450-900/90			T616561	INDENT
450-900/110			T616562	INDENT
450-900/160			T616564	STOCKED

Note: Sigot Saddles (SA XL) PN16, SDR11

1) Larger sizes available on request

## FRIATEC ELECTROFUSION FITTINGS



## TRANSITION FITTING HD-PE/BRASS WITH MALE THREAD


**ELBOW 90 DEG (WUN90)**  
 PN 16 WATER, SDR 11

Size DN (mm)	Product Code	Stocking Policy
32/1"	T612120	INDENT
32/1-1/4"		
32/1-1/2"	T612140	INDENT
40/1"	T612127	INDENT
40/1-1/4"	T612122	INDENT
40/1-1/2"	T612121	INDENT
40/2"		
50/1"	T612119	INDENT
50/1-1/4"	T612123	INDENT
50/1-1/2"	T612124	INDENT
50/2"		
63/1-1/4"		
63/1-1/2"	T612125	INDENT
63/2"	T612126	INDENT
63/2"		
75/2"		
75/2-1/2"		

**COUPLER MALE (MUN)**  
 PN 16 WATER, SDR 11

Product Code	Stocking Policy
T612712	INDENT
T612709	INDENT
T612698	INDENT
T612721	INDENT
T612713	STOCKED
T612718	INDENT
T612725	INDENT
T612719	INDENT
T612716	INDENT
T612714	STOCKED
T612706	INDENT
T612722	INDENT
T612717	INDENT
T612693	* INDENT
T612715	STOCKED
T612694	INDENT
T612695	INDENT

\* FRIA TRANS COUPL F MUM 63/2" GUNMETAL FEMALE THREAD

## UNIVERSAL ADAPTER HD-PE/BRASS


**UAM FEMALE THREAD (UAM)**  
 PN 16 WATER, PN 5 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy
25/3/4"		
32/1"	T616156	INDENT
40/1-1/4"	T616157	STOCKED
50/1-1/2"	T616158	STOCKED
63/2"	T616159	STOCKED

**MALE THREAD (UAN)**  
 PN 16 WATER, PN 5 GAS, SDR 11

Product Code	Stocking Policy
T616605	STOCKED
T616152	INDENT
T616153	STOCKED
T616154	STOCKED
T616155	STOCKED

## FRIATEC SDR GUIDE

FITTINGS RATING	COMPATIBLE WITH PIPE RATED TO
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33



## GAS FITTINGS RANGE



### BALL VALVE NBR SEALING 1/4 TURN FULL PORT PASSAGE (KH) PN 10 GAS, SDR 11

### TRANSITION COUPLER HD-PE/STEEL (SPIGOT FITTINGS) (USTRS) PN 10 GAS, SDR 11

Size DN (mm)	Product Code	Stocking Policy
25	T616471	INDENT
32	T616176	INDENT
40	T616177	INDENT
50	T616178	INDENT
63	T616179	INDENT
90	T616180	INDENT
110	T616181	STOCKED
125	T616182	STOCKED

Size DN (mm)	Product Code	Stocking Policy
32/25	T616634	STOCKED
63/50	T616637	STOCKED

## TOOLS (UNITS, SCRAPERS, ACCESSORIES)

Product Code



### ELECTROFUSION UNITS

613134	FRIAMAT PRIME 7 GEN UNIT (WITH READER WAND)
--------	---



### SCRAPERS

613270	FRIATEC HAND SCRAPER BLADES 5 PACK
613300	FRIA HAND SCRAPER
613323	SPARE BLADES FOR d20-63mm SCRAPERS*
613322	SPARE BLADES FOR d75-225mm SCRAPERS*
613324	FRIA FWSGE-5 REPLACEMENT BLADE*
*replacement blades = 3 blades, torx wrench & screw	
613408	FRIA SCRAPER FWSG d20-63 PIPE
613409	FRIA SCRAPER FWSG d75-225 PIPE
613642	FRIA SCRAPER FWSG d250-710 PIPE



### SOCKET CONTACTS & ADAPTERS

613237	FRIA ADAPTOR 4.7M (PAIR)
--------	--------------------------



# PHILMAC 3G METRIC™

THE CONNECTION YOU CAN TRUST

---



## PHILMAC FITTINGS



## PHILMAC 3G COMPRESSION FITTINGS

FOR I.S.O. SIZED MDPE PIPES

Max Pressure Rating PN 16

AS/NZS 4129:2020 approved

	CODE	SIZE	PACK
<b>JOINER</b>	MM301.20	20mm	10
	MM301.25	25mm	10
	MM301.32	32mm	5
	MM301.40	40mm	1
	MM301.50	50mm	1
	MM301.63	63mm	1
	MM301.75	75mm	1
	MM301.90	90mm	1
	MM301.110	110mm	1

	CODE	SIZE	PACK
<b>MALE ADAPTOR</b>	MM302.20.15	20 x 1/2 BSP	10
	MM302.20.20	20 x 3/4 BSP	10
	MM302.20.25	20 x 1 BSP	10
	MM302.25.15	25 x 1/2 BSP	10
	MM302.25.20	25 x 3/4 BSP	10
	MM302.25.25	25 x 1 BSP	10
	MM302.32.20	32 x 3/4 BSP	5
	MM302.32.25	32 x 1 BSP	5
	MM302.32.32	32 x 1 1/4 BSP	5
	MM302.32.40	32 x 1 1/2 BSP	5
	MM302.40.25	40 x 1 BSP	1
	MM302.40.32	40 x 1 1/4 BSP	1
	MM302.40.40	40 x 1 1/2 BSP	1
	MM302.40.50	40 x 2 BSP	1
	MM302.50.40	50 x 1 1/2 BSP	1
	MM302.50.50	50 x 2 BSP	1
	MM302.63.40	63 x 1 1/2 BSP	1
	MM302.63.50	63 x 2 BSP	1
	MM302.75.50	75 x 2 BSP	1
	MM302.75.75	75 x 3 BSP	1
	MM302.90.75	90 x 3 BSP	1
	MM302.110.100	110 x 4 BSP	1

	CODE	SIZE	PACK
<b>FEMALE ADAPTOR</b>	MM303.20.15	20 x 1/2 BSP	10
	MM303.20.20	20 x 3/4 BSP	10
	MM303.20.25	20 x 1 BSP	10
	MM303.25.15	25 x 1/2 BSP	10
	MM303.25.20	25 x 3/4 BSP	10
	MM303.25.25	25 x 1 BSP	10
	MM303.32.25	32 x 1 BSP	5
	MM303.32.32	32 x 1 1/4 BSP	5
	MM303.40.32	40 x 1 1/4 BSP	1
	MM303.40.40	40 x 1 1/2 BSP	1
	MM303.50.40	50 x 1 1/2 BSP	1
	MM303.50.50	50 x 2 BSP	1
	MM303.63.50	63 x 2 BSP	1
	MM303.75.50	75 x 2 BSP	1
	MM303.90.75	90 x 3 BSP	1
	MM303.110.100	110 x 4 BSP	1

	CODE	SIZE	PACK
<b>REDUCING JOINER</b>	MM304.25.20	25 x 20 mm	10
	MM304.32.20	32 x 20 mm	5
	MM304.32.25	32 x 25 mm	5
	MM304.40.25	40 x 25 mm	1
	MM304.40.32	40 x 32 mm	1
	MM304.50.25	50 x 25 mm	1
	MM304.50.32	50 x 32 mm	1
	MM304.50.40	50 x 40 mm	1
	MM304.63.32	63 x 32 mm	1
	MM304.63.40	63 x 40 mm	1
	MM304.63.50	63 x 50 mm	1
	MM304.75.63	75 x 63 mm	1
	MM304.90.75	90 x 75 mm	1
	MM304.110.90	110 x 90 mm	1

	CODE	SIZE	PACK
<b>TEE FEMALE THREAD</b>	MM306.20.15	20 x 1/2 BSP	10
	MM306.20.20	20 x 3/4 BSP	10
	MM306.25.15	25 x 1/2 BSP	10
	MM306.25.20	25 x 3/4 BSP	10
	MM306.25.25	25 x 1 BSP	10
	MM306.32.20	32 x 3/4 BSP	5
	MM306.32.25	32 x 1 BSP	5
	MM306.32.32	32 x 1 1/4 BSP	5
	MM306.40.32	40 x 1 1/4 BSP	1
	MM306.40.40	40 x 1 1/2 BSP	1
	MM306.50.40	50 x 1 1/2 BSP	1
	MM306.50.50	50 x 2 BSP	1
	MM306.63.50	63 x 2 BSP	1
	MM306.75.50	75 x 2 BSP	1
	MM306.75.63	75 x 2 1/2 BSP	1
	MM306.90.75	90 x 3 BSP	1
MM306.110.100	110 x 4 BSP	1	

	CODE	SIZE	PACK
<b>TEE</b>	MM305.20	20mm	10
	MM305.25	25mm	10
	MM305.32	32mm	5
	MM305.40	40mm	1
	MM305.50	50mm	1
	MM305.63	63mm	1
	MM305.75	75mm	1
	MM305.90	90mm	1
	MM305.110	110mm	1

	CODE	SIZE	PACK
<b>REDUCING TEE</b>	MM305.25.20	25 x 20 mm	10
	MM305.25.32	25 x 32 mm	10
	MM305.32.25	32 x 25 mm	5
	MM305.50.40	50 x 40 mm	1
	MM305.63.32	63 x 32 mm	1
MM305.63.50	63 x 50 mm	1	

	CODE	SIZE	PACK
<b>ELBOW MALE THREAD</b>	MM309.20	20 x 1/2 BSP	10
	MM309.25	25 x 3/4 BSP	10
	MM309.32	32 x 1 BSP	5
	MM309.20.20	20 x 1 3/4" BSP	10
	MM309.25.15	25 x 1 1/2" BSP	10
	MM309.25.25	25 x 1" BSP	5
	MM309.32.32	32 x 1 1/4" BSP	1
	MM309.40.25	40 x 1" BSP	1
	MM309.40.32	40 x 1 1/4" BSP	1
	MM309.40.40	40 x 1 1/2" BSP	1
	MM309.50.40	50 x 1 1/2" BSP	1
	MM309.63.50	63 x 2" BSP	1
	MM309.75.75	75 x 3" BSP	1

## NOTE:

Only 20-63mm may be supplied as a 3G Metric Fitting  
75-110mm will be supplied as Marley Metric Fittings (shaded area)

## PHILMAC FITTINGS







## PHILMAC 3G COMPRESSION FITTINGS



FOR I.S.O. SIZED MDPE PIPES


Max Pressure Rating PN 16


AS/NZS 4129:2020 approved


	CODE	SIZE	PACK
	MM307.20.15	20 x 1/2 BSP	10
	MM307.20.20	20 x 3/4 BSP	10
	MM307.25.15	25 x 1/2 BSP	10
	MM307.25.20	25 x 3/4 BSP	10
	MM307.25.25	25 x 1 BSP	10
	MM307.32.25	32 x 1 BSP	5
	MM307.32.32	32 x 1 1/4 BSP	5
	MM307.40.32	40 x 1 1/4 BSP	1
	MM307.40.40	40 x 1 1/2 BSP	1
	MM307.50.40	50 x 1 1/2 BSP	1
	MM307.50.50	50 x 2 BSP	1
	MM307.63.50	63 x 2 BSP	1
	MM307.75.50	75 x 2 BSP	1
	MM307.90.75	90 x 3 BSP	1
	MM307.110.100	110 x 4 BSP	1

ELBOW 90°	CODE	SIZE	PACK
	MM308.20	20mm	10
	MM308.25	25mm	10
	MM308.32	32mm	5
	MM308.40	40mm	1
	MM308.50	50mm	1
	MM308.63	63mm	1
	MM308.75	75mm	1
	MM308.90	90mm	1
	MM308.110	110mm	1

END CAP	CODE	SIZE	PACK
	MM310.20	20mm	10
	MM310.25	25mm	10
	MM310.32	32mm	5
	MM310.40	40mm	1
	MM310.50	50mm	1
	MM310.63	63mm	1
	MM310.75	75mm	1
	MM310.90	90mm	1
	MM310.110	110mm	1

END PLUG SET	CODE	SIZE	PACK
	MM334.20	20mm	1
	MM334.25	25mm	1
	MM334.32	32mm	1
	MM334.40	40mm	1
	MM334.50	50mm	1
	MM334.63	63mm	1

SLIP COUPLING	CODE	SIZE	PACK
	MM301.20S	20mm	1
	MM301.25S	25mm	1
	MM301.32S	32mm	1
	MM301.40S	40mm	1
	MM301.50S	50mm	1
	MM301.63S	63mm	1

SLIP TEE	CODE	SIZE	PACK
	MM305.20S	20 mm	5
	MM305.25S	25 mm	5
	MM305.32S	32 mm	5
	MM305.50S	50 mm	1
	MM305.63S	63 mm	1

## TAPPING SADDLES

Galvanised Steel  
Nuts & Bolts &  
Stainless Steel  
Reinforcing Ring

CODE	SIZE	PACK	MAX PN. RATING
MM325.25.20	25mm x 3/4 BSP	1	PN12
MM325.32.20	32mm x 3/4 BSP	1	PN12
MM325.32.25	32mm x 1 BSP	1	PN12
MM325.40.20	40mm x 3/4 BSP	1	PN12
MM325.40.25	40mm x 1 BSP	1	PN12
MM325.50.20	50mm x 3/4 BSP	1	PN12
MM325.50.25	50mm x 1 BSP	1	PN12
MM325.63.20	63mm x 3/4 BSP	1	PN16
MM325.63.25	63mm x 1 BSP	1	PN12
MM325.63.40	63mm x 1 1/2 BSP	1	PN12
MM325.75.25	75mm x 1 BSP	1	PN10
MM325.75.40	75mm x 1 1/2 BSP	1	PN10
MM325.75.50	75mm x 2 BSP	1	PN10
MM325.90.25	90mm x 1 BSP	1	PN10
MM325.90.40	90mm x 1 1/2 BSP	1	PN10
MM325.90.50	90mm x 2 BSP	1	PN10
MM325.110.25	110mm x 1 BSP	1	PN10
MM325.110.40	110mm x 1 1/2 BSP	1	PN10
MM325.110.50	110mm x 2" BSP	1	PN10

## FLANGED ADAPTOR



MM311.50.50*	50mm x 2"	1
MM311.63.50*	63mm x 2"	1
MM311.90.75*	90mm x 3"	1
MM311.110.100*	110mm x 4"	1

\* Drill pattern AS2129 Table E

## WALL PLATES



MM311.20.15	20mm x 1/2"	1
MM311.25.20	25mm x 3/4"	1

## TEE MALE THREAD



MM346.25.15	25mm x 1/2 BSP	10
MM346.25.20	25mm x 3/4 BSP	10

## ELBOW 45°



MM347.20	20mm	10
MM347.25	25mm	10
MM347.32	32mm	5
MM347.40	40mm	60
MM347.63	63mm	10

## METRIC SPANNERS



MM343.20.32	20-32 mm	1
MM343.32.63	32-63 mm	1
MM343.50.110	50-110 mm	1

NOTE: Only 20-63mm may be supplied as a 3G Metric Fitting  
75-110mm will be supplied as Marley Metric Fittings (shaded area)

# PHILMAC FITTINGS





## PHILMAC UNIVERSAL TRANSITION FITTINGS

Max Pressure Rating PN 12.5


FOR CONNECTION OF PE PIPE TO PE, PVC, COPPER, GALV. IRON, HDPE, LDPE AND COMBINATIONS OF.


### TRANSITION FITTINGS


	CODE	SIZE	PACK
 <p>Poly Transition</p>	<b>TRANSITION COUPLING</b>		
	MM331.20.15.21	20 x 15-21 mm	5
	MM331.20.21.27	20 x 21-27 mm	5
	MM331.25.15.21	25 x 15-21 mm	5
	MM331.25.21.27	25 x 21-27 mm	5
	MM331.25.27.34	25 x 27-34 mm	5
	MM331.32.27.34	32 x 27-34 mm	5
	MM331.32.34.39	32 x 34-39 mm	1
	MM331.32.39.43	32 x 39-43 mm	1
	MM331.50.47.49	50 x 47-49 mm	1
	MM331.63.47.49	63 x 47-49 mm	1
	MM331.63.59.61	63 x 59-61 mm	1


	CODE	SIZE	PACK
 <p>Poly Transition</p>	<b>TRANSITION ELBOW</b>		
	MM340.25.15.21	25 x 15-21 mm	5
	MM340.25.21.27	25 x 21-27 mm	5
	MM340.25.27.34	25 x 27-34 mm	5
	MM340.32.21.27	32 x 21-27 mm	5
	MM340.32.27.34	32 x 27-34 mm	5


### REPAIR FITTINGS


	CODE	SIZE	PACK
 <p>Transition Transition</p>	<b>TRANSITION DOUBLE ENDED ELBOW</b>		
	MM348.15.21	15-21 x 15-21 mm	1
	MM348.21.27	21-27 x 21-27 mm	1

	CODE	SIZE	PACK
 <p>Transition Transition</p>	<b>TRANSITION TEE</b>		
MM349.15.21	15-21 x 15-21 mm	1	


	CODE	SIZE	PACK
 <p>Transition Transition</p>	<b>TRANSITION TEE FEMALE THREAD</b>		
	MM350.15.20	15-25 x 3/4"	1
	MM350.15.25	15-21 x 1"	1
	MM350.21.20	21-27 x 3/4"	1
	MM350.21.25	21-27 x 1"	1


	CODE	SIZE	PACK
 <p>Transition BSP Thread</p>	<b>TRANSITION MALE CONNECTOR</b>		
	MM341.20.15.21	15-21mm x 3/4"	5
	MM341.20.21.27	21-27mm x 3/4"	5
	MM341.20.27.34	27-34mm x 3/4"	5
	MM341.25.27.34	27-34mm x 1"	5


	CODE	SIZE	PACK
 <p>Transition Transition</p>	<b>TRANSITION REDUCING DOUBLE ENDED</b>		
	MM345.21.15	21-27 x 15-21 mm	1
	MM345.27.21	27-34 x 21-27 mm	1
	MM345.27.15	27-34 x 15-21 mm	1
	MM345.39.27	39-43 x 27-34 mm	1

	CODE	SIZE	PACK
 <p>Transition Transition</p>	<b>TRANSITION DOUBLE ENDED</b>		
	MM344.15.21	15-21 x 15-21 mm	5
	MM344.21.27	21-27 x 21-27 mm	1
	MM344.27.34	27-34 x 27-34 mm	1
	MM344.39.43	39-43 x 39-43 mm	1
	MM344.34.39	34-39 x 34-39 mm	1
	MM344.47.49	47-49 x 47-49 mm	1
	MM344.59.61	59-61 x 59-61 mm	1


### PHILMAC VALVES


	PRODUCT CODE	DESCRIPTION	PACK
	<b>TROUGH VALVE</b>		
	AQ 400 P	3/4" Plastic valve with float	1
	AQ 500 P	1" Plastic valve with float	1


	PRODUCT CODE	DESCRIPTION	PACK
	<b>BALL VALVE FI x FI</b>		
	MM 15.BV	1/2" Ball valve FI x FI BSP	1
	MM 20.BV	3/4" Ball valve FI x FI BSP	1
	MM 25.BV	1" Ball valve FI x FI BSP	1
	MM 32.BV	1 1/4" Ball valve FI x FI BSP	1
	MM 40.BV	1 1/2" Ball valve FI x FI BSP	1
	MM 50.BV	2" Ball valve FI x FI BSP	1


	PRODUCT CODE	DESCRIPTION	PACK
	<b>NON RETURN VALVE FI X FI</b>		
	MM.20.BVNR	3/4" Non Return Valve FI x FI BSP	1
	MM.25.BVNR	1" Non Return Valve FI x FI BSP	1
	MM.32.BVNR	1 1/4" Non Return Valve FI x FI BSP	1
	MM.40.BVNR	1 1/2" Non Return Valve FI x FI BSP	1
	MM.50.BVNR	2" Non Return Valve FI x FI BSP	1


PHILMAC FITTINGS


	CODE	SIZE	PACK
	<b>328.15</b>	1/2" x 1/2"	20
	<b>328.20</b>	3/4" x 3/4"	20
	<b>328.25</b>	1" x 1"	20
	<b>328.32</b>	1 1/4" x 1 1/4"	10
	<b>328.40</b>	1 1/2" x 1 1/2"	10
	<b>328.50</b>	2" x 2"	10


	CODE	SIZE	PACK
	<b>332.15</b>	1/2" x 1/2" x 1/2"	10
	<b>332.20</b>	3/4" x 3/4" x 3/4"	10
	<b>332.25</b>	1" x 1" x 1"	10
	<b>332.32</b>	1 1/4" x 1 1/4" x 1 1/4"	5
	<b>332.40</b>	1 1/2" x 1 1/2" x 1 1/2"	5
	<b>332.50</b>	2" x 2" x 2"	5


	CODE	SIZE	PACK
	<b>328.20.15</b>	3/4" x 1/2"	20
	<b>328.25.20</b>	1" x 3/4"	20
	<b>328.32.20</b>	1 1/4" x 3/4"	10
	<b>328.32.25</b>	1 1/4" x 1"	10
	<b>328.40.25</b>	1 1/2" x 1"	10
	<b>328.40.32</b>	1 1/2" x 1 1/4"	10
	<b>328.50.25</b>	2" x 1"	10
	<b>328.50.32</b>	2" x 1 1/4"	10
	<b>328.50.40</b>	2" x 1 1/2"	10


	CODE	SIZE	PACK
	<b>333.15</b>	1/2" x 1/2"	10
	<b>333.20</b>	3/4" x 3/4"	10
	<b>333.25</b>	1" x 1"	10
	<b>333.32</b>	1 1/4" x 1 1/4"	5
	<b>333.40</b>	1 1/2" x 1 1/2"	5
	<b>333.50</b>	2" x 2"	5


	CODE	SIZE	PACK
	<b>327.20.15</b>	3/4" x 1/2"	20
	<b>327.25.15</b>	1" x 1/2"	20
	<b>327.25.20</b>	1" x 3/4"	20
	<b>327.32.20</b>	1 1/4" x 3/4"	10
	<b>327.32.25</b>	1 1/4" x 1"	10
	<b>327.40.20</b>	1 1/2" x 3/4"	10
	<b>327.40.25</b>	1 1/2" x 1"	10
	<b>327.40.32</b>	1 1/2" x 1 1/4"	10
	<b>327.50.20</b>	2" x 3/4"	10
	<b>327.50.25</b>	2" x 1"	10
	<b>327.50.32</b>	2" x 1 1/4"	10
	<b>327.50.40</b>	2" x 1 1/2"	10

	CODE	SIZE	PACK
	<b>336.15</b>	1/2"	10
	<b>336.20</b>	3/4"	10
	<b>336.25</b>	1"	10

	CODE	SIZE	PACK
	<b>329.20.15</b>	3/4" x 1/2"	20
	<b>329.25.15</b>	1" x 1/2"	20
	<b>329.25.20</b>	1" x 3/4"	20
	<b>329.32.20</b>	1 1/4" x 3/4"	10
	<b>329.32.25</b>	1 1/4" x 1"	10
	<b>329.40.25</b>	1 1/2" x 1"	10
	<b>329.40.32</b>	1 1/2" x 1 1/4"	10
	<b>329.50.25</b>	2" x 1"	10
	<b>329.50.32</b>	2" x 1 1/4"	10
	<b>329.50.40</b>	2" x 1 1/2"	10

	CODE	SIZE	PACK
	<b>334.15</b>	1/2"	20
	<b>334.20</b>	3/4"	20
	<b>334.25</b>	1"	20
	<b>334.32</b>	1 1/4"	10
	<b>334.40</b>	1 1/2"	10
	<b>334.50</b>	2"	10

	CODE	SIZE	PACK
	<b>329.15</b>	1/2" x 1/2"	20
	<b>329.20</b>	3/4" x 3/4"	20
	<b>329.25</b>	1" x 1"	20
	<b>329.32</b>	1 1/4" x 1 1/4"	10
	<b>329.40</b>	1 1/2" x 1 1/2"	10
	<b>329.50</b>	2" x 2"	10

	CODE	SIZE	PACK
	<b>335.15</b>	1/2"	20
	<b>335.20</b>	3/4"	20
	<b>335.25</b>	1"	20
	<b>335.32</b>	1 1/4"	10
	<b>335.40</b>	1 1/2"	10
	<b>335.50</b>	2"	10

# OASIS® 6 AND 9 BAR POLYETHYLENE PIPE

COILS - OASIS®






PE BLACK



Oasis® 6 Bar



Oasis® 9 Bar

	Product Code	Maximum Pressure Rating	Diameter O.D. mm	Coil Length metres
 <b>25mm O.D.</b>	300.25.9.100	9 Bar (178 psi)	25	100
	300.25.9.200		25	200
 <b>32mm O.D.</b>	300.32.6.100	6 Bar (100 psi)	32	100
	300.32.6.200		32	200
	300.32.9.50	9 Bar (130 psi)	32	50
	300.32.9.100		32	100
	300.32.9.200		32	200
 <b>40mm O.D.</b>	300.40.6.50	6 Bar (100 psi)	40	50
	300.40.6.100		40	100
	300.40.6.200		40	200
	300.40.9.50	9 Bar (130 psi)	40	50
	300.40.9.100		40	100
300.40.9.200	40	200		
 <b>50mm O.D.</b>	300.50.6.50	6 Bar (100 psi)	50	50
	300.50.6.100		50	100
	300.50.6.200		50	200
	300.50.9.50	9 Bar (130 psi)	50	50
	300.50.9.100		50	100
300.50.9.200	50	200		
 <b>63mm O.D.</b>	300.63.6.50	6 Bar (100 psi)	63	50
	300.63.6.100		63	100
	300.63.6.200		63	200
	300.63.9.50	9 Bar (130 psi)	63	50
	300.63.9.100		63	100
300.63.9.200	63	200		







• THIS PRODUCT IS BLOAT RESISTANT

## 950 SERIES®

## COILS - 950 SERIES® – ALKATHENE PIPE



950 Series®

	Product Code	Pressure Rating PN (Bar)	Diameter I.D. mm	Coil Length metres
	950.15.1.5	10	15	1.5
	950.15.2.5	10	15	25
	950.15.5.0	10	15	50
	950.15.10.0	10	15	100
	950.15.20.0	10	15	200
	950.20.1.5	9	20	1.5
	950.20.2.5	9	20	25
	950.20.5.0	9	20	50
	950.20.10.0	9	20	100
	950.20.20.0	9	20	200
	950.25.1.5	8	25	1.5
	950.25.2.5	8	25	25
	950.25.5.0	8	25	50
	950.25.10.0	8	25	100
	950.25.20.0	8	25	200
	950.32.2.5	8	32	25
	950.32.5.0	8	32	50
	950.32.10.0	8	32	100
	950.32.20.0	8	32	200
	950.40.2.5	7	40	25
	950.40.5.0	7	40	50
	950.40.10.0	7	40	100
	950.40.20.0	7	40	200
	950.50.2.5	7	50	25
	950.50.5.0	7	50	50
	950.50.10.0	7	50	100
	950.50.20.0	7	50	200



# 950 Series<sup>®</sup>


ALKATHENE PIPE



COMPATIBLE  
WITH ID  
SIZED LDPE  
FITTINGS

- Increased flexibility
- Easier to handle
- Bloat and trace element resistant
- Strong UV resistance
- Improved flow rates
- Large range of sizes and coil lengths
- Good for use above and below ground

Only Marley<sup>®</sup> 950 Series<sup>®</sup> alkathene pipe carries the Four Ribbon Assurance<sup>™</sup>



MARLEY<sup>®</sup> 950 Series<sup>®</sup> alkathene pipe 32mm 8 BAR (116 PSI)



Improved flexibility for easy handling



Durable and long lasting



Compatible with Anka and RX Plastic LDPE Fittings

# LAND DRAINAGE SOLUTIONS

## 79 Corrugated Drainage Systems

81 Drainflo®

81 Drainflo® HD

82 Drainflo® Smooth

82 Drainflo® Smooth HD

82 Drainflo® Fittings

## 82 Culvert Pipe

82 Agriduct®





# Drainflo®

# The Smooth Operator


Introducing Drainflo® Smooth by Marley, with its refined double-walled, smooth inner lining for outstanding water flow rates. Superior drainage and crush resistance, Drainflo® Smooth is **THE** high performing solution.

The complete Drainflo® range delivers the optimal combination of strength, durability, flow and drainage – setting the standard in sub-soil drainage.

**Drainflo®  
Smooth**

**Drainflo®  
Smooth HD**





Unpunched and filtersock options available across the range.



**Drainflo®**

**Drainflo® HD**



Product	Diameters/lengths	SN Rating	Filter Sock
 <b>Drainflo</b>	65mm - 15m, 30m, 50m, 150m 110mm - 15m, 30m, 50m, 100m 160mm - 15m 160mm - 45m	SN6	✓ ✓
 <b>Drainflo HD</b>	110mm - 100m 160mm - 45m	SN10	✓ ✓
 <b>Drainflo Smooth</b>	110mm - 15m, 30m, 50m, 100m 160mm - 45m	SN6	✓ ✓
 <b>Drainflo Smooth HD</b>	110mm - 100m 160mm - 45m	SN10	✓ ✓



**Unpunched options available in all four variants**  
these feature a grey coupler to distinguish from punched



**RANGE**

Extensive range providing choice of diameter, length, stiffness and filtration to suit the application



**DURABILITY**

Proven reliability with over 60 years in the New Zealand market, consistent quality management verified by ISO 9001 certification and IANZ accredited laboratory



**STRENGTH**

Independently verified by Bureau Veritas to meet SN6 and SN10 stiffness rating, options available to meet both NZTA F/2 and F/5 specification



**FLOW**

Drainflo Smooth range has up to 50% higher flow rates – ideal for low gradient or high volume applications



**DRAINAGE**

Specifically designed slot pattern maximises drainage performance whilst maintaining strength



**FILTRATION**

Custom-made Cirtex® Filter Sleeve options available as a tested and proven filtration solution for protecting subsoil drains from sedimentation



**NZ MADE**

Complete Drainflo® range of pipe and fittings made right here in New Zealand



**100% RECYCLABLE**

Drainflo HDPE material is 100% recyclable, we will take back unused off-cuts for recycling and re-process our HDPE production waste to avoid waste going to landfill

# Drainflo® code structure

## 400.110.100FS

### Wall type and Punched vs Unpunched

400 – Single Wall Punched  
 420 – Smooth Bore Punched  
 500 – Single Wall Unpunched  
 520 – Smooth Bore Unpunched

### Outside Diameter

65  
 110  
 160

### Length

15m, 30m, 45m,  
 50m, 100m, 150m


### Special variant

FS – Filtersock  
 HD – Heavy Duty SN10  
 U – unpunched (historic suffix only used on existing single wall variants)  
 HDFS – Heavy Duty with Filtersock  
 HDU – Heavy Duty Unpunched


## CORRUGATED DRAINAGE SYSTEMS

**Drainflo®**

### DRAINFLO®

DRAINFLO®		Code	Diameter	Coil Length	SN Rating	Filter Sock	Unpunched
		400.65.15	65mm	15m	SN6		
		400.65.30	65mm	30m	SN6		
		400.65.150	65mm	150m	SN6		
		500.65.15U	65mm	15m	SN6		✓
		500.65.30U	65mm	30m	SN6		✓
		500.65.150U	65mm	150m	SN6		✓
		400.110.15	110mm	15m	SN6		
		400.110.30	110mm	30m	SN6		
		400.110.50	110mm	50m	SN6		
		400.110.100	110mm	100m	SN6		
		400.110.15FS	110mm	15m	SN6	✓	
		400.110.30FS	110mm	30m	SN6	✓	
		400.110.100FS	110mm	100m	SN6	✓	
		500.110.15U	110mm	15m	SN6		✓
		500.110.30U	110mm	30m	SN6		✓
		500.110.100U	110mm	100m	SN6		✓
		400.160.15	160mm	15m	SN6		
		400.160.45	160mm	45m	SN6		
		400.160.45FS	160mm	45m	SN6	✓	
		500.160.15U	160mm	15m	SN6		✓
	500.160.45U	160mm	45m	SN6		✓	

### DRAINFLO® HD


DRAINFLO® HD		Code	Diameter	Coil Length	SN Rating	Filter Sock	Unpunched
		400.110.50HD	110mm	50m	SN10		
		400.110.100HD	110mm	100m	SN10		
		400.110.100HDFS	110mm	100m	SN10	✓	
		500.110.100HDU	110mm	100m	SN10		✓
		400.160.45HD	160mm	45m	SN10		
		400.160.45HDFS	160mm	45m	SN10	✓	
	500.160.45HDU	160mm	45m	SN10		✓	

All unpunched variants come with a grey coupler to distinguish from punched equivalent – see page 71 for example.

## CORRUGATED DRAINAGE SYSTEMS


Drainflo®

## DRAINFLO® SMOOTH



Code	Diameter	Coil Length	SN Rating	Filter Sock	Unpunched
420.110.15	110mm	15m	SN6		
420.110.30	110mm	30m	SN6		
420.110.50	110mm	50m	SN6		
420.110.100	110mm	100m	SN6		
420.110.30FS	110mm	30m	SN6	✓	
420.110.100FS	110mm	100m	SN6	✓	
520.110.15	110mm	15m	SN6		✓
520.110.30	110mm	30m	SN6		✓
520.110.100	110mm	100m	SN6		✓
420.160.45	160mm	45m	SN6		
420.160.45FS	160mm	45m	SN6	✓	
520.160.45	160mm	45m	SN6		✓





## DRAINFLO® SMOOTH HD



Code	Diameter	Coil Length	SN Rating	Filter Sock	Unpunched
420.110.50HD	110mm	50m	SN10		
420.110.100HD	110mm	100m	SN10		
420.110.100HDFS	110mm	100m	SN10	✓	
520.110.100HD	110mm	100m	SN10		✓
420.160.45HD	160mm	45m	SN10		
420.160.45HDFS	160mm	45m	SN10	✓	
520.160.45HD	160mm	45m	SN10		✓


Drainflo Smooth HD complies with NZTA F/2 specifications.  
All unpunched variants come with a grey coupler to distinguish from punched equivalent – see page 71 for example.

## DRAINFLO® FITTINGS

DESCRIPTION	PRODUCT CODE	PACK	DESCRIPTION	PRODUCT CODE	PACK
<b>JUNCTION "Y"</b> 	504.110.45	10	<b>STRAIGHT COUPLER</b> 	510.65	20
	504.160.45	5		510.110	20
				510.160	20
<b>REDUCING JUNCTION "Y"</b> 	505.160.110.45	5	<b>REDUCING COUPLER</b> 	523.160.110	5

## CULVERT PIPE

## AGRIDUCT® uPVC CULVERT PIPE



556.100.6	AGRIDUCT CULVERT PIPE 100DN 6m SJ	60
556.150.6	AGRIDUCT CULVERT PIPE 150DN 6m SJ	28
556.175.6	AGRIDUCT CULVERT PIPE 175DN 6m SJ	10
556.225.6	AGRIDUCT CULVERT PIPE 225DN 6m SJ	8
556.300.6	AGRIDUCT CULVERT PIPE 300DN 6m SJ	6
556.375.6	AGRIDUCT CULVERT PIPE 375DN 6m SJ	6

# SURFACE WATER DRAINAGE

84 ConnectoTrade®

87 Connecto™

88 AdjustaPit®



NEW ZEALAND'S  
ORIGINAL  
**HEIGHT  
ADJUSTABLE**  
SILT PITS

AdjustaPit®

AdjustaPit

AdjustaPit


AdjustaPit


MADE IN  
NEW ZEALAND


# CONNECTO TRADE® SURFACE WATER DRAINAGE


## CONNECTO TRADE® CHANNEL AND GRATE


- Interlocking modular design means less components and less waste
- Patented\* support bracket to strengthen the joints between channels
- End outlet has a step-down design to allow for a thicker concrete slab above the pipe
- Outlets are made from ABS plastic, can be solvent welded to PVC pipe and fit 90mm & 100mm pipe
- Easily removable plastic grates for maintenance & cleaning
- 5 tonne vehicle load rating


	PRODUCT CODE	LENGTH
	<b>CT80P1</b>	<b>1M</b>
	Depth: 80mm	


	PRODUCT CODE	LENGTH
	<b>CT130S1</b>	<b>1M</b>
	<b>CT130S3</b>	<b>3M</b>
	Depth: 130mm	

	PRODUCT CODE	LENGTH
	<b>CT130P1</b>	<b>1M</b>
	<b>CT130P3</b>	<b>3M</b>
	Depth: 130mm	

	PRODUCT CODE	LENGTH
	<b>CT130G1</b>	<b>1M</b>
	<b>CT130G3</b>	<b>3M</b>
	Depth: 130mm	


	PRODUCT CODE	LENGTH
	<b>CT130SS1</b>	<b>1M</b>
	<b>CT130SS3</b>	<b>3M</b>
	Depth: 130mm	


	PRODUCT CODE	LENGTH
	<b>CT1301</b>	<b>1M</b>
Depth: 130mm		


	PRODUCT CODE	LENGTH
	<b>CT130S4GP</b>	<b>4M</b>
Depth: 130mm		


## CONNECTO TRADE® CORNERS

- 90° corner fits with Connecto Trade® 130mm drainage channel
- Interlocking modular design means less components and less waste

	PRODUCT CODE
	<b>CT130CS</b>

	PRODUCT CODE
	<b>CT130CP</b>



	PRODUCT CODE
	<b>CT130CG</b>



	PRODUCT CODE
	<b>CT130CSS</b>





# CONNECTO TRADE® SURFACE WATER DRAINAGE

## CONNECTO TRADE® GRATES

	PRODUCT CODE	LENGTH
<b>STANDARD GRATE</b>		
	CTGS	1M
<b>GALVANISED GRATE</b>		
	CTGG	1M

	PRODUCT CODE	LENGTH
<b>PEDESTRIAN GRATE</b>		
	CTGP	1M
<b>STAINLESS GRATE</b>		
	CTGSS	1M

## CONNECTO TRADE® ACCESSORIES

	PRODUCT CODE
<b>80 CHANNEL ADAPTOR</b>	
	CT80A
<b>130 CHANNEL ADAPTOR</b>	
	CT130A
<b>130 CHANNEL END OUTLET</b>	
	CT130EO
<b>BOTTOM OUTLET</b>	
	CTBO Compatible with both 80mm and 130mm channel.
<b>130 CHANNEL LEAF GUARD</b>	
	CT130LG


	PRODUCT CODE
<b>80 CHANNEL END CAP</b>	
	CT80EC
<b>130 CHANNEL END CAP</b>	
	CT130EC
<b>SUPPORT BRACKET</b>	
	CTSB Compatible with both 80mm and 130mm channel.


# CONNECTO TRADE® SURFACE WATER DRAINAGE


## CONNECTO TRADE® PITS


- Rainwater pits for use with Connecto Trade® and in domestic applications under downpipes or at the end of surface water channel
- Long-lasting rigid material made with UV stabilised recycled materials


PRODUCT CODE


PIT 250MM & PLASTIC GRATE	
	CTP250P


PIT 250MM & ALUMINIUM GRATE	
	CTP250A

PIT 250MM & CAST IRON GRATE	
	CTP250CI


130 CHANNEL PIT BASE ONLY	
	CT130CPB


PIT 250MM BASE ONLY	
	CTP250B


GRATE 250MM - PLASTIC	
	CTG250P


GRATE 250MM - ALUMINIUM	
	CTG250A


PRODUCT CODE


130 CHANNEL PIT & PLASTIC GRATE	
	CT130CPP


130 CHANNEL PIT & ALUMINIUM GRATE	
	CT130CPA

130 CHANNEL PIT & CAST IRON GRATE	
	CT130CPCI

PIT 350MM - ALUMINIUM GRATE	
	CTP350A

PIT 350MM BASE ONLY	
	CTP350B


GRATE 350MM - ALUMINIUM	
	CTG350A


GRATE 250MM SQUARE - CAST IRON	
	DG250SCI


**CONNECTO™ SLIM**

- Slim is ideal for situations requiring minimal water drainage and when aesthetics matter
- Compatible with Connecto™ Stainless Steel side rails


- Manufactured to globally recognised standard EN1433


	PRODUCT CODE	LENGTH
<b>SLIM CHANNEL &amp; GRATE - STANDARD</b>		
	SLIM.STA	0.5M

	PRODUCT CODE	LENGTH
<b>SLIM END CAP</b>		
	SLIM.CAP	

	PRODUCT CODE	LENGTH
<b>SLIM CHANNEL &amp; GRATE - PEDESTRIAN</b>		
	SLIM.PED	0.5M

	PRODUCT CODE	LENGTH
<b>SIDE RAILS - STAINLESS STEEL</b>		
	CON.SSRAIL	1M


	PRODUCT CODE	LENGTH
<b>SLIM CHANNEL &amp; GRATE - STAINLESS</b>		
	SLIM.SS	1M


	PRODUCT CODE	LENGTH
<b>VERTICAL OUTLET</b>		
	CON.OUTLET	


**CONNECTO™ MEDIO**


- Medio is suitable for residential applications like garage areas


- Manufactured to globally recognised standard EN1433


	PRODUCT CODE	LENGTH
<b>MEDIO CHANNEL &amp; GRATE - STANDARD</b>		
	MEDIO.STA	1M

	PRODUCT CODE	LENGTH
<b>MEDIO CHANNEL &amp; GRATE - GALVANISED</b>		
	MEDIO.GALV	1M

	PRODUCT CODE	LENGTH
<b>MEDIO CHANNEL &amp; GRATE - STAINLESS</b>		
	MEDIO.SS	1M

	PRODUCT CODE	LENGTH
<b>MEDIO CHANNEL &amp; GRATE - CAST IRON</b>		
	MEDIO.CAST	1M

	PRODUCT CODE	LENGTH
<b>MEDIO END CAP</b>		
	MEDIO.CAP	


	PRODUCT CODE	LENGTH
<b>MEDIO END CAP - SHORT</b>		
	MEDIO.CAPSH	


# CONNECTO™


# Connecto™


## CONNECTO™ MAX

- Max is a high water capacity system ideal for use in high rainfall and large drainage areas
- Designed to handle the stress and durability of long term use
- Manufactured to globally recognised standard EN1433

	PRODUCT CODE	LENGTH
<b>MAX CHANNEL &amp; GRATE - STANDARD</b>		
	MAX.STA	1M

	PRODUCT CODE	LENGTH
<b>MAX CHANNEL &amp; GRATE - CAST IRON</b>		
	MAX.CAST	1M

	PRODUCT CODE
<b>CONNECTO™ VERTICAL OUTLET</b>	
	CON.OUTLET


	PRODUCT CODE
<b>MAX END CAP</b>	
	MAX.CAP


# ADJUSTAPIT®




## ADJUSTAPIT® 350


- Designed to comply with NZBC: Type-one Surface Water SUMP - Acceptable Solution E1/AS1 (3.6.2)
- Integrated external trap reduces component and labour costs as no additional joints or fittings required
- Internal access plug allows for quick and easy clearing of blockages
- Heavy duty cast iron grate load tested to 5 tonne
- Patented design


	PRODUCT CODE
<b>ADJUSTAPIT® 350MM – ROUND PIT &amp; GRATE</b>	
	DA350R


	PRODUCT CODE
<b>ADJUSTAPIT® 350MM – SQUARE PIT &amp; GRATE</b>	
	DA350S

## ADJUSTAPIT® 350 COMPONENTS

	PRODUCT CODE
<b>350MM – ROUND PIT &amp; RISER</b>	
	DA350PR

	PRODUCT CODE
<b>350MM – SQUARE PIT &amp; RISER</b>	
	DA350PS

	PRODUCT CODE
<b>350MM – ROUND GRATE ONLY</b>	
	DA350GR

	PRODUCT CODE
<b>350MM – SQUARE GRATE ONLY</b>	
	DA350GS

## ADJUSTAPIT® 350 COMPONENTS (CONTINUED)

PRODUCT CODE

### 350MM – ROUND RISER ONLY



DA350PRR

PRODUCT CODE

### 350MM – SQUARE RISER ONLY



DA350PRS

### 350MM – PIT BODY ONLY



DA350PB

### 350MM – ACCESS PLUG



DASPLUG

## ADJUSTAPIT® 250

- Integrated external trap reduces component and labour costs as no additional joints or fittings required
- Internal access plug allows for quick and easy clearing of blockages

- Cast aluminium grates suitable for use in pathways, patio, landscaping and pedestrian areas
- Patented design

PRODUCT CODE

### ADJUSTAPIT® 250MM – ROUND PIT & ALUMINIUM GRATE



DA250R

PRODUCT CODE

### ADJUSTAPIT® 250MM – SQUARE PIT & ALUMINIUM GRATE



DA250S

### 250MM – ROUND PIT & CAST IRON GRATE



DA250RCI

### 250MM – SQUARE PIT & CAST IRON GRATE



DA250SCI

## ADJUSTAPIT® 250 GRATES

PRODUCT CODE

### 250MM – ROUND GRATE



DA250GR


PRODUCT CODE

### 250MM – SQUARE GRATE



DA250GS

### GRATE 250MM – ROUND CAST IRON



DG250RCI

### GRATE 250MM – SQUARE CAST IRON



DG250SCI

**ADJUSTAPIT® 250 COMPONENTS**

PRODUCT CODE	
<b>250MM – ROUND PIT &amp; RISER</b>	
	<b>DA250PR</b>
<b>250MM – ROUND RISER ONLY</b>	
	<b>DA250PRR</b>
<b>250MM – PIT BODY ONLY</b>	
	<b>DA250PB</b>

PRODUCT CODE	
<b>250MM – SQUARE PIT &amp; RISER</b>	
	<b>DA250PS</b>
<b>250MM – SQUARE RISER ONLY</b>	
	<b>DA250PRS</b>
<b>250MM – ACCESS PLUG</b>	
	<b>DASPLUG</b>

**ADJUSTAPIT® BASIC 250**

- Featuring the same innovative adjustable riser, paired with a basic pit base, AdjustaPit® Basic provides an entry level option to the AdjustaPit® range.
- Available with two grate options – aluminium and cast iron, and two pit options – standard and with a fixed outlet.

PRODUCT CODE	
<b>BASIC 250MM – ROUND PIT &amp; ALUMINIUM GRATE</b>	
	<b>DAB250RA</b>
<b>BASIC 250MM – ROUND PIT &amp; CAST IRON GRATE</b>	
	<b>DAB250RCI</b>
<b>BASIC 250MM – ROUND PIT WITH OUTLET &amp; ALUMINIUM GRATE</b>	
	<b>DAB250ROA</b>

PRODUCT CODE	
<b>BASIC 250MM – SQUARE PIT ALUMINIUM GRATE</b>	
	<b>DAB250SA</b>
<b>BASIC 250MM – SQUARE PIT &amp; CAST IRON GRATE</b>	
	<b>DAB250SCI</b>
<b>BASIC 250MM – SQUARE PIT WITH OUTLET &amp; ALUMINIUM GRATE</b>	
	<b>DAB250SOA</b>

**ADJUSTAPIT® BASIC 250 (CONTINUED)**

**BASIC 250MM – ROUND PIT WITH OUTLET & CAST IRON GRATE**



PRODUCT CODE  
DAB250ROCI

**BASIC 250MM – SQUARE PIT WITH OUTLET & CAST IRON GRATE**



PRODUCT CODE  
DAB250SOCI

**ADJUSTAPIT® BASIC 250 COMPONENTS**

PRODUCT CODE

**BASIC 250MM – PIT & RISER ONLY ROUND**



PRODUCT CODE  
DAB250PR

PRODUCT CODE

**BASIC 250MM – PIT & RISER ONLY SQUARE**



PRODUCT CODE  
DAB250PS

**BASIC 250MM – PIT & RISER ONLY ROUND WITH OUTLET**



PRODUCT CODE  
DAB250PRO

**BASIC 250MM – PIT & RISER ONLY SQUARE WITH OUTLET**



PRODUCT CODE  
DAB250PSO

**BASIC 250MM – RISER ROUND ONLY**



PRODUCT CODE  
DAB250PRR

**BASIC 250MM – RISER SQUARE ONLY**



PRODUCT CODE  
DAB250PRS

**BASIC 250MM – PIT BODY ONLY**



PRODUCT CODE  
DAB250PB

**BASIC 250MM – PIT BODY ONLY WITH OUTLET**



PRODUCT CODE  
DAB250PBO

**BASIC 250MM – THREAD INSERT ONLY**



PRODUCT CODE  
DAB250TI

# MISCELLANEOUS/OTHER

## 93 Bathroom Solutions

- 93 Centreflush2<sup>®</sup>
- 93 Centreflush2<sup>®</sup> Spares
- 94 Vienna<sup>®</sup>
- 95 Vienna<sup>®</sup> Spares
- 96 Loline
- 96 Loline Spares
- 97 Toilet Seats & Spares
- 98 Delmonte/Montego Spares
- 98 Pans
- 98 Macerator Pump Spares
- 99 Valves

## 100 Grease Management

- 100 Endura<sup>®</sup> XL Grease Traps
- 101 Grease Converter Systems
- 102 Grease Converter Components & Spare Parts
- 103 Endura<sup>®</sup> Sediment Trap
- 103 Endura<sup>®</sup> Solids Interceptor

## 104 Marley Merchandise Boxes




# MARLEY BATHROOM SOLUTIONS

## CENTREFLUSH2® TOILET SUITE

Practical and dependable for new bathrooms or renovations, this cistern is a 'direct replacement' installation making Centreflush® a favourite of plumbing professionals.

- Plastic cistern, full flush 4.5/6/9L, half flush 3L, 3 Star WELS
- Clip on lid with internal condensation lip for added watertightness
- Comes with Regent seat and compatible with a large range of seats and pans
- Side right/left water inlet options
- S set out 160 – 260mm
- P set out 180mm



PRODUCT CODE

PRODUCT CODE

### CENTREFLUSH2®

### CENTREFLUSH2® CISTERN



CFDFPPSWH - S TRAP  
CFDFPPPWH - P TRAP



CFDFUWWH2

## CENTREFLUSH2® SPARES

PRODUCT CODE

PRODUCT CODE

### 2 CISTERN LID

### FLUSH BUTTON COMPLETE



CF2LIDSP  
Round hole and anti condensation lip.



CFLLB5590SP  
Chrome plastic dual flush button.

### FLUSH PIPE NUT

### 40mm FLUSHPIPE CONNECTOR



CFFNCT  
Attaches flushpipe to cistern.



CSFCC  
Creates a watertight seal between flushpipe and pan.

### GREY SEALING WASHER

### 40mm FLUSHPIPE



CFLL30795  
Located at base of the flush valve.



CSFCWH  
Connects the Centreflush® cistern to the pan. 610mm high.

# MARLEY BATHROOM SOLUTIONS

## CENTREFLUSH2® SPARES (CONTINUED)

PRODUCT CODE

### FLUSHPIPE REDUCER



**CSFRC**  
Secures 40mm flushpipe to cistern.

### OVERFLOW HOLE STOPPER KIT



**CSOHSKLTWH**  
Overflow hole stopper kit.

### BARREL DUAL FLUSH VALVE



**LLB4910SP**  
6/3L flush.  
Adjustable to 9L full flush.

PRODUCT CODE

### PAN SCREW & CAP SET



**PSPPPWH**  
Pan screw & cap set.

### SIDE ENTRY INLET VALVE





**SEB3200SP**  
Adjustable level side entry valve.

## VIENNA® TOILET SUITE

The Vienna® is a fresh modern design with smooth lines to complement any bathroom decor.

The flexible set out options make this an ideal toilet suite for renovations.

- Modern link suite with exposed waste pan
- Plastic cistern, 4.5/3L, 4 Star WELS
- Classic seat with quick release function
- Adjustable mounting bracket for simple and easy installation
- Bottom right/left water inlet options
- 160 – 260mm set out



PRODUCT CODE

### VIENNA®



**DVIENNASWH - S TRAP**  
**DVIENNAPWH - P TRAP**

PRODUCT CODE

### VIENNA® CISTERN & SEAT PACK



**DVIENNACS**

## MARLEY BATHROOM SOLUTIONS

## VIENNA® SPARES

PRODUCT CODE

## BOTTOM ENTRY INLET VALVE

**BEB3200SP**

Adjustable level bottom entry valve.

## FLUSHPIPE NUT

**CFFNCT**

Attaches flushpipe to cistern.

## GREY SEALING WASHER

**CFL30795**

Located at base of the flush valve.

## FLUSH BUTTON COMPLETE

**CFLB5590SP**

Chrome plastic dual flush button.

## 50MM PIPE-PAN CONNECTOR

**CSFCLT**

Rubber connector attaches flushpipe to pan.

## FLUSHPIPE SEALING RING

**CSFSRLT**

Flushpipe sealing ring.

## 50MM FLUSHPIPE

**CSFTWH**

210mm long.

PRODUCT CODE

## PAN SCREW &amp; CAP SET

**PSPPW**

Pan screw &amp; cap set.

## VIENNA CISTERN FLUSH VALVE

**VB4910TSP**4.5/3L flush.  
Adjustable to 6L full flush.

## VIENNA CISTERN LID

**VLIDWHSP**

White cistern lid.

## VIENNA CISTERN MOUNTING BRACKET

**VMBRKTSP**

Adjustable mounting bracket for quick and easy installation.

# MARLEY BATHROOM SOLUTIONS

## LOLINE TOILET SUITE

Reliable and practical, the Loline toilet suite has flexible set out and flush options, and it's mid level height makes it suitable for under windows.

- Link suite with vitreous china pan
- Plastic cistern, 6/3L, 3 Star WELS
- Regent seat
- Bottom right/left, side/bottom entry
- S or P Pan configurations available
- S set out 210mm
- P set out 190mm



PRODUCT CODE

### LOLINE



- LLBEPPSWH - S TRAP (BOTTOM)
- LLBEPPPWH - P TRAP (BOTTOM)
- LLSEPPSWH - S TRAP (SIDE)
- LLSEPPPWH - P TRAP (SIDE)

PRODUCT CODE

### LOLINE CISTERN



- LLDFBEWH - BOTTOM ENTRY
- LLDFSEWH - SIDE ENTRY

## LOLINE SPARES

PRODUCT CODE

### BOTTOM ENTRY INLET VALVE



- BEB3200SP**  
Adjustable level bottom entry valve.

PRODUCT CODE

### FLUSH BUTTON COMPLETE



- CFLLB5590SP**  
Chrome plastic dual flush button.

### FLUSHPIPE NUT



- CFFNCT**  
Attaches flushpipe to cistern.

### 50MM PIPE-PAN CONNECTOR



- CSFCLT**  
Rubber connector attaches flushpipe to pan.

### GREY SEALING WASHER



- CFL30795**  
Located at base of the flush valve.

### 50MM LOLINE FLUSHPIPE



- CSFLWH**  
185mm long, 220mm high.

## MARLEY BATHROOM SOLUTIONS

## LOLINE SPARES (CONTINUED)

PRODUCT CODE

## FLUSHPIPE SEALING RING

**CSFSRLT**

Flushpipe sealing ring.

PRODUCT CODE

## SIDE ENTRY INLET VALVE

**SEB3200SP**

Adjustable level side entry valve.

## OVERFLOW HOLE STOPPER KIT

**CSOHSKLTWH**

Overflow hole stopper kit.

## PAN SCREW &amp; CAP SET

**PSPPPWH**

Pan screw &amp; cap set.

## BARREL DUAL FLUSH VALVE

**LLB4910SP**

6L full flush.

## LOLINE CISTERN LID

**LWHTLNSP**

White cistern lid with round hole.

## TOILET SEATS &amp; SPARES

PRODUCT CODE

## CLASSIC DOUBLE FLAP

**CLDFWH**Quick release. Link Flap.  
Plastic seat bolts. Buffers.

PRODUCT CODE

## SEAT HINGE PIN

**TSHPWHT**

Spare for Classic and Twinline seats.

## REGENT DOUBLE FLAP

**RGDFWH**

Plastic seat bolts.

## TOILET SEAT FIXING

**TSNBWCT**

Spare for Classic and Twinline seats.

## TOILET SEAT BUFFERS

**TSB**

Spare for Classic and Royal seats. Pack of 4.

## TOILET SEAT FIXING

**TSNBWRR**Spare for Royal and Regent seats.  
Includes rubber gasket.

## TOILET SEAT CLAMP PLATE

**TSCPCT**

Spare for Classic and Twinline seats.

## TOILET SEAT PILLAR &amp; ROD

**TSRYPRSWH**

Spare for Royal and Regent seats.

# MARLEY BATHROOM SOLUTIONS

## DELMONTE/MONTEGO SPARES

PRODUCT CODE

### BOTTOM ENTRY INLET VALVE

**BEB3200SP**

Adjustable level bottom entry valve.

PRODUCT CODE

### 50MM FLUSHPIPE

**CSFTWH**

210mm long.

### 50MM PIPE-PAN CONNECTOR

**CSFCLT**

Rubber connector attaches flushpipe to pan.

### OVERFLOW HOLE STOPPER KIT

**CSOHSKLTWH**

Overflow hole stopper kit.

### FLUSHPIPE SEALING RING

**CSFSRLT**

Flushpipe sealing ring.

### PAN SCREW & CAP SET

**PSPPWH**

Pan screw &amp; cap set.

## PANS

PRODUCT CODE

### PAN P TRAP

**C16P45**

Standard P Trap vitreous china pedestal toilet pan.

Pan: Designed for 4.5/3L flush volume

Rim: Open

Setout: Minimum of 150mm

Cistern: Most wall mounted cisterns

Height: 400mm

Width: 350mm

Base of pan: 225mm

Length: 549mm

PRODUCT CODE

### PAN S TRAP

**C16S45**

Standard S Trap vitreous china pedestal toilet pan.

Pan: Designed for 4.5/3L flush volume

Rim: Open

Setout: Minimum of 150mm

Cistern: Most wall mounted cisterns

Height: 400mm

Width: 350mm

Base of pan: 225mm

Length: 549mm

## MACERATOR PUMP SPARES

PRODUCT CODE

### CASSETTE COMPLETE DCT-604

**75009**

Cassette for Ciclon Macerator Pump DCT-604.

PRODUCT CODE

### CHECK VALVE FLAT WASHER

**75102**

Washer for Check Valve.

### CASSETTE SET DCEB-705

**75409**

Cassette for Ciclon Lifting Station DCEB-705.

### ACTIVATED CARBON CARTRIDGE

**75104**

Activated Carbon Filter for Ciclon Macerators.

# MARLEY BATHROOM SOLUTIONS

## MACERATOR PUMP SPARES (CONTINUED)

PRODUCT CODE

### CLIP-ON PRESSURE SWITCH

**75109**

Clip-on Pressure Switch.

### PRESSURE SWITCH PIPE

**75138**

Threaded pressure switch.

PRODUCT CODE

### CHECK VALVE

**75101**

Non-return valve for Ciclon Macerators.

## VALVES

R&T cistern inlet and outlet replacement valves are compatible with most models of popular NZ toilet suites

- 3 year warranty
- Easy to follow installation instructions
- A valve to suit most applications
- Saves water when compared to old leaking valves
- Watermark Lic. #20079

PRODUCT CODE

### CISTERN OUTLET VALVE

**X1200**Suits all cisterns 330mm - 430mm  
Additional button set included - 38mm in diameter

### CISTERN INLET VALVE – SIDE

**X1230**Operating pressure range 0.02 - 0.8 MPa  
Fits most toilet cisterns

### CISTERN INLET VALVE – BOTTOM

**X1210B**Operating pressure range 0.02 - 0.8 MPa  
Fits most bottom inlet toilet cisterns

PRODUCT CODE

### 40MM BUTTON

**XJ122A**R&T Anti-Vandal Kit 40mm button.  
Indent only.

### 50MM BUTTON

**XJ122B**R&T Anti-Vandal Kit 50mm button.  
Indent only.

# ENDURA® XL GREASE TRAPS



## ENDURA® XL 75 GREASE TRAPS

- Endura® XL Grease Traps provide a lightweight and easy installation
- Hydromechanical Grease Traps can operate efficiently utilising 75% of the internal volume to collect FOG's while standard Grease Traps are only efficient at settling FOG's for 25% of their internal volume

- Hydromechanical Grease Traps actively force the FOG's to separate reducing the required retention time down to 2 minutes, standard Grease Traps require a minimum of 30 minutes retention time

PRODUCT CODE

### ENDURA® XL 75 GREASE TRAP WITH LIGHT TRAFFICABLE LID



DGT75

PRODUCT CODE

### ENDURA® XL 75 GREASE TRAP WITH PEDESTRIAN LID



DGT75P

## ENDURA® XL 100 GREASE TRAPS

- Endura® XL Grease Traps provide a lightweight and easy installation
- Hydromechanical Grease Traps can operate efficiently utilising 75% of the internal volume to collect FOG's while standard Grease Traps are only efficient at settling FOG's for 25% of their internal volume

- Hydromechanical Grease Traps actively force the FOG's to separate reducing the required retention time down to 2 minutes, standard Grease Traps require a minimum of 30 minutes retention time

PRODUCT CODE

### ENDURA® XL 100 GREASE TRAP WITH LIGHT TRAFFICABLE LID



DGT100

PRODUCT CODE

### ENDURA® XL 100 GREASE TRAP WITH PEDESTRIAN LID



DGT100P

## COMPONENTS

PRODUCT CODE

### ENDURA® XL GREASE TRAP RISER - 450MM



DGTR450

Pair.

PRODUCT CODE

### ENDURA® XL TRAFFICABLE LID



DGTLID

Single.

### ENDURA® XL GREASE TRAP RISER - 880MM



DGTR880

Pair.

### ENDURA® XL CAST IRON LID



DGTCILID

Pair.

### ENDURA® XL PEDESTRIAN LID



DGTPLID

Single.




# GREASE CONVERTER SYSTEMS

## GREASE CONVERTERS

Grease Converters

- Capture and permanently transform fat, oil and grease (FOGs) from the wastewater of commercial kitchens, cafes, and restaurants

PRODUCT CODE	DESCRIPTION	FUNCTIONAL CAPACITY	TREATING CAPACITY	RESTAURANT SEATS	
<b>GREASE CONVERTER S/S</b>					
	<b>GC5020WDAL</b>	Grease Converter S/S 165L	66 L	165 L / hour	Up to 24*
	<b>GC5030WDAL</b>	Grease Converter S/S 195L	78 L	195 L / hour	Up to 28*
	<b>GC5035WDAL</b>	Grease Converter S/S 342L	137 L	342 L / hour	Up to 47*
	<b>GC5060WDAL</b>	Grease Converter S/S 390L	157 L	390 L / hour	Up to 56*
	<b>GC5080WDAL</b>	Grease Converter S/S 645L	258 L	645 L / hour	Up to 90*
	<b>GC5100WDAL</b>	Grease Converter S/S 746L	298 L	746 L / hour	Up to 106*

**GCCUSTOM** Grease Converter Systems can be custom made to suit the installation and have been manufactured to hold functional liquid capacities of 3000 litres with a treating capacity of 7500 litres/hour.


\*Guide only - contact Marley for more information

The systems above come with Pro-Watch Automatic Pump, Actamatic Liquid 100ml Bottle, Actamatic Liquid 2L, Actamatic Liquid 5L Bottle, and Actamatic Powder 1kg.

## ENDURA® GREASE CONVERTER SYSTEMS



- Capture and permanently transform fat, oil and grease (FOGs) from the wastewater of commercial kitchens, cafes, and restaurants

PRODUCT CODE	DESCRIPTION	FUNCTIONAL CAPACITY	TREATING CAPACITY	RESTAURANT SEATS	
<b>GREASE CONVERTER</b>					
	<b>GCE35WDAL</b>	Endura Grease Converter 210L	84 L	210 L / hour	Up to 30*
	<b>GCE50WDAL</b>	Endura Grease Converter 350L	140 L	350 L / hour	Up to 50*

\*Guide only - contact Marley for more information

The systems above come with Pro-Watch Automatic Pump, Actamatic Liquid 100ml Bottle, Actamatic Liquid 2L, Actamatic Liquid 5L Bottle, and Actamatic Powder 1kg.

# GREASE CONVERTER COMPONENTS & SPARE PARTS

## COMPONENTS

PRODUCT CODE


### PRO-WATCH AUTOMATIC PUMP



510T

PRODUCT CODE

### SEALS & O RING SET



GCSEALS


For current GC models.

### ACTAMATIC POWDER 1KG



APE1KG

### O RING ONLY



GCORING

For aluminium models only.

### ACTAMATIC LIQUID 2L BOTTLE



AL2

### PRO-WATCH ACCESSORY KIT



DS7600979

### ACTAMATIC LIQUID 5L BOTTLE



AL5L

### PLASTIC CLIPS FOR ENDURA



GCE3935A

### IN-SINK SCREEN & PLUG



BRWPPFT

# ENDURA® SEDIMENT TRAP



## ENDURA® SEDIMENT TRAP

- The Endura Sediment Trap separates fine sediments, such as coffee grinds, plaster and general debris, from waste water before it reaches the plumbing and sewer systems
- Designed to fit in tight spaces, the Endura Sediment Trap is ideal for use in cafés and medical centres

PRODUCT CODE

### SEDIMENT TRAP



#### GCESEDTRAP

Inlet/Outlet: 50mm

Note: The Endura Sediment Trap is made of polypropylene which will not accept solvent weld cement.

# ENDURA® SOLIDS INTERCEPTOR



## ENDURA® SOLIDS INTERCEPTOR

- Used in a stand-alone tank or fitted directly in to a grease converter the Solids Basket Accessory captures solids and general debris to prevent blockages in plumbing and sewer systems
- Ideal for a wide range of applications including commercial kitchens and butcheries

PRODUCT CODE

### SOLIDS INTERCEPTOR\*



#### GCE SOLINT

Inlet/Outlet: 50mm

\*Sufficient clearance (457mm) above the Interceptor must be available and maintained for removal and replacement of the solids basket.



PRODUCT CODE

### SOLIDS BASKET ACCESSORY



#### GCEBASKET

# MARLEY MERCHANDISE BOXES

	PRODUCT CODE	DESCRIPTION
<b>SMALL BIN BOX</b> 	ENE 7	288mm long x 95mm wide x 94mm high
<b>MEDIUM BIN BOX</b> 	ENE 8	288mm long x 190mm wide x 104mm high
<b>LARGE BIN BOX</b> 	ENE 9	296mm long x 245mm wide x 153mm high
<b>EXTRA LARGE BIN BOX</b> 	ENE 119	600mm long x 245mm wide x 153mm high

# All our resources in one place

You can now find all of our useful resources on our new website.  
Just go to the 'Resources' section and use the handy filter to  
quickly find what you need to get the job done!

[marley.co.nz](http://marley.co.nz)



**CAD / BIM  
DETAILS**




**TECHNICAL  
DOCUMENTS**



**CATALOGUES, PRICE BOOKS  
& INSTALLATION GUIDES**



**TRAINING**







## Sustainable Manufacturing

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice certified for our entire range of manufactured uPVC systems. This means we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint and accept our products back at the end of their useful life for recycling.



FOLLOW US   

### Disclaimer

This sales brochure has been compiled by Marley New Zealand Limited ("The Company") and is supplied subject to acknowledgment of the following conditions:

The sales brochure is protected by Copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. Prices are subject to change, product specifications, usage data and advisory information may also change from time to time with advances in research and field experience. The Company reserves the right to make such changes to price or product information at any time without notice. Correct usage of the Company's products involve engineering judgements which cannot be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and of the consequences of anything done or omitted to be done by any such person in reliance whether whole or partial upon the whole or any part of the contents of this publication. No offer to trade, nor any conditions of trading, are expressed or implied by the issue or content of this manual. Nothing herein shall override the Company's Conditions of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. This price book is and shall remain the property of the Company, and shall be surrendered on demand to the Company.

MAR5835 May 2024

## Our Partners



For more information: 0800 MARLEY (0800 627539) | [www.marley.co.nz](http://www.marley.co.nz)

