JUNE 26



Hawke's Bay

PRODUCT CATALOGUE

Rainwater / Plumbing / Civil / Rural

MARLEY®

by aliaxis

CONTENTS

01 RAINWATER

02 Spouting Systems

02 Stormcloud®
03 Marley Stratus Design Series® Stormcloud®
04 Typhoon®
05 Marley Stratus Design Series® Typhoon®
06 Classic™
07 FL2®
09 Magnum®

10 Downpipe Systems

10 RP80® 80mm Round Downpipe
11 Marley Stratus Design Series® RP80®
12 RP65® 65mm Round Downpipe
13 Rectangular Downpipes

15 Rainwater Harvesting

17 uPVC NON PRESSURE – DWV

18 Marley OPTIM® DWV Sanitary Systems

20 OPTIM® Pipes
21 OPTIM® Fittings – Solvent Joint
24 OPTIM® Converge® PVC Aerator
24 OPTIM® Compakt® Boss Gully Trap
25 PVC Primer, Solvent, Lubricant
26 OPTIM® Fittings – Rubber Ring Joint
28 dBlue Acoustic Plumbing System

30 Couplings

32 Waste Water Traps

35 Trap Accessories
36 Trap Spares
37 Pipe Cover Flanges

38 uPVC NON PRESSURE – STORMWATER

38 Marley STORMLINE® Stormwater Systems

38 STORMLINE® Pipes
39 STORMLINE® Fittings
40 Stormwater Fittings – Large Bore
41 Non-Return Valves
42 Stormwater Access Pits

43 uPVC / mPVC PRESSURE

44 uPVC Series 1
45 mPVC Genex® Series 1
46 Marley Blue uPVC Series 2
46 Marley Blue mPVC Genex® Series 2
46 Pressure Fittings

51 POLYETHYLENE NON PRESSURE

52 Marley HDPE Drainage Systems

52 Akatherm Drainage System
55 Akasison Siphonic Roof Drainage

56 POLYETHYLENE PRESSURE

57 Polyethylene Pressure Pipe

58 Black Polyethylene Pressure Pipe
59 Blue Polyethylene Pressure Pipe
60 Royal Blue Polyethylene Pressure Pipe

61 Friatec - PE Electrofusion Fittings

68 Philmac Fittings

69 Philmac 3G Compression Fittings
72 Philmac Universal Transition Fittings
73 Philmac Valves
73 Philmac Threaded Fittings

74 950 Series®

76 Oasis® 6 & 9 Bar Polyethylene Pipe

77 HOT & COLD SYSTEMS

78 SecuraOne®

78 SecuraOne® Fittings
81 SecuraOne® Tools & Accessories

82 LAND DRAINAGE

83 Corrugated Drainage Systems

83 Drainflo®
86 Drainflo® HD
86 Drainflo® Smooth
86 Drainflo® Smooth HD
86 Drainflo® Fittings

88 SURFACE WATER DRAINAGE

89 Connecto Trade®

91 Connecto™

92 AdjustaPit®

95 MISCELLANEOUS / OTHER

96 Bathroom Solutions

96 Centreflush2®
96 Centreflush2® Spares
97 Vienna®
97 Vienna® Spares
98 Loline
98 Loline Spares
99 Toilet Seats & Spares
99 Delmonte / Montego Spares
99 Pans
100 Macerator Pump Spares
100 Valves

101 Grease Management

101 Endura® XL Grease Traps
102 Grease Converter Systems
102 Grease Converter Components & Spare Parts
103 Endura® Solids Interceptor





aliaxis

we make life flow

Aliaxis are passionate about creating sustainable innovative solutions for water and energy. We provide people around the world with advanced plastic piping systems, leading the industry in a way that anticipates the rapidly evolving needs of our times.

Marley has been part of the Aliaxis group since 2003 and providing spouting, downpipes, building, plumbing and electrical solutions for New Zealand since 1959.

With local manufacturing sites employing local people, the vast majority of the products we sell are proudly New Zealand made.

We are committed to keeping New Zealand green. Marley operates a uPVC recycling program as part of our ISO 14001 environmental management system and is Best Environmental Practice certified for its entire manufactured range of uPVC systems.

This allows designers to achieve GreenStar credits when specifying Marley uPVC systems in commercial buildings, and installers / end users to recycle their uPVC products.*

BEST ENVIRONMENTAL PRACTICE

CERTIFIED TO APPROVED STANDARD

AS/NZS 5395: 2024
LICENSE No 2969

* Talk to us about our recycling program and requirements regarding return and condition of product.

40+ Countries worldwide

100+ Distribution centres

70+ Manufacturing sites

15,500+ Employees worldwide

10 Commercial brands

MARLEY by aliaxis

65+ Years in New Zealand

5 NZ sites

3,000+ Products

400+ Employees nationally

Our brands

MARLEY · RXP · DYNEX

RAINWATER

02	**Spouting Systems**
02	Stormcloud®
03	Marley Stratus Design Series® Stormcloud®
04	Typhoon®
05	Marley Stratus Design Series® Typhoon®
06	Classic™
07	FL2®
09	Magnum®
10	**Downpipe Systems**
10	RP80® 80mm Round Downpipe
11	Marley Stratus Design Series® RP80®
12	RP65® 65mm Round Downpipe
13	Rectangular Downpipes
15	**Rainwater Harvesting**

uPVC Rainwater Systems

15 Year Guarantee

Will Not Rust

U.V Resistant

Made in NZ

Safe for Drinking

Low Maintenance

Recyclable

FLEXIPAK CUSTOMISED ORDERING SERVICE

Flexipak Customised Ordering Service

Marley provide a custom ordering system for selected rainwater products which means you can order just what you need and it will be ready within 48 hours.


Look for the Flexipack logo to identify products available in the custom order system.






MARLEY STORMCLOUD® SPOUTING SYSTEM

NZ's favourite PVC spouting, Stormcloud's quarter round shape frames your house with clean, strong lines, whilst enjoying all the low maintenance and long life benefits of uPVC.



Cross Sectional Area: 5,500mm²

Wetted Perimeter Area: 197mm




Code	Description	Pack Quantity (MOQ)
MS1.5	Stormcloud Spouting 5m Length	4 x 5m Lengths
MS1.3	Stormcloud Spouting 3m Length	8 x 3m Lengths
MS1.REPAIR	Stormcloud Spouting 1.5m Length	8 x 1.5m Lengths
MS2	Stormcloud Bracket 10 per packet	20 x Packs of 10
MS3	Stormcloud Left Hand Stopend	30
MS4	Stormcloud Right Hand Stopend	30
MS5	Stormcloud Joiner	40
MS17	Stormcloud Expansion Joiner	10
MS6	Stormcloud External Angle 90°	10
MS7	Stormcloud Internal Angle 90°	10
MS8.65	Stormcloud Expansion Outlet 65mm	10
MS8.80	Stormcloud Expansion Outlet 80mm	10
MC11.65	Dropper Outlet 65mm	30
MC11.80	Dropper Outlet 80mm	30
MC11.100.50	Dropper Outlet 100 x 50mm	5
RWST	Outlet Strainer	1
MCS	Solvent Welding Cement White 180g Tube	10
SCREW.BRACKET.200	20mm Bracket Screws	200
CUSTOM MANUFACTURED MSSPEC.F	Special Spouting Angle - Flat	1
CUSTOM MANUFACTURED MSSPEC.R	Special Spouting Angle - Rake	1

Master Plumbers Recommended

MARLEY STORMCLOUD® SPOUTING SYSTEM

STRATUS® DESIGN SERIES

NZ's favourite PVC spouting, Stormcloud's quarter round shape frames your house with clean, strong lines, whilst enjoying all the low maintenance and long life benefits of uPVC.



Cross Sectional Area: 5,500mm²

Wetted Perimeter Area: 197mm



	Description	Pack Quantity*	Black Code	Grey Friars® Code	Gull Grey Code	Ironsand® Code	FlaxBlack® Code
	Stormcloud Spouting 4m Length	4	MS1.4.BLK	MS1.4.GYF	MS1.4.GGY	MS1.4.IRO	MS1.4.FXB
	Stormcloud Bracket	10	MS2.BLK	MS2.GYF	MS2.GGY	MS2.IRO	MS2.FXB
	Stormcloud Left Hand Stopend	1	MS3.BLK	MS3.GYF	MS3.GGY	MS3.IRO	MS3.FXB
	Stormcloud Right Hand Stopend	1	MS4.BLK	MS4.GYF	MS4.GGY	MS4.IRO	MS4.FXB
	Stormcloud Joiner	1	MS5.BLK	MS5.GYF	MS5.GGY	MS5.IRO	MS5.FXB
	Stormcloud Expansion Joiner	1	MS17.BLK	MS17.GYF	MS17.GGY	MS17.IRO	MS17.FXB
	Stormcloud External Angle 90°	1	MS6.BLK	MS6.GYF	MS6.GGY	MS6.IRO	MS6.FXB
	Stormcloud Internal Angle 90°	1	MS7.BLK	MS7.GYF	MS7.GGY	MS7.IRO	MS7.FXB
	Stormcloud Expansion Outlet 80mm	1	MS8.80.BLK	MS8.80.GYF	MS8.80.GGY	MS8.80.IRO	MS8.80.FXB
	Stormcloud Expansion Outlet 65mm	1	MS8.65.BLK	MS8.65.GYF	MS8.65.GGY	MS8.65.IRO	MS8.65.FXB
	Dropper Outlet **NB:** For flat bottom spouting only	1	MC11.80.BLK	MC11.80.GYF	MC11.80.GGY	MC11.80.IRO	MC11.80.FXB
	Solvent Welding Cement 180g Tube	1	MCS.BLK	MCS.GYF	MCS.GGY	MCS.IRO	MCS.FXB
	Stormcloud Special Angle - Flat	1	MSSPEC.F.BLK	MSSPEC.F.GYF	MSSPEC.F.GGY	MSSPEC.F.IRO	MSSPEC.F.FXB
	Stormcloud Special Angle - Rake	1	MSSPEC.R.BLK	MSSPEC.R.GYF	MSSPEC.R.GGY	MSSPEC.R.IRO	MSSPEC.R.FXB

BLACK | GREY FRIARS® | GULL GREY | IRONSAND® | FLAXBLACK®

FLEXIPAK CUSTOMISED ORDERING SERVICE

Order just what you need.

*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required. FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.

Master Plumbers Recommended


MARLEY by aliaxis



MARLEY TYPHOON® SPOUTING SYSTEM


Typhoon® is a half round spouting system with excellent flow capacity.
This contemporary design offers a choice of either internal or external brackets.

FLEXIPAK CUSTOMISED ORDERING SERVICE
Order just what you need.




	Code	Description	Pack Quantity (MOQ)
	MT1.5	Typhoon Spouting 5m Length	4 x 5m Lengths
	MT1.3	Typhoon Spouting 3m Length	4 x 3m Lengths
	MT2I	Typhoon Internal Bracket 10 per packet	10 x Packs of 10
	MT2E	Typhoon External Bracket 10 per packet	10 x Packs of 10
	MT3	Typhoon Left Hand Stopend	30
	MT4	Typhoon Right Hand Stopend	30
	MT5	Typhoon Joiner	30
	MT17	Typhoon Expansion Joiner	10
	MT6	Typhoon External Angle 90°	30
	**MT7**	Typhoon Internal Angle 90°	10
	MT8.80	Typhoon Expansion Outlet 80mm	10
	MT11.80	Typhoon Dropper 80mm	10
	**RWST**	Outlet Strainer	1
	**MCS**	Solvent Welding Cement White 180g Tube	10
	**SCREW.BRACKET.200**	20mm Bracket Screws	200
	MTSPEC.F	Special Spouting Angle - Flat	1
	MTSPEC.R	Special Spouting Angle - Rake	1

Internal Bracket



External Bracket



Cross Sectional Area: 6,850mm²
Wetted Perimeter Area: 206mm

*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.

MARLEY by aliaxis

Master Plumbers Recommended

MARLEY TYPHOON® SPOUTING SYSTEM

STRATUS® DESIGN SERIES

Master Plumbers Recommended

	Description	Pack Quantity*	Black Code	Grey Friars® Code	Gull Grey Code	Ironsand® Code	FlaxBlack® Code	Titanium Code	Copper Code
	Typhoon Spouting 4m Length	4	MT1.4.BLK	MT1.4.GYF	MT1.4.GGY	MT1.4.IRO	MT1.4.FXB	MT1.4.TTN	MT1.4.COP2
	Typhoon Internal Bracket	10	MT2I.BLK	MT2I.GYF	MT2I.GGY	MT2I.IRO	MT2I.FXB	MT2I.TTN	MT2I.COP2
	Typhoon External Bracket	10	MT2E.BLK	MT2E.GYF	MT2E.GGY	MT2E.IRO	MT2E.FXB	MT2E.TTN	MT2E.COP2
	Typhoon Left Hand Stopend	1	MT3.BLK	MT3.GYF	MT3.GGY	MT3.IRO	MT3.FXB	MT3.TTN	MT3.COP2
	Typhoon Right Hand Stopend	1	MT4.BLK	MT4.GYF	MT4.GGY	MT4.IRO	MT4.FXB	MT4.TTN	MT4.COP2
	Typhoon Joiner	1	MT5.BLK	MT5.GYF	MT5.GGY	MT5.IRO	MT5.FXB	MT5.TTN	MT5.COP2
	Typhoon Expansion Joiner	1	MT17.BLK	MT17.GYF	MT17.GGY	MT17.IRO	MT17.FXB	MT17.TTN	MT17.COP2
	Typhoon External Angle 90°	1	MT6.BLK	MT6.GYF	MT6.GGY	MT6.IRO	MT6.FXB	MT6.TTN	MT6.COP2
	Typhoon Internal Angle 90°	1	MT7.BLK	MT7.GYF	MT7.GGY	MT7.IRO	MT7.FXB	MT7.TTN	MT7.COP2
	Typhoon Expansion Outlet 80mm	1	MT8.80.BLK	MT8.80.GYF	MT8.80.GGY	MT8.80.IRO	MT8.80.FXB	MT8.80.TTN	MT8.80.COP2
	Typhoon Dropper Outlet 80mm	1	MT11.80.BLK	MT11.80.GYF	MT11.80.GGY	MT11.80.IRO	MT11.80.FXB	MT11.80.TTN	MT11.80.COP2
	Solvent Welding Cement 180g Tube	1	MCS.BLK	MCS.GYF	MCS.GGY	MCS.IRO	MCS.FXB	MCS.TTN	MCS.COP
	Typhoon Special Angle - Flat	1	MTSPEC.F.BLK	MTSPEC.F.GYF	MTSPEC.F.GGY	MTSPEC.F.IRO	MTSPEC.F.FXB	MTSPEC.F.TTN	MTSPEC.F.COP2
	Typhoon Special Angle - Rake	1	MTSPEC.R.BLK	MTSPEC.R.GYF	MTSPEC.R.GGY	MTSPEC.R.IRO	MTSPEC.R.FXB	MTSPEC.R.TTN	MTSPEC.R.COP2

BLACK | GREY FRIARS® | GULL GREY | IRONSAND® | FLAXBLACK® | TITANIUM | COPPER

Metallic

Note: Some Copper items temporarily unavailable, check availability before ordering.

*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required. FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.

FLEXIPAK CUSTOMISED ORDERING SERVICE


Order just what you need.

MARLEY by aliaxis




MARLEY CLASSIC™ SPOUTING SYSTEM

Based on an original Roman design, the Classic shape is synonymous with Marley and is particularly suited to villas and colonial style houses.



Cross Sectional Area: 7,300mm²

Wetted Perimeter Area: 228mm



	Code	Description	Pack Quantity (MOQ)
	MC1.5	Classic Spouting 5m Length	4 x 5m Lengths
	MC1.3	Classic Spouting 3m Length	8 x 3m Lengths
	MC1.REPAIR	Classic Spouting 1.5m Length	8 x 1.5m Lengths
	MC2	Classic Bracket 10 per packet	20 x Packs of 10
	MC3	Classic Left Hand Stopend	30
	MC4	Classic Right Hand Stopend	30
	MC5	Classic Joiner	40
	MC17	Classic Expansion Joiner	10
	MC6	Classic External Angle 90°	10
	MC7	Classic Internal Angle 90°	10
	MC8.65	Classic Expansion Outlet 65mm	10
	MC8.80	Classic Expansion Outlet 80mm	10
	MC11.65	Dropper Outlet 65mm	30
	MC11.80	Dropper Outlet 80mm	30
	MC11.100.50	Dropper Outlet 100 x 50mm	5
	RWST	Outlet Strainer	1
	MCS	Solvent Welding Cement White 180g Tube	10
	SCREW.BRACKET.200	20mm Bracket Screws	200
CUSTOM MANUFACTURED	MCSPEC.F	Special Spouting Angle - Flat	1
CUSTOM MANUFACTURED	MCSPEC.R	Special Spouting Angle - Rake	1

MARLEY by aliaxis


Master Plumbers Recommended



MARLEY FL2® SPOUTING SYSTEM

The high face of FL2 masks untidy roof edges while its ultra-clean lines offer a subtle design to complement any house.

FLEXIPAK CUSTOMISED ORDERING SERVICE
Order just what you need.




Code	Description	Pack Quantity (MOQ)
FL1.5	FL2 Spouting 5m Length	4 x 5m Lengths
FL1.3	FL2 Spouting 3m Length	8 x 3m Lengths
FL2I	FL2 Internal Bracket 10 per packet	20 x Packs of 10
FL2E	FL2 External Bracket 10 per packet	10 x Packs of 10
FL3	FL2 Left Hand Stopend	30
FL4	FL2 Right Hand Stopend	30
FL5	FL2 Joiner	40
FL17	FL2 Expansion Joiner	10
FL6	FL2 External Angle 90°	30
FL7	FL2 Internal Angle 90°	10
FL8.65	FL2 Expansion Outlet 65mm	10
FL8.80	FL2 Expansion Outlet 80mm	10
MC11.65	Dropper Outlet 65mm	30
MC11.80	Dropper Outlet 80mm	30
MC11.100.50	Dropper Outlet 100 x 50mm	5
RWST	Outlet Strainer	1
MCS	Solvent Welding Cement White 180g Tube	10
SCREW.BRACKET.200	20mm Bracket Screws	200
FLSPEC.F	Special Spouting Angle - Flat	1
FLSPEC.R	Special Spouting Angle - Rake	1


CUSTOM MANUFACTURED

CUSTOM MANUFACTURED

Internal Bracket



External Bracket




Cross Sectional Area: 5,011mm²
Wetted Perimeter Area: 186mm

*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.

Master Plumbers Recommended

MARLEY by aliaxis


GULL GREY
Elegance
Gull Grey joins the
Stratus Design Series®
MARLEY
by aliaxis
STRATUS®
DESIGN SERIES




MARLEY MAGNUM® SPOUTING SYSTEM

A rugged half round PVC solvent cement system, which is ideally suited to collect rainwater from large roof areas in commercial, agricultural and domestic applications.


FLEXIPAK CUSTOMISED ORDERING SERVICE

Order just what you need.



Cross Sectional Area: 14,300mm²

Wetted Perimeter Area: 301mm



	Code	Description	Pack Quantity (MOQ)
	MAG1.4	Magnum Spouting 4m Length	1 x 4m Length
	MAG2E	Magnum Spouting Bracket	1
	MAG9	Magnum Spouting Stopend	1
	MAG5	Magnum Spouting Joiner	1
	MAG17	Magnum Expansion Joiner	1
	MAG6	Magnum 90° Angle	1
	MAGE8.100	Magnum Expansion Outlet 100mm	1
	MAG8.100	Magnum Dropper Outlet 100mm	1
	MAG8	Magnum Outlet Stopend	1
	RP100.GY.4	Magnum Downpipe 100mm 4m Length	1 x 4m Length
	RB2.100.GY	Magnum 88° Socket Bend100mm	1
	140.100HB	DWV Holderbat Pipe Clip 100DN	1
	MAGRH.100	Magnum Rainhead 100mm	1
	MCS.GY	Solvent Welding Cement Grey 180g Tube	1
CUSTOM MANUFACTURED	MAG.ANGLE	Internal / External Special Angle	1

*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required.

Note: Magnum spouting and downpipe system is only available in grey.



MARLEY RP80® 80MM ROUND DOWNPIPE SYSTEM

Round downpipes are well suited to most houses and buildings and can be used when subjected to head pressure eg. connected to water tanks.

Note: Round downpipes must not be used in wall or ceiling cavities.



Outer Diameter
80mm



Spreader Kit
SKIT80



Curve®
Leaf Diverter
CURVE2
CURVE2.TWIN



Twist®
Rainwater Diverter
TWIST



Code	Description	Pack Quantity (MOQ)
RP80	RP80® Round Downpipe 80mm 3m Length **NB:** Socket at one end	9 x 3m Lengths
RP80.REPAIR	RP80® Round Downpipe 80mm 1.5m Length **NB:** Nonsocketed	9 x 1.5m Lengths
RB2.80	95° F+F Bend	20
RB4.80	95° M+F Bend	10
RB3.80	43° F+F Bend	10
RB5.80	43° M+F Bend	10
RS80	Joining Socket	15
RJ80	95° Junction	5
RC80	Pipe Clip 10 per packet	5 x Packs of 10
RC80.2	Pipe Clip 80mm – 2 Part 10 per packet	5 x Packs of 10
RC80.2S	Pipe Clip Spacer **NB:** This spacer also fits the RC65.2	20
RA80.90	Adaptor 80 to 90mm	10
RA80.100	Adaptor 80 to 100mm	10
RAS80	Adaptor 80mm Stormcloud	10
SKIT80	Downpipe Spreader Kit	1
CS80	Spreader End Cap	1 x Pack of 10
1SD6166	Rainwater Gully (Grey)	1
MC11.80	Dropper Outlet	30
RWST	Outlet Strainer	1
CURVE2	Curve® Leaf Diverter	1
CURVE2.TWIN	Curve® Leaf Diverter Twin Pack	2
TWIST	Twist® Rainwater Diverter	1
MCS	Solvent Welding Cement White 180g Tube	10

MARLEY by aliaxis

Master Plumbers Recommended

MARLEY RP80® 80mm ROUND DOWNPIPE SYSTEM

STRATUS® DESIGN SERIES

Master Plumbers Recommended

	Description	Pack Quantity*	Black Code	Grey Friars® Code	Gull Grey Code	Ironsand® Code	FlaxBlack® Code	Titanium Code	Copper Code
	Round Downpipe 80mm 3m Length **NB:** Nonsocketed – use jointing socket	5	RP80.BLK	RP80.GYF	RP80.GGY	RP80.IRO	RP80.FXB	RP80.TTN	RP80.COP2
	95° F+F Bend	1	RB2.80.BLK	RB2.80.GYF	RB2.80.GGY	RB2.80.IRO	RB2.80.FXB	RB2.80.TTN	RB2.80.COP2
	95° M+F Bend	1	RB4.80.BLK	RB4.80.GYF	RB4.80.GGY	RB4.80.IRO	RB4.80.FXB	RB4.80.TTN	RB4.80.COP2
	43° F+F Bend	1	RB3.80.BLK	RB3.80.GYF	RB3.80.GGY	RB3.80.IRO	RB3.80.FXB	RB3.80.TTN	RB3.80.COP2
	43° M+F Bend	1	RB5.80.BLK	RB5.80.GYF	RB5.80.GGY	RB5.80.IRO	RB5.80.FXB	RB5.80.TTN	RB5.80.COP2
	Joiner	1	RS80.BLK	RS80.GYF	RS80.GGY	RS80.IRO	RS80.FXB	RS80.TTN	RS80.COP2
	95° Junction	1	RJ80.BLK	RJ80.GYF	RJ80.GGY	RJ80.IRO	RJ80.FXB	RJ80.TTN	RJ80.COP2
	Saddle Pipe Clip	10	RC80.BLK	RC80.GYF	RC80.GGY	RC80.IRO	RC80.FXB	RC80.TTN	RC80.COP2
	Adjustable Pipe Clip	10	RC80.2.BLK	RC80.2.GYF	RC80.2.GGY	RC80.2.IRO	RC80.2.FXB	RC80.2.TTN	RC80.2.COP2
	Pipe Clip Spacer	20	RC80.2S.BLK	RC80.2S.GYF	RC80.2S.GGY	RC80.2S.IRO	RC80.2S.FXB	RC80.2S.TTN	RC80.2S.COP2
	Spreader Kit	1	SKIT80.BLK	SKIT80.GYF	SKIT80.GGY	SKIT80.IRO	SKIT80.FXB	SKIT80.TTN	SKIT80.COP2
	End Cap	1	CS80.BLK	CS80.GYF	CS80.GGY	CS80.IRO	CS80.FXB	CS80.TTN	CS80.COP2
	Dropper Outlet **NB:** For flat bottom spouting only	1	MC11.80.BLK	MC11.80.GYF	MC11.80.GGY	MC11.80.IRO	MC11.80.FXB	MC11.80.TTN	MC11.80.COP2
	Adaptor 80 to 90mm	1	RA80.90.BLK	RA80.90.GYF	RA80.90.GGY	RA80.90.IRO	RA80.90.FXB	RA80.90.TTN	RA80.90.COP2
	Adaptor 80 to 100mm	1	RA80.100.BLK	RA80.100.GYF	RA80.100.GGY	RA80.100.IRO	RA80.100.FXB	RA80.100.TTN	RA80.100.COP2
	Curve® Leaf Diverter	1	CURVE2.BLK	CURVE2.GYF	CURVE2.GGY	CURVE2.IRO	CURVE2.FXB	CURVE.TTN	CURVE2.COP2
	Twist® Rainwater Diverter	1	TWIST.BLK	TWIST.GYF	TWIST.GGY	TWIST.IRO	TWIST.FXB	TWIST.TTN	TWIST.COP2
	Solvent Welding Cement 180g Tube	1	MCS.BLK	MCS.GYF	MCS.GGY	MCS.IRO	MCS.FXB	MCS.TTN	MCS.COP

BLACK | GREY FRIARS® | GULL GREY | IRONSAND® | FLAXBLACK® | TITANIUM | COPPER

Metallic

Note: Some Copper items temporarily unavailable, check availability before ordering.

*Pack quantities stated above are indicative only - all items on this page can be ordered in exact quantity required. FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.

FLEXIPAK CUSTOMISED ORDERING SERVICE

Order just what you need.

RAINWATER

MARLEY by aliaxis



MARLEY RP65® 65mm ROUND DOWNPIPE SYSTEM

Round downpipes are well suited to most houses and buildings and can be used when subjected to head pressure e.g. connected to water tanks.

Note: Round downpipes must not be used in wall or ceiling cavities.



Outer Diameter
65mm



Code	Description	Pack Quantity (MOQ)
RP65	RP65® Round Downpipe 65mm 3m Length **NB:** Socket at one end	12 x 3m Lengths
RP65.REPAIR	RP65® Round Downpipe 65mm 1.5m Length **NB:** Nonsocketed	12 x 1.5m Lengths
RB2.65	95° F+F Bend	20
RB3.65	43° F+F Bend	10
RS65	Joining Socket	20
RJ65	95° Junction	5
RC65	Pipe Clip 10 per packet	5 x Packs of 10
RC65.2	Pipe Clip 65mm – 2 Part 10 per packet	5 x Packs of 10
RC80.2S	Pipe Clip Spacer **NB:** This spacer also fits the RC80.2	20
RA65.90	Adaptor 65 to 90mm	10
RA65.80	Adaptor 65 to 80mm	10
MC11.65	Dropper Outlet	30
RWST	Outlet Strainer	1
CURVE2.RA65	Curve® 65mm Adaptor Set	1
CURVE2	Curve® Leaf Diverter	1
MCS	Solvent Welding Cement White 180g Tube	10

MARLEY by aliaxis

Master Plumbers Recommended



MARLEY RECTANGULAR DOWNPIPE SYSTEMS

Rectangular downpipes provide clean lines and are well suited to plaster finished homes and buildings.

Note: Rectangular downpipes must not be used in wall or ceiling cavities, in a horizontal application or when subjected to head pressure e.g. connected to water tanks. Not suitable to use in a wet syphon system.



Code	Description	Pack Quantity (MOQ)
RECTANGULAR DOWNPIPE 65 x 50mm		
MC16	Rectangular Downpipe 65 x 50 3m Length **NB:** Nonsocketed	6 x 3m Lengths
MC12	112° Socket Bend Offset	5
MC13	95° Socket Bend	5
MC14	Pipe Socket	5
MC18	90° Change of Direction	1
MC19.65	Square to Round Socket 65 x 50 to 65mm	5
MC19.80	Square to Round Socket 65 x 50 to 80mm	5
MC20	Rectangular Junction 112°	1
MC22S	Pipe Clip Stand-off 10 per packet	1 x Pack of 10
MC22	Pipe Clip 10 per packet	1 x Pack of 10
MC11.65	Dropper Outlet	30
MCS	Solvent Welding Cement White 180g Tube	10



RECTANGULAR DOWNPIPE 100 x 50mm		
MC140	Rectangular Downpipe 100 x 50 3m Length **NB:** Nonsocketed	4 x 3m Lengths
MC142	95° Socket Bend	5
MC145	45° Socket Bend	5
MC149	Pipe Socket	5
MC141.80	Adaptor 100 x 50 to 80mm	5
MC141.90	Adaptor 100 x 50 to 90mm	5
MC146	95° Reverse Face Elbow	5
MC147	45° Reverse Face Elbow	1
MC148T	95° Reverse Face Tee	1
MC144S	Pipe Clip-Stand-off 10 per packet	1 x Pack of 10
MC144	Pipe Clip 10 per packet	1 x Pack of 10
MC11.100.50	Dropper Outlet	5
MCS	Solvent Welding Cement White 180g Tube	10

Urban Rain Harvesting Made Easy

Marley's Tank-It® urban tank, coupled with a Marley Twist® downpipe diverter, offer a simple rain harvesting solution for capturing free rainwater from your roof.

- Great for gardeners
- Fill the pool or pond
- Vegetable gardens
- Summertime lawn envy
- Back up supply



Scan for more information

MARLEY by aliaxis

RAINWATER HARVESTING







Code	Description	Pack Quantity (MOQ)
CURVE® LEAF & DEBRIS DIVERTER		
CURVE2	Curve® Leaf Diverter White	1
CURVE2.TWIN	Curve® Leaf Diverter White Twin Pack	2
CURVE2.IRO	Curve® Leaf Diverter Ironsand®	1
CURVE2.GYF	Curve® Leaf Diverter Grey Friars®	1
CURVE2.BLK	Curve® Leaf Diverter Black	1
CURVE2.FXB	Curve® Leaf Diverter FlaxBlack®	1
CURVE2.GGY	Curve® Leaf Diverter Gull Grey	1
CURVE2.COP2	Curve® Leaf Diverter Copper	1
CURVE.TTN	Curve® Leaf Diverter Titanium	1
CURVE2.SCREEN	Curve® Replacement Screen	1
CURVE2.RA65	Curve® 65mm Adaptor Set	1
TWIST® RAINWATER DIVERTER		
TWIST	Twist® Rainwater Diverter White	1
TWIST.IRO	Twist® Rainwater Diverter Ironsand®	1
TWIST.GYF	Twist® Rainwater Diverter Grey Friars®	1
TWIST.BLK	Twist® Rainwater Diverter Black	1
TWIST.FXB	Twist® Rainwater Diverter FlaxBlack®	1
TWIST.GGY	Twist® Rainwater Diverter Gull Grey	1
TWIST.COP2	Twist® Rainwater Diverter Copper	1
TWIST.TTN	Twist® Rainwater Diverter Titanium	1
TWIST.FILTER	Twist® Replacement Filter	1
TANK-IT® RAINWATER TANK		
TANK.316.GRY	Tank-It® 316L Light Grey	3
OUTLET STRAINER		
RWST	Spouting Outlet Strainer	1

STRATUS®
DESIGN SERIES

MADE OF COLOUR



DESIGNER **NZ MADE** RAINWATER SYSTEMS

BLACK | GREY FRIARS® | IRONSAND® | GULL GREY | FLAXBLACK® | TITANIUM | COPPER

Metallic

MARLEY®
by aliaxis

uPVC NON PRESSURE – DWV

18 Marley OPTIM® DWV Sanitary Systems

20 OPTIM® Pipes
21 OPTIM® Fittings – Solvent Joint
24 OPTIM® Converge® PVC Aerator
24 OPTIM® Compakt® Boss Gully Trap
25 PVC Primer, Solvent, Lubricant
26 OPTIM® Fittings – Rubber Ring Joint
28 dBlue Acoustic Plumbing System

30 Couplings

32 Waste Water Traps

35 Trap Accessories
36 Trap Spares
37 Pipe Cover Flanges


OPTIM® Quality Standards

Buy a pipe you can trust

Don't risk your reputation by specifying or installing anything less.

The Marley OPTIM® DWV System is manufactured to the AS/NZS1260 Product Standard.

We have had enquires from plumbers, drainlayers and industry professionals asking us to provide some detail on why our adherence to the AS/NZ 1260 standard (PVC-U pipes and fittings for drain, waste and vent) should matter to them.



This print is your insurance policy. If you want DWV uPVC pipe you can trust and trace then make it Marley.

What the printing on the pipe means:

1. **Manufacturers Name or Trademark:** You need to know who made it. Choose a brand you can trust.
2. **Size:** DN100 makes the size easily identifiable to the customer.
3. **PVC-U:** Shows the material it is made from.
4. **DWV:** This shows it is designated for use in Drain, Waste and Vent applications.
5. **Class:** This details the Stiffness Rating. You need to know this rating for use in the correct buried application.
6. **SC (Solid):** Sandwich construction. This is still a solid wall pipe (not foam core) but is co-extruded.
7. **Date of Manufacture:** We all need to know when it was made if there are any issues. We also identify the time.
8. **Standard:** This indicates the standard the pipe is made to.
9. **Identification of Place of Manufacture:** Marley is certified to manufacture in our Auckland and Canterbury factories. This code lets you know our product is externally certified and which factory it was made in.

The above are requirements to meet the AS/NZS1260 standard. Marley also adds the following as added value.

10. **Made in NZ:** You know its made in New Zealand. Marley has been making quality uPVC pipe in New Zealand for over 30 years.
11. **Recyclable:** Marley uPVC is 100% recyclable and we recycle all manufactured waste uPVC on site. Marley is also certified to meet BEP criteria. This means our uPVC products meet the Green Building Council's Best Practice guidelines for PVC in the built environment.

BEST ENVIRONMENTAL PRACTICE

CERTIFIED TO APPROVED STANDARD

AS/NZS 5395: 2024
LICENSE No 2969



Quality Assurance
Rigorous internal testing by our IANZ accredited laboratory.

Full Range
Marley supplied a complete system with over 300 compatible pipes and fittings.

Certification
Rigorous external testing by auditors to meet the New Zealand standard.

Recyclable
Marley uPVC is 100% recyclable and we recycle all manufactured uPVC on site. Marley is Best Environmental Practice cerified.

Proven Reliability
30 years proven reliability manufacturing New Zealand product.

Support
Nationwide technical and sales support whenever you need us.

OPTIM® Pipe Size Guide

DN (mm)	SN4		SN6		SN8		SN10		SN16	
	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ
32	✓									
40	✓									
50	✓									
65	✓									
80	✓									
100			✓	✓			✓	✓	✓	✓
150	✓	✓			✓	✓			✓	✓
175	✓	✓			✓	✓				✓
225		✓				✓				✓
300		✓				✓				✓
375		✓				✓				✓
475						✓				✓

MARLEY OPTIM® DWV SANITARY SYSTEMS



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

Code	Description	Length	Crate Qty
OPTIM® SOLID WALL PIPE: 100DN (SN6), 150-375DN (SN4)			**AS/NZS 1260 : 2017**
100.32.1	32DN DWV Pipe 1SJ	1m	230
100.32.3	32DN DWV Pipe 3SJ	3m	230
100.32.6	32DN DWV Pipe 6SJ	6m	230
100.40.1	40DN DWV Pipe 1SJ	1m	180
100.40.3	40DN DWV Pipe 3SJ	3m	180
100.40.6	40DN DWV Pipe 6SJ	6m	180
100.50.1	50DN DWV Pipe 1SJ	1m	149
100.50.3	50DN DWV Pipe 3SJ	3m	149
100.50.6	50DN DWV Pipe 6SJ	6m	149
100.65.1	65DN DWV Pipe 1SJ	1m	96
100.65.3	65DN DWV Pipe 3SJ	3m	96
100.65.6	65DN DWV Pipe 6SJ	6m	96
100.80.1	80DN DWV Pipe 1SJ	1m	66
100.80.4	80DN DWV Pipe 4SJ	4m	66
100.80.6	80DN DWV Pipe 6SJ	6m	66
100SN6.100.1	100DN DWV Pipe SN6 1SJ	1m	60
100SN6.100.3	100DN DWV Pipe SN6 3SJ	3m	60
100SN6.100.4	100DN DWV Pipe SN6 4SJ	4m	60
100SN6.100.4RJ	100DN DWV Pipe SN6 4RJ	4m	60
100SN6.100.6	100DN DWV Pipe SN6 6SJ	6m	60
100SN6.100.6RJ	100DN DWV Pipe SN6 6RJ	6m	60
100SN4.150.4RJ	150DN DWV Pipe SN4 4RJ	4m	28
100SN4.150.6	150DN DWV Pipe SN4 6SJ	6m	28
100SN4.150.6RJ	150DN DWV Pipe SN4 6RJ	6m	28
100SN4.175.6	175DN DWV Pipe SN4 6SJ	6m	10
100SN4.175.6RJ	175DN DWV Pipe SN4 6RJ	6m	10
100SN4.225.6RJ	225DN DWV Pipe SN4 6RJ	6m	8
100SN4.300.6RJ	300DN DWV Pipe SN4 6RJ	6m	6
100SN4.375.6RJ	375DN DWV Pipe SN4 6RJ	6m	6



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

OPTIM® SOLID WALL PIPE: 100DN (SN10), 150-475DN (SN8)			**AS/NZS 1260 : 2017**
100SN10.100.6	100DN DWV Pipe SN10 6SJ	6m	60
100SN10.100.6RJ	100DN DWV Pipe SN10 6RJ	6m	60
100SN8.150.6	150DN DWV Pipe SN8 6SJ	6m	28
100SN8.150.6RJ	150DN DWV Pipe SN8 6RJ	6m	28
100SN8.175.6	175DN DWV Pipe SN8 6SJ	6m	10
100SN8.175.6RJ	175DN DWV Pipe SN8 6RJ	6m	10
100SN8.225.6RJ	225DN DWV Pipe SN8 6RJ	6m	8
100SN8.300.6RJ	300DN DWV Pipe SN8 6RJ	6m	6
100SN8.375.4RJ	375DN DWV Pipe SN8 4RJ	4m	6
100SN8.375.6RJ	375DN DWV Pipe SN8 6RJ	6m	6
100SN8.475.4RJ*	475DN DWV Pipe SN8 4RJ	4m	6
100SN8.475.6RJ*	475DN DWV Pipe SN8 6RJ	6m	6

*Only availble in the South Island. MOQ & leadtimes may apply. For further details, contact your TM or phone **0800MARLEY (0800 627 539)**

Note: Marley manufactures 6 metre OPTIM DWV pipes over 100DN at an effective length. All other lengths stated are an overall length.

Master Plumbers Recommended

MARLEY OPTIM® DWV SANITARY SYSTEMS



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

OPTIM® SOLID WALL PIPE: 100-475DN (SN16) — AS/NZS 1260 : 2017

Code	Description	Length	Crate Qty
100SN16.100.6	100DN DWV Pipe SN16 6SJ	6m	60
100SN16.100.6RJ	100DN DWV Pipe SN16 6RJ	6m	60
100SN16.150.3RJ	150DN DWV Pipe SN16 3RJ	3m	28
100SN16.150.4RJ	150DN DWV Pipe SN16 4RJ	4m	28
100SN16.150.6	150DN DWV Pipe SN16 6SJ	6m	28
100SN16.150.6RJ	150DN DWV Pipe SN16 6RJ	6m	28
100SN16.175.6RJ	175DN DWV Pipe SN16 6RJ	6m	10
100SN16.225.3RJ	225DN DWV Pipe SN16 3RJ	3m	8
100SN16.225.4RJ	225DN DWV Pipe SN16 4RJ	4m	8
100SN16.225.6RJ	225DN DWV Pipe SN16 6RJ	6m	8
100SN16.300.3RJ	300DN DWV Pipe SN16 3RJ	3m	6
100SN16.300.4RJ	300DN DWV Pipe SN16 4RJ	4m	6
100SN16.300.6RJ	300DN DWV Pipe SN16 6RJ	6m	6
100SN16.375.3RJ	375DN DWV Pipe SN16 3RJ	3m	6
100SN16.375.4RJ	375DN DWV Pipe SN16 4RJ	4m	6
100SN16.375.6RJ	375DN DWV Pipe SN16 6RJ	6m	6
100SN16.475.4RJ*	475DN DWV Pipe SN16 4RJ	4m	4
100SN16.475.6RJ*	475DN DWV Pipe SN16 6RJ	6m	6

*Only availble in the South Island. MOQ & leadtimes may apply. For further details, contact your TM or phone **0800MARLEY (0800 627 539)**

OPTIM® FITTINGS - SOLVENT JOINT 32DN > 150DN — AS/NZS 1260 : 2017

Minimum Order: 10 Units (32, 40, 50, 65mm) / 5 Units (80, 100, 150mm)



Code	Size	Carton Qty
PLAIN BEND F&F		
101.32.45	32 x 45°	250
101.32.88	32 x 88°	400
101.40.15	40 x 15°	260
101.40.45	40 x 45°	200
101.40.60	40 x 60°	200
101.40.88	40 x 88°	250
101.50.15	50 x 15°	150
101.50.45	50 x 45°	100
101.50.88	50 x 88°	100
101.65.15	65 x 15°	90
101.65.45	65 x 45°	10
101.65.88	65 x 88°	10
101.80.45	80 x 45°	40
101.80.88	80 x 88°	35
101.100.5	100 x 5°	60
101.100.15	100 x 15°	27
101.100.30	100 x 30°	34
101.100.45	100 x 45°	30
101.100.60	100 x 60°	10
101.100.88	100 x 88°	15
101.150.45	150 x 45°	5
101.150.88	150 x 88°	5



Code	Size	Carton Qty
M&F SPIGOT BEND		
171.40.43	40 x 43°	240
171.40.88	40 x 88°	60
171.50.43	50 x 43°	100
171.50.88	50 x 88°	90
171.65.40	65 x 40°	75
171.80.45	80 x 45°	10
171.80.88	80 x 88°	30
171.100.5	100 x 5 °	27
171.100.11	100 x 11°	50
171.100.15	100 x 15°	25
171.100.22	100 x 22°	50
171.100.30	100 x 30°	25
171.100.43	100 x 43°	28
171.100.88	100 x 88°	15
171.50.40.45	REDUCING 50 x 40 x 45°	120

MARLEY OPTIM® DWV SANITARY SYSTEMS

OPTIM

OPTIM® FITTINGS - SOLVENT JOINT 32DN > 150DN

AS/NZS 1260 : 2017



REAR INSPECTION BEND

Code	Size	Carton Qty
101.50.45W	50 x 45°	85
101.50.88W	50 x 88°	80
101.65.45W	65 x 45°	45
101.80.45W	80 x 45°	40
101.80.88W	80 x 88°	30



REAR ACCESS BEND

Code	Size	Carton Qty
102.100.88	100 x 88°	15



SIDE ACCESS BEND

Code	Size	Carton Qty
103.100.45S	100 x 45°	10
103.100.88S	100 x 88°	10



PLAIN JUNCTION

Code	Size	Carton Qty
104.32.88	32 x 88°	200
104.40.45	40 x 45°	100
104.40.88	40 x 88°	100
104.50.45	50 x 45°	60
104.50.88	50 x 88°	80
104.65.45	65 x 45°	15
104.65.85	65 x 85°	40
104.80.45	80 x 45°	30
104.80.88	80 x 88°	30
104.100.45	100 x 45°	15
104.100.88	100 x 88°	15
104.150.45	150 x 45°	4
104.150.88	150 x 88°	3



REDUCING JUNCTION

Code	Size	Carton Qty
104.100.50.88	100 x 50 x 88°	22
104.100.50.45	100 x 50 x 45°	25
104.100.65.45	100 x 65 x 45°	20
104.100.80.45	100 x 80 x 45°	15
104.150.100.45F	150 x 100 x 45°	5
104.150.100.88F	150 x 100 x 88°	6



IN PIPE & IN SOCKET 90° ELBOWS

191.40S	40mm in socket elbow*	200
191.40P	40mm in pipe elbow**	200
191.50S	50mm in socket elbow*	200
191.50P	50mm in pipe elbow**	200

Made from ABS material.
* One end fits inside pipe socket.
**One end fits inside pipe.



REAR INSPECTION JUNCTION

Code	Size	Carton Qty
104.50.88W	50 x 88°	100



REAR ACCESS JUNCTION

Code	Size	Carton Qty
105.80.88	80 x 88°	15
105.100.88	100 x 88°	12



SIDE ACCESS JUNCTION

Code	Size	Carton Qty
105.100.45LH	100 x 45°	10
105.100.45RH	100 x 45°	10



DOUBLE JUNCTION

Code	Size	Carton Qty
106.100.88	EQUAL 100 x 88°	12



RING SEAL ADAPTOR

Code	Size	Carton Qty
109.80	80DN	100
109.100	100DN	100



STRAIGHT COUPLER

Code	Size	Carton Qty
110.32	32DN	350
110.40	40DN	300
110.50	50DN	200
110.65	65DN	95
110.80	80DN	100
110.100	100DN	40
110.100T*	100DN	10
110.150*	150DN	18

*Coupler has external thread on one end.



FIXED EXPANSION COUPLER

Code	Size	Carton Qty
111.50	50DN	110
111.65*	65DN	40
111.80	80DN	72
111.100	100DN	20
111.100C*	100DN	20

*Product has removable cardboard spacer.



COMBO INSPECTION TEE/EXPANSION COUPLER

Code	Size	Carton Qty
111.100JL*	100DN	7

*Product has removable cardboard spacer.



FEMALE THREAD ADAPTOR

Code	Size	Carton Qty
112.32	32DN	150
112.40	40DN	300
112.50	50DN	200

Master Plumbers Recommended

MARLEY OPTIM® DWV SANITARY SYSTEMS

OPTIM

OPTIM® FITTINGS - SOLVENT JOINT 32DN > 150DN

AS/NZS 1260 : 2017



Code	Size	Carton Qty
REDUCING JUNCTION M&F		
104.150.100.45	150 x 100 x 45°	5



MALE THREAD ADAPTOR		
113.32	32DN	150
113.40	40DN	350
113.50	50DN	200

COPPER TO PVC CONNECTORS		
114.32	32DN	100
114.40	40DN	80
114.50	50DN	50
114.100	100DN	22



EXPANSION STRAP BOSS (BOLTED)		
119.80.50	80 x 50DN	50
119.100.50	100 x 50DN	50



STRAP BOSS (SOLVENT)		
119.100.50S	100 x 50DN	25



SEALED CLEAN OUT		
120.100	100DN	45



e.g. 123.40.32
Spigot Socket

LEVEL INVERT REDUCER		
123.40.32	40 x 32DN	150
123.50.32	50 x 32DN	100
123.50.40	50 x 40DN	100
123.65.40	65 x 40DN	120
123.65.50	65 x 50DN	100
123.80.50	80 x 50DN	60
123.80.65	80 x 65DN	10
123.100.50	100 x 50DN	75
123.100.65	100 x 65DN	10
123.100.80	100 x 80DN	50
123.150.100	150 x 100DN	20



IN-PIPE REDUCING BUSH		
198.100.40	100 x 40DN	65
198.100.50	100 x 50DN	65
198.100.65	100 x 65DN	65
198.65.50	65 x 50DN	65
198.65.40	65 x 40DN	65



Code	Size	Carton Qty
SOCKET REDUCING BUSH		
124.40.32	40 x 32DN	300
124.50.40	50 x 40DN	200
124.65.40	65 x 40DN	200
124.65.50	65 x 50DN	10
124.80.50	80 x 50DN	150
124.100.50	100 x 50DN	50
124.100.65	100 x 65DN	10
124.100.80	100 x 80DN	65



PVC – CERAMIC ADAPTOR		
124.100S	100DN	45



CERAMIC – PVC ADAPTOR		
125.100S	100DN	10



CONCRETE SLAB ADAPTOR		
178.50	50	250
178.100P*	100	60

*One end fits inside pipe, other end fits inside pipe socket.



PAN CONNECTOR F&F		
127.80	80DN	30
127.100	100DN	30



PAN CONNECTOR M&F		
127C.100	CONCENTRIC 100DN	36
127M.100	OFFSET 100DN	36



INSPECTION PIPE M&F		
129.100S	100DN	10



INSPECTION PIPE F&F		
129.100	100DN	16



FLASHING CONE		
131.32	32DN	150
131.40	40DN	110
131.50	50DN	80
131.65	65DN	90
131.80	80DN	40
131.100	100DN	20

MARLEY OPTIM® DWV SANITARY SYSTEMS

OPTIM®

OPTIM® FITTINGS - SOLVENT JOINT 32DN > 150DN

AS/NZS 1260 : 2017



ACCESS PLUG SPIGOT END (32mm - 50mm)

Code	Size	Carton Qty
136.32	32DN	200
136.40	40DN	100
136.50	50DN	60



ACCESS PLUG SPIGOT END (80mm - 100mm)

Code	Size	Carton Qty
136.80	80DN	40
136.100	100DN	30



SCREW CAP & BASE SOCKET END

Code	Size	Carton Qty
136.100S	100DN	45
136C.100	100DN (Cap only)	45
136.150S	150DN	12
136C.150	150DN (Cap only)	40

PUSH ON CAP

Code	Size	Carton Qty
137.32	32DN	200
137.40	40DN	100
137.50	50DN	100
137.65	65DN	200
137.80	80DN	100
137.100	100DN	50
137.150	150DN	40



PIPE CLIP SADDLE

Code	Size	Carton Qty
140.32	32DN	250
140.40	40DN	250
140.50	50DN	250
140.80	80DN	100
140.100	100DN	180



2 PART ALUMINIUM HOLDER BAT

Code	Size	Carton Qty
140.80HB	80DN	25
140.100HB	100DN	50
140.150HB	150DN	50



PIPE CLIP STAND OFF

Code	Size	Carton Qty
140.32S	32DN	250
140.40S	40DN	250
140.50S	50DN	250
140.80S	80DN	100



PIPE CLIP SIDE HANGER

Code	Size	Carton Qty
140.80H	80DN	100



VENT COWL

Code	Size	Carton Qty
150.50.40	50 & 40DN	200
150.65	65DN	150
150.80	80DN	80
150.100	100DN	40



CONVERGE® PVC AERATOR 100mm

Code	Size	Carton Qty
CONV.100.PVC	100DN	1
CONV.M10.CLIP	100DN	40

Inlets = 3 x 100DN, 3 x 65DN
Converge Mitre 10 Nutclip sold separately as per CONV.M10.CLIP code above.



COMPAKT® BOSS GULLY TRAP

Code	Carton Qty
COMP.100.50.40	12
COMP.INSERT	10

199mm(h)
100mm female floor inlet
65mm male outlet
50mm female inlet
40mm female inlet x 2
Includes removable siphon insert
(spares available to order as per COMP.INSERT code above)



4 WAY BOSS JUNCTION M&F

Code	Size	Carton Qty
170.80.50.40.88	80 M&F BOSSES 50 x 40 x 40 x 40	15
170.100.50.4088	100 M&F BOSSES 50 x 50 x 40 x 40	20



ADJUSTABLE FLOOR WASTE GULLY

Code	Size	Carton Qty
159.80.50P	80 x 50DN	30
159.80.65P	80 x 65DN	28
159.100.50P	100 x 50DN	20
159.100.65P	100 x 65DN	12
159.100.100P	100 x 100DN	12



COLLAR

Code	Size	Carton Qty
172.100	100DN	30



GULLY COLLAR & GRATE (LOOSE FIT TOP)

Code	Size	Carton Qty
168.100L	100DN	30



DOME COLLAR & GRATE (LOOSE FIT TOP)

Code	Size	Carton Qty
168.100D	100DN	30



DOME GRATE

Code	Size	Carton Qty
172.G.100	100DN	30

Master Plumbers Recommended

MARLEY OPTIM® DWV SANITARY SYSTEMS

OPTIM® FITTINGS - SOLVENT JOINT 32DN > 150DN

AS/NZS 1260 : 2017



Code	Size	Carton Qty
FLOOR GRATE FOR TILE FLOORS		
168.80RDW	White PVC (Round) 80DN	10
168.100RDW	100DN	10



LEAK CONTROL FLOOR FLANGE		
126.80.LC80	80DN	40
126.100.LC100	100DN	40

(For vinyl remove lugs from LC80)



Code	Size	Carton Qty
VINYL RITE FLOOR WASTE SYSTEM (ROUND)		
VR100SS	Stainless Steel (Vinyl Floors) 100DN	10



SHOWER WASTE KITS FOR TILE FLOORS (SQUARE)		
TK80SC	Chrome on Brass Grate 80DN	1



TILE FLOOR FLANGE & GRATE COMBO (SQUARE)		
TFW80SC	Flange with Chrome Grate 80DN	1

PVC PRIMER, SOLVENT, LUBRICANT



Code	Description	Carton Qty
MARLEY "GOLD" AS/NZS 3879 For both high and low pressure applications		
MG125	Marley Gold 125ml	10
MG250	Marley Gold 250ml	10
MG500	Marley Gold 500ml	10
MG4000	Marley Gold 4 litre	4



MARLEY "CLEAR" For low pressure applications only		
SC125C	Marley Clear 125ml	10
SC250C	Marley Clear 250ml	10





GAP FILLING JOINTING For parallel and clearance fit joints		
CF1000GF	Gap Filling Primer Red	1 litre
GF1000C	Gap Filling Cement Clear (Type G)	1 litre

Primer to Cement ratio = 1:2 (approx.)



SOLVENT JOINT PRIMER (Pink Tint) AS/NZS 3879		
CF500	Marley Joint Primer 500ml	12
CF4000	Marley Joint Primer 4 litre	4



JOINT LUBRICANT		
JL250	RRJ Lubricant 275g (TUBE)	42
JL500	RRJ Lubricant 500g (POT)	18
JL2000	RRJ Lubricant 2kg (POT)	6



Code	Description	Carton Qty
RAINWATER SOLVENT CEMENT		
MCS	Solvent Welding Cement White 180g Tube	10
MCS.BLK	Solvent Welding Cement Black 180g Tube	1
MCS.GYF	Solvent Welding Cement Grey Friars® 180g Tube	1
MCS.GGY	Solvent Welding Cement Gull Grey 180g Tube	1
MCS.IRO	Solvent Welding Cement Ironsand® 180g Tube	1
MCS.FXB	Solvent Welding Cement FlaxBlack® 180g Tube	1
MCS.TTN	Solvent Welding Cement Titanium 180g Tube	1
MCS.COP	Solvent Welding Cement Copper 180g Tube	1
MCS.GY	Solvent Welding Cement Grey 180g Tube	1

Note: Use colour-matched solvent welding cement on Marley rainwater systems. **The use of anything other than Marley MCS on Marley rainwater systems will invalidate the 15-Year Rainwater Guarantee.**

MARLEY OPTIM® DWV SYSTEMS

OPTIM®

OPTIM® FITTINGS - RUBBER RING JOINT 100DN > 150DN

AS/NZS 1260 : 2017



PLAIN BEND F&F

Code	Size	Carton Qty
1501.100.45	100 x 45°	30
1501.100.88	100 x 88°	20
1501.150.45	150 x 45°	6
1501.150.88	150 x 88°	6

*This item is fabricated.



M&F SPIGOT BEND

Code	Size	Carton Qty
1571.100.5	100 x 5°	30
1571.100.11	100 x 11°	30
1571.100.15	100 x 15°	27
1571.100.22	100 x 22°	30
1571.100.30	100 x 30°	27



SIDE ACCESS BEND

Code	Size	Carton Qty
1503.100.45	100 x 45°	10
1503.100.88	100 x 88°	10



PLAIN JUNCTION SPIGOT END

Code	Size	Carton Qty
1504.150.45	150 x 45°	4



REDUCING JUNCTION SPIGOT END

Code	Size	Carton Qty
1504.150.100.45	150 x 100 x 45°	6



SIDE ACCESS JUNCTION

Code	Size	Carton Qty
1505.100.45LH	100 x 45°	10
1505.100.45RH	100 x 45°	10



PLAIN JUNCTION F&F

Code	Size	Carton Qty
1504.100.45	100 x 45°	10
1504.100.88	100 x 88°	10
1504.150.45F	150 x 45°	6
1504.150.88F	150 x 88°	6
1504.150.100Y.F	REDUCING 150 x 100 x 45°	6



RING SEAL COUPLER

Code	Size	Carton Qty
1511.150	150DN	12



FRESH AIR INLET

Code	Size	Carton Qty
1516.100	100DN	10



LEVEL INVERT REDUCER

Code	Size	Carton Qty
1523.100.80	100 x 80DN	40
1523.150.100	150 x 100DN	12



PVC - CERAMIC ADAPTOR

Code	Size	Carton Qty
1524.100	100DN	8



PRESSURE/SEWER ADAPTOR

Code	Size	Carton Qty
1524.114.100	114 x 100DN	10



CERAMIC - PVC ADAPTOR

Code	Size	Carton Qty
125.100S	100DN	10



ACCESS PIPE M&F

Code	Size	Carton Qty
1529.100	100DN	10



COMBINATION STANDARD / SLIP COUPLER

Code	Size	Carton Qty
1511.100C	100DN	40
1511S.150	150DN	15



SEPTIC TANK JUNCTION

Code	Size	Carton Qty
1514.100.88	100 x 88°	10



SCREW CAP & BASE (SOLVENT SOCKET)

Code	Size	Carton Qty
136.100S	100DN	20
136C.100	100DN (Cap Only)	10
136.150S	150DN	12
136C.150	150DN (Cap Only)	10



PUSH ON CAP (SOLVENT)

Code	Size	Carton Qty
137.100	100DN	50
137.150	150DN	40



ADJUSTABLE GULLY TRAP

Code	Size	Carton Qty
1559.100A	100DN	10



GULLY DISH

Code	Size	Carton Qty
1575.100	100DN Outlet Complete with Lid	10
1575L.100	100DN Lid Only	10

*These products are not licensed to AS/NZS 1260.




GULLY DISH RISER

Code	Size	Carton Qty
1575R.100.100	100mm High	6
1575R.100.200	200mm High	6
1575R.100.300	300mm High	6

Master Plumbers Recommended

Introducing converge®

The newest addition to Marley's OPTIM® range, Converge® is a unique PVC aerator ideal for single stack system applications.





Save space
in service risers with integrated vent tube allowing more usable floor area

Less pipework
means less penetrations, less time, less cost

Seamless integration
with other OPTIM® PVC DWV pipes and fittings

Design flexibility
a single aerator fitting offers 6 branch connection options

WaterMark WMKA1246

Recyclable uPVC

MARLEY by aliaxis

dBLUE ACOUSTIC PLUMBING SYSTEM

dBLUE POLYPROPYLENE ACOUSTIC PIPE SYSTEM



Code	Size	Carton Qty
PIPE WITH SOCKET		
PA.100.50.0.15	50mm x 0.15m	1
PA.100.50.0.25	50mm x 0.25m	1
PA.100.50.0.50	50mm x 0.5m	1
PA.100.50.1.0	50mm x 1m	1
PA.100.50.3.0	50mm x 3m	10
PA.100.75.0.15	75mm x 0.15m	1
PA.100.75.1.0	75mm x 1m	1
PA.100.75.1.5	75mm x 1.5m	1
PA.100.75.3.0	75mm x 3m	10
PA.100.75.0.50	75mm x 0.5m	1
PA.100.110.0.15	110mm x 0.15m	1
PA.100.110.0.50	110mm x 0.5m	1
PA.100.110.1.0	110mm x 1m	1
PA.100.110.3.0	110mm x 3m	10
PA.100.160.3.0	160mm x 3m	10



BEND		
PA.101.50.15	50 x 15°	20
PA.101.75.15	75 x 15°	20
PA.101.110.15	110 x 15°	8
PA.101.50.30	50 x 30°	20
PA.101.75.30	75 x 30°	20
PA.101.110.30	110 x 30°	8
PA.101.50.45	50 x 45°	20
PA.101.75.45	75 x 45°	20
PA.101.110.45	110 x 45°	14
PA.101.160.45	160 x 45°	14
PA.101.50.88	50 x 87.5°	20
PA.101.75.88	75 x 87.5°	20
PA.101.110.88	110 x 87.5°	14
PA.101.160.88	160 x 87.5°	14



JUNCTION 45°		
PA.104.50.45	50/50 x 45°	20
PA.104.75.50.45	75/50 x 45°	10
PA.104.75.45	75/75 x 45°	10
PA.104.110.50.45	110/50 x 45°	6
PA.104.110.75.45	110/75 x 45°	8
PA.104.110.45	110/110 x 45°	7
PA.104.160.45	160/160 x 45°	7
PA.104.160.110.45	160/110 x 45°	7



JUNCTION 88°		
PA.104.50.88	50/50 x 88°	20
PA.104.75.88	75/75 x 88°	10
PA.104.110.88	110/110 x 88°	7



Code	Size	Carton Qty
LEVEL INVERT		
PA.123.75.50	75/50	20
PA.123.110.50	110/50	17
PA.123.110.75	110/75	15
PA.123.160.110	160/110	15



STOP COUPLER		
PA.121.50	50	20
PA.121.75	75	20
PA.121.110	110	6
PA.121.160	160	6



SLIP COUPLER		
PA.110.50	50	20
PA.110.75	75	20
PA.110.110	110	6
PA.110.160	160	6



INSPECTION PIPE		
PA.129.110	110	6
PA.129.160	160	3



SOCKET PLUG		
PA.137.50	50	20
PA.137.75	75	20
PA.137.110	110	20



PIPE ACOUSTIC CLAMP		
PA.140.50M	50	10
PA.140.75M	75	10
PA.140.110M	110	-
PA.140.160M	160	-



FLOOR WASTE GULLY		
PA.159.110.75	110/75	-



PP-PVC REDUCER		
PA.50.50.200	50/50	-
PA.75.65.200	75/65	-



PP-PVC REDUCER BUNG		
PA.PVC.40.50	40 x 50	100
PA.PVC.50.75	50 x 75	50

Master Plumbers Recommended

dBLUE ACOUSTIC PLUMBING SYSTEM

dBlue

dBLUE POLYPROPYLENE ACOUSTIC PIPE SYSTEM



Code	Size	Carton Qty
SOCKET CLIP		
PA.137.50CLIP	50	1
PA.137.75CLIP	75	1
PA.137.110CLIP	110	1



Code	Size	Carton Qty
RRJ LUBRICATION		
DBJL250	250ml	-



PIPE BEVEL TOOL		
DBPBTOOL	-	1

dBLUE BENEFITS

Noise reduction

Marley dBlue has been independently tested by the Commonwealth Scientific and Industrial Research Organisation (CSIRO) and meets the Australian $R_w + C_{tr}$ 25 and 40 benchmarks without the need for lagging.

Temperature resistant



Temperature resistant up to 90 degrees and down to -10, dBlue is ideal for use in hot waste removal.

Faster install

dBlue doesn't require lagging which saves on installation time and allows for easy inspection.

High chemical resistance

Ranging from acids (pH2) to alkalis (pH12).

Space saving

With no lagging required, dBlue allows for more useable space in your building.

100% Recyclable

This sustainable system is 100% recyclable and adheres to the environmental standard IS04001.

dBlue has Certification to Australian and New Zealand Standards

dBlue is designed in accordance with the installation standard AS/NZS3500.2. The system complies with AS/NZS 7671 and has WaterMark certification. The dBlue system has been developed under a 1SO 9001 Quality management system and ISO 14001 Environmental management system.

AS/NZS 7671:2010 – Plastic piping systems for soil and waste discharge (low and high temperature) inside buildings – Polypropylene (PP)

- **WaterMark - WMK25729**

AS/NZS 5065:2005 – Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

- **WaterMark – WMK25751**
- **Branz appraisal - No 610**

ISO 9001 Quality management system

BRANZ Appraised
Appraisal No.610 [2021]

ISO 14001 Environmental management system

COUPLINGS

COUPLING

- Especially designed for sewer, drain, waste and vent pipes in non-pressure applications
- All measurements are coupling ID (Pipe OD) and in millimetres. Watermark Lic. #26168



Code	A (mm)	B (mm)	C (mm)
D101 SERIES - CLAY TO CLAY			
D101-66	188 range (179–197)	188 range (179–197)	152
D101-1010	298 range (283–313)	298 range (283–313)	152



D106 SERIES - CONCRETE TO CAST IRON (CI), PVC, COPPER (CU), GALVANISED IRON OR LEAD			
D106-43	85 range (81-89)	144 range (137–151)	101
D106-44	110 range (105-116)	144 range (137-151)	101
D106-64	110 range (105-116)	198 range (188-208)	152
D106-66	162 range (154-170)	198 range (188-208)	152
D106-1010	265 range (252–278)	320 range (304–336)	160



D104 SERIES - CONCRETE TO CONCRETE			
D104-44	144 range (137–151)	144 range (137–151)	101
D104-66	198 range (188–208)	198 range (188–208)	152
D104-88	260 range (247–273)	260 range (247–273)	152



D151 SERIES - FIBRE CEMENT FIBRE OR DUCTILE IRON TO PVC, GALVANISED IRON OR CAST IRON			
D151-44	111 range (105-117)	121 range (115-127)	101
D151-66	160 range (152-168)	180 range (171-189)	152
D151-1010	265 range (252-278)	280 range (266-294)	152



D155 SERIES - FIBRE CEMENT FIBRE OR DUCTILE IRON TO FIBRE CEMENT FIBRE OR DUCTILE IRON			
D155-44	120 range (114–126)	120 range (114–126)	99





D156 SERIES - ANY COMBINATION OF PLASTIC, PVC, COPPER, GALVANISED IRON, CAST IRON OR LEAD			
D156-125	42 range (40-44)	42 range (40-44)	88
D156-150	49 range (47-51)	49 range (47-51)	90
D156-22	60 range (57-63)	60 range (57-63)	88
D156-32	60 range (57-63)	89 range (85–93)	101
D156-33	88 range (84-92)	88 range (84-92)	101
D156-350	90 range (85-95)	90 range (85-95)	93
D156-42	60 range (57–63)	110 range (105–116)	101
D156-43	86 range (82–90)	110 range (105–116)	101
D156-44	110 range (105–116)	110 range (105–116)	101
D156-64	112 range (106–118)	170 range (162–179)	147
D156-66	170 range (162–179)	170 range (162–179)	147
D156-88	215 range (204-226)	215 range (204-226)	147
D156-1010	268 range (255-281)	268 range (255-281)	160
D156-1212	326 range (310-342)	326 range (310-342)	160



D160 SERIES - PLASTIC TO PLASTIC			
D160-22	70 range (67-74)	70 range (67-74)	100
D160-44	125 range (119–131)	125 range (119–131)	100

Master Plumbers Recommended

COUPLINGS



Code	A (mm)	B (mm)	C (mm)
RESIDENTIAL SERIES			
DKCTC150	35 range (33–37)	35 range (33–37)	60
DKDTC150	38 range (36–40)	48 range (46–50)	58
DKDTC215	36 range (34–38)	60 range (58–63)	59
DKDWC100	18 range (17-19)	23 range (22-24)	68



QWIK CAPS			
DKC101	38 range (36–40)		38
DKC102	50 range (48–53)		38
DKC103	75 range (71-79)		43
DKC104	100 range (95-105)		50

COUPLING SPARES



Code	Suitable for
CLAMPS	
DC12	DKDWC100
DC24	DKCTC150, DKDTC150, DKDTC215
DC28	D156-125
DC32	D156-150, DKDTC150, DKC101
DC40	D156-22, D156-32, D156-42, D160-22, DKDTC215, DKC102
DC60	D106-43, D156-32, D156-33, D156-43, DKC103
DC76	D106-44, D106-64, D151-44, D156-42, D156-43, D156-44, D156-64, DKC104
DC80	D151-44, D155-44, D160-44
DC96	D104-44, D106-43, D106-44
DC112	D106-66, D151-66, D156-64, D156-66
DC128	D101-66, D104-66, D106-64, D106-66, D106-64, D106-66, D151-66
DC144	D156-88
DC184	D104-88, D106-1010, D151-1010, D156-1010
DC216	D101-1010, D106-1010, D156-1212

THE ONLY TRAP WITH A 5 DEGREE RANGE OF MOTION



FLEXI TRAP®

MARLEY

by aliaxis

COMPACT TRAPS

- Features a 5° range of motion, providing a quick and easy installation
- Options include telescopic for extra reach, supplementary inlets for dishwashers and reducing kits
- WaterMark certified LicWMK 26068.4
- Patented design

Code	Description
P&S COMPACT TRAP 40mm	
PS40C	Inlet: 40mm Outlet: 40mm
P&S TELESCOPIC TRAP 32/40mm	
PS32/40TA	Inlet: 32mm or 40mm BSP Outlet: 32mm or 40mm compression Reducing kit included
P&S TELESCOPIC REDUCER TRAP 32/40mm	
PS32/40TR	Inlet: 32mm BSP Outlet: 32mm or 40mm compression
P&S TELESCOPIC TRAP 40mm	
PS40T	Inlet: 40mm telescopic Outlet: 40mm

Code	Description
P&S TELESCOPIC TRAP 40mm WITH SUPPLEMENTARY INLET	
PS40TS	Inlet: 40mm Outlet: 40mm Supplementary inlet for dishwasher outlet
P&S COMPACT TRAP 32/40mm	
PS32/40C	Inlet: 32mm or 40mm BSP Outlet: 32mm or 40mm compression Reducing kit included
P&S COMPACT TRAP 32/40mm	
PS40A	Inlet: 40mm extra long telescopic Outlet: 40mm

VENTED TRAPS

- Vented trap with air admittance valve (AAV) eases syphonic action, reduces noise and protects the water seal
- Vent is easily accessed for maintenance
- Telescopic inlet for quick easy height adjustment
- WaterMark certified LicWMK 26068.4 & LicWMK 26069.4
- Patented design

Code	Description
P&S VENTED TELESCOPIC TRAP 40mm WITH S INLET	
PS40CVTS	Inlet: 40mm Outlet: 40mm Supplementary inlet for dishwasher outlet
P&S VENTED TELESCOPIC REDUCER TRAP 32/40mm	
PS32/40VTR	Inlet: 32mm BSP Outlet: 32mm or 40mm compression

Code	Description
P&S VENTED TELESCOPIC TRAP 32/40mm	
PS32/40CVTA	Inlet: 32mm or 40mm BSP Outlet: 32mm or 40mm compression Reducing kit included
P&S VENTED TELESCOPIC TRAP 40mm	
PS40CVT	Inlet: 40mm telescopic Outlet: 40mm

FLEXITRAP™

POP UP AND PLUG & WASTE TRAPS

- Integrated waste
- Inlet Size – 32mm or 40mm waste with or without overflow
- Outlet Size – 32mm or 40mm compression
- Compact adjustable size
- Telescopic inlet for quick easy height adjustment
- WaterMark certified LicWMK 26068.4 & LicWMK 26069.4
- Patented design



Code	Description
P&S POP UP WASTE TRAP - 32/40mm	
PS32/40PU	Integrated pop up waste with flat style plug



Code	Description
P&S POP UP WASTE TRAP DOME - 32/40mm	
PS32/40PUD	Integrated pop up waste with dome style plug



Code	Description
P&S PLUG & WASTE TRAP - 32/40mm	
PS32/40PW	Integrated plug & waste grate



Code	Description
P&S BLACK POP UP WASTE TRAP - 32/40mm	
PS32/40PUB	Integrated pop up waste with flat style plug in a matte black finish



Code	Description
P&S VENTED POP UP WASTE TRAP - 32/40mm	
PS32/40PUV	Integrated pop up waste with flat style plug Vented trap with air admittance valve (AAV)



Code	Description
P&S VENTED PLUG & WASTE TRAP - 32/40mm	
PS32/40PWV	Integrated plug & waste grate Vented trap with air admittance valve (AAV)

TIGHT P TRAPS

- The significantly reduced width of the Tight P trap makes it an ideal solution for installations when space is limited
- Inlet Size – 32mm or 40mm BSP, or Pop up waste suitable for basins with or without overflow
- Outlet Size – 32mm or 40mm compression
- Telescopic inlet for quick easy height adjustment
- WaterMark certified LicWMK 26068.4 & LicWMK 26069.4



Code	Description
TELESCOPIC TIGHT P TRAP - 32/40mm	
32/40TTP	Inlet: 32mm BSP Outlet: 32mm or 40mm compression



Code	Description
POP UP TIGHT P TRAP - 32/40mm	
32/40PUTP	Integrated pop up waste with flat style plug



Code	Description
TELESCOPIC TIGHT P TRAP - 40mm	
40TTP	Inlet: 40mm Outlet: 40mm



Code	Description
TELESCOPIC VENTED TIGHT P TRAP - 32/40mm	
32/40TTPV	Inlet: 32mm BSP Outlet: 32mm or 40mm compression



Code	Description
POP UP VENTED TIGHT P TRAP - 32/40mm	
32/40PUTPV	Integrated pop up waste with flat style plug Vented trap with air admittance valve (AAV)



Code	Description
TELESCOPIC VENTED TIGHT P TRAP - 40mm	
40TTPV	Inlet: 40mm Outlet: 40mm Vented trap with air admittance valve (AAV)

Master Plumbers Recommended

WASTE WATER TRAPS

STANDARD TRAPS



Code	Description
P SHORT INLET TRAP - 32mm	
P32	Inlet: 32mm Outlet: 32mm P installation only



Code	Description
S SHORT INLET TRAP - 32mm	
S32	Inlet: 32mm Outlet: 32mm S installation only



Code	Description
S ADJUSTABLE INLET TRAP - 32mm	
S32A	Inlet: 32mm telescopic Outlet: 32mm S installation only



Code	Description
P ADJUSTABLE INLET TRAP - 32mm	
P32A	Inlet: 32mm telescopic Outlet: 32mm P installation only



Code	Description
S SHORT INLET TRAP - 40mm	
S40	Inlet: 40mm Outlet: 40mm S installation only

Code	Description
P SHORT INLET TRAP - 40mm	
P40	Inlet: 40mm Outlet: 40mm P installation only



Code	Description
P&S ADJUSTABLE TRAP - 50mm	
PS50S	Inlet: 50mm Outlet: 50mm P&S installation options 2 supplementary inlets for dishwasher connection

Code	Description
P&S TELESCOPIC TRAP - 50mm	
PS50TS	Inlet: 50mm Outlet: 50mm Supplementary inlet for dishwasher connection

BOTTLE TRAPS

- Ideal when space is limited under the sink
- Easily installed and cleaned – simply unscrew bottom section



Code	Description
BOTTLE TRAP - 32mm	
BP32	Inlet: 32mm Outlet: 32mm P installation only



Code	Description
CHROME PLATED BOTTLE TRAP - 32mm	
S-438	Inlet: 32mm telescopic Outlet: 32/40mm P installation only



Code	Description
BOTTLE TRAP - 40mm	
BP40	Inlet: 40mm Outlet: 40mm P installation only

TRAP ACCESSORIES



Code	Description
40mm DISHWASHER ADAPTOR	
DWA40S	Inlet: 40mm Outlet: 40mm

Code	Description
40mm DOUBLE WASTE CONNECTOR	
DWC40	Inlet: 40mm Outlet: 40mm



Code	Description
40mm DOUBLE WASTE ADAPTOR	
DWTA40	Inlet: 40mm Outlet: 40mm



Code	Description
40mm ADAPTOR TEE	
T40FM	Inlet: 40mm Outlet: 40mm 40mm compression branch

WASTE WATER TRAPS

TRAP ACCESSORIES



Code	Description
40mm x 95° WASTE BEND	
B4095F	Inlet: 40mm adjustable female Outlet: 40mm compression nut



Code	Description
40mm EXTENSION PIPE	
E40A	40mm diameter extension tube Adjustable up to 240mm



Code	Description
40mm COMPRESSION COUPLING, F BSP	
C40F	Inlet: 40mm BSP nut Outlet: 40mm compression nut

Code	Description
40mm COMPRESSION COUPLING, M BSP	
C40MWH	Inlet: 40mm male Outlet: 40mm compression



Code	Description
32mm/40mm ADAPTOR NUT	
TA3240WH	Inlet: 32mm BSP female Outlet: 40mm BSP male

Code	Description
40mm REDUCER COUPLING BSP	
R40F32M	Inlet: 40mm swivel nut Outlet: 32mm BSP male



Code	Description
40mm REDUCER COUPLING	
R4032WH	40mm to 32mm compression coupling

Code	Description
50mm REDUCER COUPLING BSP	
R50F40M	Inlet: 50mm BSP nut Outlet: 40mm BSP male



Code	Description
PVC STRAPPING	
SC1630	16mm x 30m (coil)

TRAP SPARES



Code	Description
SUPPLEMENTARY INLET CAP	
DSICWO	Replacement supplementary inlet cap



Code	Description
32mm BLACK SINGLE TAPERED WASHER	
ST32	Bottle trap code - BP32



Code	Description
40mm BLACK SINGLE TAPERED WASHER	
ST40	Bottle trap code - BP40

Code	Description
32mm DOUBLE TAPER WASHER	
WT32	Use at outlet of FlexiTrap™ 32mm traps



Code	Description
40mm DOUBLE TAPER WASHER	
WT40	Use at outlet of FlexiTrap™ 40mm traps



Code	Description
40mm ADJUSTABLE TRAP COMPRESSION WASHER	
WT40A	Use at inlet of B4095F



Code	Description
32mm FLAT TRAP WASHER	
WF32	Use at inlet of FlexiTrap™ 32mm traps and accessories



Code	Description
40mm FLAT TRAP WASHER	
WF40	Use at inlet of FlexiTrap™ 40mm traps and accessories



Code	Description
40mm MIDDLE TRAP WASHER	
WF40M	Use in middle joint of 40mm standard traps



Code	Description
40mm DOUBLE TAPER WASHER	
PU3240S	10 Pack. Use in FlexiTrap™ and Tight P Pop Up traps

Master Plumbers Recommended

WASTE WATER TRAPS

PIPE COVER FLANGES

Code	Description
15mm BSP COVER FLANGE	
 DCF15B	Inner diameter: 21mm Outer diameter: 70mm
15mm COPPER COVER FLANGE	
 DCF15C	Inner diameter: 14mm Outer diameter: 70mm
15mm PB COVER FLANGE	
 DCF15PB	Inner diameter: 16mm Outer diameter: 70mm
20mm BSP COVER FLANGE	
DCF20B	Inner diameter: 26mm Outer diameter: 70mm
32mm COVER FLANGE	
 DCF32	Inner diameter: 36mm Outer diameter: 81mm

Code	Description
40mm COVER FLANGE	
 DCF40	Inner diameter: 43mm Outer diameter: 88mm
50mm COVER FLANGE	
 DCF50	Inner diameter: 56mm Outer diameter: 101mm
65mm COVER FLANGE	
 DCF65	Inner diameter: 69mm Outer diameter: 120mm
80mm COVER FLANGE	
 DCF80	Inner diameter: 82mm Outer diameter: 140mm
100mm COVER FLANGE	
 DCF100	Inner diameter: 110mm Outer diameter: 168mm

uPVC NON PRESSURE – STORMWATER

38	**Marley STORMLINE® Stormwater Systems**
38	STORMLINE® Pipes
39	STORMLINE® Fittings
40	Stormwater Fittings – Large Bore
41	Non-Return Valves
42	Stormwater Access Pits

STORMLINE® Pipe Size Guide

DN (mm)	SN4	
	SJ	RJ
90	✓	
100	✓	
150	✓	✓
175	✓	✓
225		✓
300		✓
375		✓

MARLEY STORMLINE® STORMWATER SYSTEMS

STORMLINE®



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

Code	Description	Length	Crate Qty
STORMLINE STORMWATER PIPE (SN4)			**AS/NZS 1254 : 2010**
700.90.1	90DN Stormline Pipe 6SJ	1m	100
700.90.3	90DN Stormline Pipe 6SJ	3m	105
700.90.6	90DN Stormline Pipe 6SJ	6m	105
700.100.6	100DN Stormline Pipe 6SJ	6m	60
700.150.6	150DN Stormline Pipe 6SJ	6m	28
700.175.6	175DN Stormline Pipe 6SJ	6m	10
700.150.6RJ	150DN Stormline Pipe 6RJ	6m	28
700.175.6RJ	175DN Stormline Pipe 6RJ	6m	10
700.225.6RJ	225DN Stormline Pipe 6RJ	6m	8
700.300.6RJ	300DN Stormline Pipe 6RJ	6m	6
700.375.6RJ	375DN Stormline Pipe 6RJ	6m	6

Master Plumbers Recommended

STORMLINE® FITTINGS

STORMLINE®

SOLVENT JOINT 90DN > 150DN



Code	Size	Carton Qty
PLAIN BEND		
701.90.15	90 x 15°	120
701.90.22	90 x 22°	60
701.90.45	90 x 45°	60
701.90.88	90 x 88°	60
101.100.15	100 x 15°	20
701.100.45	100 x 45°	20
701.100.88	100 x 88°	20
701.150.45	150 x 45°	6
701.150.88	150 x 88° 'swept'	5
701.150.90	150 x 90° 'tight radius'	12



M&F BEND		
771.90.45	90 x 45°	105



SIDE ACCESS BEND		
103.100.45S	100 x 45°	10
103.100.88S	100 x 88°	10



PLAIN JUNCTION		
704.90.45	90 x 45°	30
704.90.88	90 x 88°	30
704.100.45	100 x 45°	15
704.100.88	100 x 88°	15
704.150.45	150 x 45°	6
704.150.88	150 x 88° 'swept'	5



REDUCING JUNCTION		
704.150.100.45*	150 x 100 x 45°	7
704.150.100.90	150 x 100 x 90°	5

* M&F socket ends



SIDE ACCESS JUNCTION M&F		
105.100.45LH	100 x 45°	10
105.100.45RH	100 x 45°	10



Code	Size	Carton Qty
SOLVENT COUPLER		
710.90*	90DN	170
710.100T*	100DN	40
710.150	150DN	24

* Coupler has external thread on one end



STORMWATER TO DOWNPIPE ADAPTOR		
724.100.80.90	100 x 80/90DN	40
724.100.90	100 x 90DN (Bush)	70
724.90.100	90 x 100DN	30
724.150.100	150 x 100DN (Bush)	25



ACCESS PIPE M&F		
129.100S	100DN	1



SCREW CAP & BASE		
736C.90	150DN (Cap Only)	100
136.150S	150DN (Cap + Base)	10



KERB OUTLET		
765.90	90DN x 300	10
765.100	100DN x 300	10



PUSH ON CAP		
737.90	90DN	60
737.100	100DN	20



STORMWATER GRATE & FRAME		
769.90	90DN	166
769.150.100	100DN	56

BIG BORE SOLUTIONS

An extensive range of large diameter stormwater uPVC pipes and moulded fittings – sizes 175mm to 375mm.

- **Injection Moulded Fittings**
- **Consistent Quality Every Time**
- **Compliant to AS/NZS 1254**
- **Trusted New Zealand Supplier**



MARLEY
by aliaxis

STORMWATER FITTINGS – LARGE BORE

LARGE DIAMETER MOULDED FITTINGS



Code		Size	Qty
PLAIN BEND 45° F&F			
701M.175.45	●	175 x 45°	1
701A.225.45	●	225 x 45°	1
701A.300.45	●	300 x 45°	1
701A.375.45	●	375 x 45°	1



PLAIN BEND 90° F&F			
701M.175.90	●	175 x 90°	1
701A.225.90	●	225 x 90°	1
701A.300.90	●	300 x 90°	1
701A.375.90	●	375 x 90°	1



PLAIN JUNCTION 45° F&F			
704M.175.45	●	175 x 175 x 45°	1
704A.225.45	●	225 x 225 x 45°	1
704A.300.45	●	300 x 300 x 45°	1



PLAIN JUNCTION 90° F&F			
704M.175.90	●	175 x 175 x 90°	1
704A.225.90	●	225 x 225 x 90°	1
704A.300.90	●	300 x 300 x 90°	1



REDUCING JUNCTION 45° M&F			
704M.175.100.45MF	●	175 x 100 x 45°	1
704M.175.150.45MF	●	175 x 150 x 45°	1
704A.225.150.45*	●	225 x 150 x 45°	1

*FF socket

The Marley Large Diameter Range is made from uPVC and are designed for non-pressure applications in stormwater, commercial rainwater and rural installations.

- Fittings have a tapered socket and are designed for above ground use. Marley recommends the use of Marley Solvent Joint Primer in conjunction with Marley Gold Solvent. Prolonged exposure to UV light can result in some loss of impact strength although changes are minor and should not reduce the systems long term performance. Additional protection can be added by painting with acrylic paint.
- Fittings have a parallel socket and should be joined with Primer and gap filling cement. If installed above ground it is recommended to paint the fittings with a light coloured acrylic paint.



Code		Size	Qty
COUPLER			
710M.175	●	175 SLIP COUPLER	1
710M.225	●	225 SLIP COUPLER	1
710A.225	●	225	1
710A.300	●	300	1



LEVEL INVERT REDUCER			
723M.150.100	●	150 x 100	1
723M.175.150*	●	175 x 150	1
723M.225.100	●	225 x 100	1
723A.225.150	●	225 x 150	1
723M.225.175	●	225 x 175	1
723A.300.150	●	300 x 150	1
723M.300.175	●	300 x 175	1
723A.300.225	●	300 x 225	1

*fabricated fitting



PUSH ON CAP			
737M.175	●	175	1
737A.225	●	225	1
737A.300	●	300	1



REDUCING JUNCTION 90° F&F			
704M.175.150.90FF	●	175 x 150 x 90°	1

GAP FILLING JOINTING





For parallel & clearance fit joints

CF1000GF	Gap Filling Primer Red	1 litre
GF1000C	Gap Filling Cement Clear (Type G)	250ml

Primer to Cement ratio = 1:2 (approx.)

NON RETURN VALVES



NON RETURN VALVES NON PRESSURE		
1588.100	100DN	1
1588.150	150DN	1
1588.225*	225DN	1

*non stocked items are available on request

STORMWATER ACCESS PITS

ACCESS PITS, GRATES AND LIDS















Code	Description	Size	Qty
ACCESS PIT			
1SD5068	Access Pit 200	200 x 200 (4.48 litre capacity)	1
1SD5069	Access Pit 300	300 x 300 (16.8 litre capacity)	1
1SD5242	Access Pit 400	400 x 400 (44.7 litre capacity)	1
1SD5128	Access Pit 550	550 x 550 (120 litre capacity)	1
ACCESS PIT RISERS			
1SD5071	Pit Riser 200 Socket	200 x 200 x 200	1
1SD5072	Pit Riser 300 Socket	300 x 300 x 300	1
1SD5245	Pit Riser 400 Socket	400 x 400 x 400	1
1SD4887	Pit Riser 550 Socket	550 x 550 x 550	1
1SD5721	Pit Riser 300 No Socket	300 x 300 x 100	1
1SD5722	Pit Riser 400 No Socket	400 x 400 x 100	1
1SD5723	Pit Riser 550 No Socket	550 x 550 x 315	1
PVC PEDESTRIAN GRATE			
1SD4725	Pedestrian Grate 200	200 x 200	1
1SD4726	Pedestrian Grate 300	300 x 300	1
1SD4727	Pedestrian Grate 400	400 x 400	1
1SD4893	Pedestrian Grate 550	550 x 550	1
PVC TRAFFICABLE GRATE			
1SD1769	Trafficable Grate 200	200 x 200	1
1SD1923	Trafficable Grate 300	300 x 300	1
1SD2022	Trafficable Grate 400	400 x 400	1
1SD4781	Trafficable Grate 550	550 x 550	1
PVC PEDESTRAIN LID			
1SD4728	Pedestrian Lid	200 x 200	1
1SD4729	Pedestrian Lid	300 x 300	1
1SD4730	Pedestrian Lid	400 x 400	1
1SD4896	Pedestrian Lid	550 x 550	1
PVC TRAFFICABLE LID			
1SD1759	Trafficable Lid	200 x 200	1
1SD1924	Trafficable Lid	300 x 300	1
1SD1948	Trafficable Lid	400 x 400	1
1SD4782	Trafficable Lid	550 x 550	1

Non trafficable item

Trafficable item: Loading 1.5 tonne per wheel

Non trafficable item

Master Plumbers Recommended

uPVC / mPVC PRESSURE

44 uPVC Series 1
45 mPVC Genex® Series 1
46 Marley Blue uPVC Series 2
46 Marley Blue mPVC Genex® Series 2
46 Pressure Fittings – Solvent

PN6 -	CLASS B	Rated 60m Head	=	.6MPA	=	600 KPA	=	87 P.S.I.
PN9 -	CLASS C	Rated 90m Head	=	.9MPA	=	900 KPA	=	130 P.S.I.
PN12 -	CLASS D	Rated 120m Head	=	1.2MPA	=	1200 KPA	=	173 P.S.I.
PN15 -	CLASS E	Rated 150m Head	=	1.5MPA	=	1500 KPA	=	217 P.S.I.
PN18 -	CLASS F	Rated 180m Head	=	1.8MPA	=	1800 KPA	=	260 P.S.I.

MARLEY uPVC PRESSURE PIPE SIZE GUIDE

800 Series | 1800 Series

DN (mm)	PN6		PN9		PN12		PN15		PN16	
	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ
15							✓			
20							✓			
25							✓			
32					✓		✓			
40	✓		✓		✓		✓			
50	✓		✓	✓	✓	✓	✓	✓		
65	✓		✓	✓	✓	✓	✓	✓		
80	✓	✓	✓	✓	✓	✓	✓	✓		
100		✓	✓	✓	✓	✓ ✓	✓	✓		
125	✓	✓	✓	✓	✓	✓		✓		
150	✓	✓	✓	✓	✓	✓ ✓		✓		
175	✓	✓		✓		✓				
200		✓	✓	✓	✓	✓ ✓				
225		✓		✓		✓				
250		✓		✓		✓ ✓				
300		✓		✓		✓ ✓				✓
375		✓		✓		✓				

MARLEY mPVC PRESSURE PIPE SIZE GUIDE

850 Series | 1850 Series

DN (mm)	PN9		PN12		PN15		PN16	
	SJ	RJ	SJ	RJ	SJ	RJ	SJ	RJ
100		✓		✓ ✓		✓		
125		✓		✓		✓		
150		✓		✓ ✓		✓		✓
175		✓						
200		✓		✓ ✓		✓		✓
225		✓		✓				
250		✓		✓ ✓				
300		✓		✓ ✓		✓		
375		✓		✓				✓

Note: Minimum quantities and manufacturing/delivery times may apply, for stock availability phone **0800 MARLEY (0800 627 539)**

PRESSURE PIPE



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

Code*	Nominal DN	Length	Crate Qty
PN6 PRESSURE PIPE 800 SERIES 1 uPVC (6m Effective)			**AS/NZS 1477 : 2017**
800.40PN6	40	6m	209
800.50PN6	50	6m	150
800.65PN6	65	6m	96
800.80PN6	80	6m	57
800.100PN6.RJ	100	6m	38
800.125PN6	125	6m	22
800.150PN6	150	6m	28
800.175PN6	175	6m	10
800.200PN6.RJ	200	6m	8
800.225PN6.RJ	225	6m	8
800.250PN6.RJ	250	6m	6
800.300PN6.RJ	300	6m	6
800.375PN6.RJ	375	6m	6



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

PN9 PRESSURE PIPE 800 SERIES 1 uPVC (6m Effective)			**AS/NZS 1477 : 2017**
800.40PN9	40	6m	209
800.50PN9	50	6m	150
800.65PN9	65	6m	96
800.80PN9	80	6m	57
800.100PN9	100	6m	38
800.125PN9	125	6m	22
800.150PN9	150	6m	28
800.200PN9	200	6m	8
800.225PN9.RJ	225	6m	8
800.250PN9.RJ	250	6m	6
800.300PN9.RJ	300	6m	6
800.375PN9.RJ	375	6m	6



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

PN12 PRESSURE PIPE 800 SERIES 1 uPVC (6m Effective)			**AS/NZS 1477 : 2017**
800.32PN12	32	6m	264
800.40PN12	40	6m	209
800.50PN12	50	6m	150
800.65PN12	65	6m	96
800.80PN12	80	6m	57
800.100PN12	100	6m	38
800.125PN12	125	6m	22
800.150PN12	150	6m	28
800.175PN12.RJ	175	6m	10
800.200PN12	200	6m	8
800.225PN12.RJ	225	6m	8
800.250PN12.RJ	250	6m	6
800.300PN12.RJ	300	6m	6
800.375PN12.RJ	375	6m	6

Note: *To order Rubber Ring Pipe - add suffix ".RJ" to Product Code e.g. 800.125PN6.RJ

All SJ and RJ pipe 100mm and above is 6m effective. All SJ and RJ pipe below 100mm is 6m measured.
For stock availability phone **0800 MARLEY (0800 627 539)**

Master Plumbers Recommended

PRESSURE PIPE



SJ
(Solvent Joint)



RJ
(Rubber Ring Joint)

Code	Nominal DN	Length	Crate Qty	
PN15 PRESSURE PIPE 800 SERIES 1 uPVC (6m Effective)				**AS/NZS 1477 : 2017**
800.15PN15	15	6m	480	
800.20PN15	20	6m	456	
800.25PN15	25	6m	413	
800.32PN15	32	6m	264	
800.40PN15	40	6m	209	
800.50PN15	50	6m	150	
800.65PN15	65	6m	96	
800.100PN15	100	6m	38	
800.125PN15.RJ	125	6m	22	
800.150PN15.RJ	150	6m	28	

GENEX®



RJ
(Rubber Ring Joint)

PN9 PRESSURE PIPE WHITE 850 SERIES 1 mPVC (6m effective)				**AS/NZS 4765 : 2017**
850.100PN9.RJ	100	6m	38	
850.125PN9.RJ	125	6m	22	
850.150PN9.RJ	150	6m	28	
850.175PN9.RJ	175	6m	10	
850.200PN9.RJ	200	6m	8	
850.225PN9.RJ	225	6m	8	
850.250PN9.RJ	250	6m	6	
850.300PN9.RJ	300	6m	6	
850.375PN9.RJ	375	6m	6	



RJ
(Rubber Ring Joint)

PN12 PRESSURE PIPE WHITE 850 SERIES 1 mPVC (6m effective)				**AS/NZS 4765 : 2017**
850.100PN12.RJ	100	6m	38	
850.125PN12.RJ	125	6m	22	
850.150PN12.RJ	150	6m	28	
850.200PN12.RJ	200	6m	8	
850.225PN12.RJ	225	6m	8	
850.250PN12.RJ	250	6m	6	
850.300PN12.RJ	300	6m	6	
850.375PN12.RJ	375	6m	6	



RJ
(Rubber Ring Joint)

PN15 PRESSURE PIPE WHITE 850 SERIES 1 mPVC (6m effective)				**AS/NZS 4765 : 2017**
850.100PN15.RJ	100	6m	38	
850.125PN15.RJ	125	6m	22	
850.150PN15.RJ	150	6m	28	
850.200PN15.RJ	200	6m	8	
850.300PN15.RJ	300	6m	4	

MARLEY BLUE



RJ
(Rubber Ring Joint)

Code	Nominal DN	Length	Crate Qty
MARLEY BLUE SERIES 2 (AC/CI compatible uPVC pressure pipe) (6m effective)			**AS/NZS 1477 : 2017**
1800.100PN12.RJ	100	6m	30
1800.150PN12.RJ	150	6m	10
1800.200PN12.RJ	200	6m	8
1800.250PN12.RJ	250	6m	6
1800.300PN12.RJ	300	6m	4
1800.300PN16.RJ	300	6m	4



RJ
(Rubber Ring Joint)

GENEX BLUE SERIES 2 (AC/CI compatible mPVC pressure pipe) (6m effective)			**AS/NZS 4765 : 2017**
1850.100PN12.RJ	100	6m	30
1850.150PN12.RJ	150	6m	10
1850.200PN12.RJ	200	6m	8
1850.150PN16.RJ	150	6m	10
1850.200PN16.RJ	200	6m	8
1850.250PN12.RJ	250	6m	6
1850.300PN12.RJ	300	6m	4
1850.375PN16.RJ	375	6m	4

For stock availability phone **0800 MARLEY (0800 627 539)**

PRESSURE FITTINGS

PRESSURE FITTINGS - SOLVENT — AS/NZS 1477 : 2017

uPVC pressure fittings are manufactured in accordance with AS/NZS.1477. to pressure class PN15 rating. However, certain exceptions apply to individual fittings, in particular to some fittings which are sourced internationally. Before any installation, please check PN pressure rating on fittings. In general, the following PN rating specifications apply;

Note: Maximum working pressures for injected moulded uPVC fittings:

15-50mm	1500 KPA	217 PSI
65mm	1200 KPA	173 PSI
80-125mm	1500 KPA	217 PSI
150-200mm	1200 KPA	173 PSI
225-300mm	600 KPA	87 PSI

PACKAGING

Fittings	15-32mm	bagged in 10's
Fittings	40-50mm	bagged in 5's
Fittings	65mm and above	Single units
Pipe Clips	15mm	100/bag
Pipe Clips	20mm	50/bag
Pipe Clips	25mm, 32mm, 40mm	25/bag



Code	Size (mm)	Carton Qty
PLAIN 90° ELBOW		
801.15.90	15	250
801.20.90	20	150
801.25.90	25	100
801.32.90	32	60
801.40.90	40	50
801.50.90	50	60



Code	Size (mm)	Carton Qty
801.65.90	65	30
801.80.90	80	22
801.100.90	100	8
801.125.90	125	5
801.150.90	150	3
801.300.90	300	1

Master Plumbers Recommended

PRESSURE FITTINGS

PRESSURE FITTINGS - SOLVENT

AS/NZS 1477 : 2017



PLAIN 45° ELBOW

Code	Size	Carton Qty
801.15.45	15	200
801.20.45	20	200
801.25.45	25	200
801.32.45	32	80
801.40.45	40	140
801.50.45	50	60
801.80.45	80	22
801.100.45	100	10
801.150.45	150	4
801.200.45	200	2
801.300.45	300	1



FORMED 90° BEND

Code	Size	Carton Qty
803.15D.90	15	200
803.20D.90	20	80
803.25D.90	25	30
803.32D.90	32	20
803.40D.90	40	5
803.50D.90	50	5

FORMED 45° BEND

Code	Size	Carton Qty
803.15D.45	15	160
803.20D.45	20	80
803.25D.45	25	40
803.32D.45	32	30
803.40D.45	40	5
803.50D.45	50	5
803.65D.45	65	5
803.80D.45	80	1
803.125D.45	125	1
803.175D.45	175	1
803.200D.45	200	1



PLAIN 90° TEE

Code	Size (mm)	Carton Qty
804.15	15	200
804.20	20	200
804.25	25	100
804.32	32	50
804.40	40	30
804.50	50	40
804.65	65	20
804.80	80	13
804.100	100	5
804.150	150	2
804.200	200	2



PLAIN 90° REDUCING TEE

Code	Size (mm)	Carton Qty
805.20.15	20 x 15	60
805.25.15	25 x 15	80
805.25.20	25 x 20	80
805.32.25	32 x 25	60
805.40.25	40 x 25	80
805.40.32	40 x 32	80
805.50.20	50 x 20	50
805.50.25	50 x 25	50
805.80.25	80 x 25	50
805.80.40	80 x 40	10
805.80.50	80 x 50	9
805.100.50	100 x 50	12
805.100.80	100 x 80	9



FAUCET SOCKET

Code	Size (mm)	Carton Qty
806.15	15	300
806.20	20	250
806.25	25	180
806.32	32	100
806.40	40	80
806.50	50	90
806.80	80	20
806.100	100	9



REDUCED FAUCET ADAPTOR

Code	Size (mm)	Carton Qty
819.25.20	25 x 20	140
819.32.25	32 x 25	100
819.40.25	40 x 25	100
819.50.25	50 x 25	100

PRESSURE FITTINGS

PRESSURE FITTINGS - SOLVENT

AS/NZS 1477 : 2017



FAUCET TEE 90°

Code	Size	Carton Qty
807.15.90	15	200
807.20.90	20	60
807.25.90	25	80



FAUCET REDUCING TEE 90°

Code	Size	Carton Qty
807.20.15.90	20 x 15	180
807.25.15.90	25 x 15	180
807.25.20.90	25 x 20	80
807.40.25.90	40 x 25	80
807.50.20.90	50 x 20	50
807.50.25.90	50 x 25	50



FAUCET ELBOW 90°

Code	Size	Carton Qty
808.15.90	15	200
808.20.90	20	150
808.25.90	25	120
808.32.90	32	60



FAUCET REDUCING ELBOW 90°

Code	Size	Carton Qty
808.25.15.90	25 x 15	140



EXPANSION COUPLER

Code	Size	Carton Qty
809.15	15	28
809.20	20	24
809.25	25	15
809.32	32	10
809.40	40	16
809.50	50	12
809.80	80	1

PLAIN SOCKET COUPLER

Code	Size	Carton Qty
810.15	15	400
810.20	20	300
810.25	25	150
810.32	32	100
810.40	40	80
810.50	50	50
810.65	65	50
810.80	80	39
810.100	100	18
810.125	125	8
810.150	150	4



SOCKET UNION

Code	Size	Carton Qty
811.20	20	100
811.25	25	60
811.32	32	40
811.40	40	50
811.50	50	40

VALVE SOCKET

Code	Size	Carton Qty
813.15	15	400
813.20	20	300
813.25	25	150
813.32	32	100
813.40	40	50
813.50	50	50
813.65	65	30
813.80	80	25
813.100	100	12



VALVE ADAPTOR

Code	Size	Carton Qty
817.15	15	300
817.20	20	300
817.25	25	260
817.32	32	100
817.40	40	100
817.50	50	100
817.80	80	12
817.100	100	7



REDUCING VALVE ADAPTOR

Code	Size	Carton Qty
817.20.15		300
817.25.20		300
817.32.25		100
817.40.32		100
817.50.32		10

Master Plumbers Recommended

PRESSURE FITTINGS

PRESSURE FITTINGS - SOLVENT

AS/NZS 1477 : 2017



REDUCING SOCKET

Code	Size	Carton Qty
823.20.15	20 x 15	200
823.25.15	25 x 15	120
823.25.20	25 x 20	280
823.32.25	32 x 25	100
823.40.20	40 x 20	120
823.40.32	40 x 32	80
823.50.40	50 x 40	120
823.65.50	65 x 50	30
823.80.50	80 x 50	30
823.80.65	80 x 65	26
823.100.50	100 x 50	25
823.100.80	100 x 80	25
823.125.100	125 x 100	6
823.150.100	150 x 100	4



REDUCING BUSH

Code	Size	Carton Qty
824.20.15	20 x 15 (Grey)	1000
824.25.15	25 x 15	300
824.25.20	25 x 20	2000
824.32.25	32 x 25	200
824.40.32	40 x 32	200
824.50.25	50 x 25	70
824.50.40	50 x 40	100
824.80.50	80 x 50 (Grey)	55
824.80.65	80 x 65 (Grey)	26
824.100.50	100 x 50	25
824.100.80	100 x 80	25
824.150.100	150 x 100	12
824.200.150	200 x 150 (Grey)	1

M&F REDUCING BUSH

Code	Size	Carton Qty
824.40.25	40 x 25	200



COMBO.STUB FLANGE / PVC BACKING RING ASSEMBLY

Code	Carton Qty
825.826.50	50
825.826.80	80
825.826.100	100
825.826.150	150

Combination Stub Flange with PVC backing ring, pre-drilled to table D & E, PN18 rated.



STUB FLANGE

Code	Size	Carton Qty
826.125	125 (Grey)	6
826.200	200 (Grey)	9
826.300	300 (Grey)	3



METAL BACKING RING (Drilled to Table E)

Code	Size	Carton Qty
827.50	50	1
827.65	65	10
827.80	80	1
827.100	100	1
827.150	150	10
827.200	200	6
827.300	300	10

PLAIN END CAP

Code	Size	Carton Qty
830.15	15	600
830.20	20	300
830.25	25	300
830.32	32	100
830.40	40	100
830.50	50	80
830.65	65	45
830.80	80	50
830.100	100	15
830.125	125	12
830.150	150	6



THREADED END PLUG

Code	Size	Carton Qty
837.15	15	460
837.20	20	300
837.25	25	200
837.32	32	120
837.40	40	100
837.50	50	50
837.80	80	40
837.100	100	24



PIPE CLIP

Code	Size	Carton Qty
840.15	15	1000
840.20	20	500
840.25	25	500
840.32	32	500
840.40	40	500
840.50	50	500

PRESSURE FITTINGS

PRESSURE FITTINGS - SOLVENT

AS/NZS 1477 : 2017



Code	Size	Carton Qty
NEOPRENE GASKET FOR FULL FACE FLANGE 825		
842.65	65	1
842.80	80	1
842.100	100	1
842.150	150	1



Code	Size	Carton Qty
NEOPRENE GASKET FOR STUB FLANGE 826		
845.50	50	1
845.65	65	1
845.100	100	1
845.150	150	1


Master Plumbers Recommended

POLYETHYLENE NON PRESSURE

52 Marley HDPE Drainage Systems

52 Akatherm Drainage System

55 Akasison Siphonic Roof Drainage





MARLEY HDPE DRAINAGE SYSTEMS

akatherm

AKATHERM DRAINAGE SYSTEM



Code	Description	Wall Thickness (mm)
PE DRAINAGE PIPE 5 METRES		
A100400	40mm x 5m	3
A100500	50mm x 5m	3
A105600	56mm x 5m	3
A100600	63mm x 5m	3
A100700	75mm x 5m	3
A100900	90mm x 5m	3.5
A101100	110mm x 5m	4.2
A101200	125mm x 5m	4.8
A101600	160mm x 5m	6.2
A102010	200mm x 5m	7.7
A102510	250mm x 5m	9.6
A103110	315mm x 5m	12.1



Code	Description
PE DRAINAGE BEND 45°	
A120445	40mm
A120545	50mm
A125645	56mm
A120645	63mm
A120745	75mm
A120945	90mm
A121145	110mm
A121245	125mm
A121645	160mm
A122045	200mm
A122545	250mm
A123145	315mm



PE DRAINAGE BEND 88°	
A120488	40mm
A120588	50mm
A125688	56mm
A120688	63mm
A120788	75mm
A120988	90mm
A121188	110mm
A121288	125mm
A121688	160mm
A122088	200mm
A122588	250mm
A123188	315mm



Code	Description
AKAVENT AERATORS	
A601117	110mm
A601617	160mm



REDUCER ECCENTRIC	
A160504	Reducer 50mm/40mm
A165604	Reducer 56mm/40mm
A165605	Reducer 56mm/50mm
A160604	Reducer 63mm/40mm
A160605	Reducer 63mm/50mm
A160656	Reducer 63mm/56mm
A160704	Reducer 75mm/40mm
A160705	Reducer 75mm/50mm
A160756	Reducer 75mm/56mm
A160706	Reducer 75mm/63mm
A160904	Reducer 90mm/40mm
A160905	Reducer 90mm/50mm
A160956	Reducer 90mm/56mm
A160906	Reducer 90mm/63mm
A160907	Reducer 90mm/75mm
A161105	Reducer 110mm/50mm
A161156	Reducer 110mm/56mm
A161106	Reducer 110mm/63mm
A161107	Reducer 110mm/75mm
A161109	Reducer 110mm/90mm
A161256	Reducer 125mm/56mm
A161207	Reducer 125mm/75mm
A161209	Reducer 125mm/90mm
A161211	Reducer 125mm/110mm
A161611	Reducer 160mm/110mm
A161612	Reducer 160mm/125mm



REDUCER ECCENTRIC LONG	
A142012	Reducer 200mm/125mm
A142016	Reducer 200mm/160mm
A142520	Reducer 250mm/200mm
A143120	Reducer 315mm/200mm
A143125	Reducer 315mm/250mm

MARLEY HDPE DRAINAGE SYSTEMS

akatherm

AKATHERM DRAINAGE SYSTEM



CLEANOUT BRANCH 90°

Code	Description
A231120	Cleanout Branch 110mm
A231200	Cleanout Branch 125mm/110mm
A231620	Cleanout Branch 160mm/110mm
A232000	Cleanout Branch 200mm/110mm
A232500	Cleanout Branch 250mm/110mm
A233100	Cleanout Branch 315mm/110mm



JUNCTIONS 88.5°

Code	Description
A200404	Junction 40mm
A201111	Junction 110mm



JUNCTIONS 45°

Code	Description
A300404	Junction 40mm
A300504	Junction 50mm/40mm
A300505	Junction 50mm
A300605	Junction 63mm/50mm
A300606	Junction 63mm
A300704	Junction 75mm/40mm
A300705	Junction 75mm/50mm
A300756	Junction 75mm/56mm
A300706	Junction 75mm/63mm
A300707	Junction 75mm
A300904	Junction 90mm/40mm
A300905	Junction 90mm/50mm
A300956	Junction 90mm/56mm
A300906	Junction 90mm/63mm
A300907	Junction 90mm/75mm
A300909	Junction 90mm
A301104	Junction 110mm/40mm
A301105	Junction 110mm/50mm
A301156	Junction 110mm/56mm
A301106	Junction 110mm/63mm
A301109	Junction 110mm/90mm
A301111	Junction 110mm
A301205	Junction 125mm/50mm
A301256	Junction 125mm/56mm
A301206	Junction 125mm/63mm
A301207	Junction 125mm/75mm
A301209	Junction 125mm/90mm
A301211	Junction 125mm/110mm
A301212	Junction 125mm



Code	Description
A301605	Junction 160mm/50mm
A301606	Junction 160mm/63mm
A301607	Junction 160mm/75mm
A301609	Junction 160mm/90mm
A301611	Junction 160mm/110mm
A301612	Junction 160mm/125mm
A301616	Junction 160mm
A302006	Junction 200mm/63mm
A302007	Junction 200mm/75mm
A302009	Junction 200mm/90mm
A302011	Junction 200mm/110mm
A302012	Junction 200mm/125mm
A302016	Junction 200mm/160mm
A302020	Junction 200mm
A302507	Junction 250mm/75mm
A302512	Junction 250mm/125mm



PE DRAINAGE EXPANSION SOCKET

A400420	40mm
A400520	50mm
A405620	56mm
A400620	63mm
A420720	75mm
A420920	90mm
A421120	110mm
A421220	125mm
A421620	160mm
A403120	315mm



INSPECTION CAP AND BASE

A660540	50mm
A660640	63mm
A660940	90mm
A661140	110mm



PLUG IN SOCKET WITH PROTECTIVE PLUG

A421150	110mm



SNAP SOCKETS WITH PROTECTIVE PLUG

A400910	90mm
A401110	110mm

Note. All HDPE available as single units.

MARLEY HDPE DRAINAGE SYSTEMS

akatherm

AKATHERM DRAINAGE SYSTEM



Code	Description
END CAP (BUTT WELD)	
A670507	50mm
A675607	56mm
A670607	63mm
A670707	75mm
A670907	90mm
A671107	110mm
A671209	125mm
A671609	160mm
A672009	200mm
A672509	250mm
A673109	315mm



TRAP	
A040401	S Trap 40mm



4 FOLD BOSS JUNCTION 88.5°	
A441114	110/50mm 88.5°



Code	Description
PE DRAINAGE ELECTROFUSION COUPLER	
A410495	40mm
A410595	50mm
A415695	56mm
A410695	63mm
A410795	75mm
A410995	90mm
A411195	110mm
A411295	125mm
A411695	160mm
A412065	200mm
A412565	250mm
A413165	315mm



PE DRAINAGE ELECTROFUSION COUPLER	
A419830	Akafusion Welder CB160 40-160mm
A419910	Akafusion Welder CB315-U 40-315mm
A419971	CB315-U Yellow Output Leads 40-160mm
A419972	CB315-U Blue Output Leads 200-315mm
A419975	CB315-U Blue Output Leads 200-315mm

AKASISON SIPHONIC ROOF DRAINAGE



Code	Description
AKASISON ROOF OUTLETS	
A740650	63mm Metal Gutter
A749283	63mm Connector
A747514	75mm PVC Flange
A747500	75mm Non-Bituminous*
A747312	75mm Bituminous*
A740930	90mm Non-Bituminous
A749285	90mm Connector
A747590	O/Flow Collar 75mm/90mm
A745551	Airbaffle Nut (Set of 2)
A745582	O/Flow Extension Nut (Set of 2)

*Includes connector



AKASISON RAIL & FITTINGS	
A700005	Rail 30mm x 30mm x 5m For Brackets 40 to 200mm
A700007	Rail 41mm x 41mm x 5m For Brackets 250 to 315mm
A700015	Connector 30mm/41mm
A700025	Suspension Bkt 30mm x 30mm
A750435	Bkt 40mm x M10
A750535	Bkt 50mm x M10
A755635	Bkt 56mm x M10
A750635	Bkt 63mm x M10
A750735	Bkt 75mm x M10
A750935	Bkt 90mm x M10
A751135	Bkt 110mm x M10
A751235	Bkt 125mm x M10
A751635	Bkt 160mm x M10
A752035	Bkt 200mm x M10
A752535	Bkt 250mm x M10
A730025	Anchorpoint Set x M10 For Brackets 40 to 200mm
A730027	Anchorpoint Set x M10 For Brackets 250 to 315mm



Item Number	Description
AKASISON GUIDE AND ANCHOR BRACKETS	
A700410	Wall Guide Bkt 40mm x M10
A700510	Wall Guide Bkt 50mm x M10
A705610	Wall Guide Bkt 56mm x M10
A700610	Wall Guide Bkt 63mm x M10
A700710	Wall Guide Bkt 75mm x M10
A700910	Wall Guide Bkt 90mm x M10
A701110	Wall Guide Bkt 110mm x M10
A701210	Wall Guide Bkt 125mm x M10
A701610	Wall Guide Bkt 160mm x M10
A700478	Wall Anchor Bkt 40mm x 1/2"
A700578	Wall Anchor Bkt 50mm x 1/2"
A705678	Wall Anchor Bkt 56mm x 1/2"
A700678	Wall Anchor Bkt 63mm x 1/2"
A700778	Wall Anchor Bkt 75mm x 1/2"
A700978	Wall Anchor Bkt 90mm x 1/2"
A701178	Wall Anchor Bkt 110mm x 1/2"
A701278	Wall Anchor Bkt 125mm x 1/2"
A701678	Wall Anchor Bkt 160mm x 1/2"
A702080	Wall Guide & Anchor Bkt 200mm x 1"
A709410	Wall Guide Bkt Mounting Plate M10
A709478	Wall Guide Bkt Mounting Plate 1/2"
A709480	Wall Guide & Anchor Bkt 200mm x 1"

NB. Larger capacity systems are also available on request. Leadtimes apply so please contact Marley to discuss your project requirements.

In addition to the specific siphonic drainage items shown above, Akasison also utilises the Akatherm Drainage System range of pipe and fittings shown on pages 52 - 54 to complete the system. Marley offers a local design service for Akasison siphonic drainage projects so please get in touch to help us optimise the drainage on your next project.

POLYETHYLENE PRESSURE

57 **Polyethylene Pressure Pipe**

58 Black Polyethylene Pressure Pipe

59 Blue Polyethylene Pressure Pipe

60 Royal Blue Polyethylene Pressure Pipe

61 **Friatec - PE Electrofusion Fittings**

68 **Philmac Fittings**

69 Philmac 3G Compression Fittings

72 Philmac Universal Transition Fittings

73 Philmac Valves

73 Philmac Threaded Fittings


74 **950 Series®**

76 **Oasis® 6 & 9 Bar Polyethylene Pipe**






MARLEY POLYETHYLENE (PE) 80 PIPES



MARLEY POLYETHYLENE (PE) 100 PIPES



PIPE COLOUR KEY – PE80

- Black
- Sky Blue Skin
- Black with Sky Blue Stripe

PIPE COLOUR KEY – PE100

- Black
- Black with Cream Stripe
- Black with Lilac Stripe
- Black with Royal Blue Stripe
- Royal Blue Skin

Made to AS/NZS 4130: Polyethylene Pipes for Pressure Applications.

Marley PE Pipes are certified by Bureau Veritas Lic No 2639 (Auckland) Lic No 2727 (Christchurch)

Phone **0800 MARLEY (0800 627 539)** for technical support and further information on lengths, pricing, stock availability and stock locations.
If you require a pipe size or colour that is not on this chart call us as we may be able to assist.

MARLEY POLYETHYLENE PRESSURE PIPE



Code	Diameter	Pressure Rating PN (Bar)	Length (m)
"BLACK" POLYETHYLENE PRESSURE PIPE			**METRIC AS/NZS 4130 : 2018**
PE 100 BLACK (LENGTHS AND COILS)			
310.90.12.12	90	12	12
310.90.12.100	90	12	100
310.90.16.12	90	16	12
310.90.16.100	90	16	100
310.110.12.12	110	12	12
310.110.12.100	110	12	100
310.110.16.12	110	16	12
310.110.16.100	110	16	100
310.125.12.12	125	12	12
310.125.12.100	125	12	100
310.140.16.12	140	16	12
310.160.12.12	160	12	12
310.160.16.12	180	16	12
310.180.12.12	180	12	12
310.180.16.12	180	16	12
310.200.12.12	200	12	12
310.200.16.12	200	16	12
310.250.12.12	250	12	12
310.250.16.12	250	16	12
310.280.12.12	280	12	12
310.280.16.12	280	16	12
310.315.12.12	315	12	12
310.315.16.12	315	16	12
310.355.12.12	355	12	12
310.355.16.12	355	16	12
310.400.12.12	400	12	12
310.450.12.12	450	12	12
310.450.16.12	450	16	12
310.500.12.12	500	12	12
310.500.16.12	500	16	12
310.560.16.12	560	16	12
310.630.12.12	630	12	12

Available in cream stripe on request for sewer networks 32mm to 110mm 16 BAR.

MARLEY POLYETHYLENE PRESSURE PIPE



Code	Diameter	Length (m)
"BLUE" POLYETHYLENE PRESSURE PIPE		**METRIC AS/NZS 4130 : 2018**
Maximum: Pressure Rating PN 12.5 (12.5 bar) or (174 psi)		
PE 80 BLUE CO-EX SKIN (COILS)		
1200.20.25	20	25
1200.20.50	20	50
1200.20.100	20	100
1200.20.200	20	200
1200.25.25	25	25
1200.25.50	25	50
1200.25.100	25	100
1200.25.200	25	200
1200.32.25	32	25
1200.32.50	32	50
1200.32.100	32	100
1200.32.200	32	200
1200.40.25	40	25
1200.40.50	40	50
1200.40.100	40	100
1200.40.200	40	200
1200.50.25	50	25
1200.50.50	50	50
1200.50.100	50	100
1200.63.25	63	25
1200.63.50	63	50
1200.63.100	63	100



"BLUE" POLYETHYLENE PRESSURE PIPE		**METRIC AS/NZS 4130 : 2018**
Maximum: Pressure Rating PN 12.5 (12.5 bar)		
PE 80 BLUE CO-EX SKIN (LENGTHS)		
1200.20.5	20	5
1200.25.5	25	5
1200.32.5	32	5
1200.40.5	40	5
1200.50.5	50	5
1200.63.5	63	5

MARLEY POLYETHYLENE PRESSURE PIPE



Code	Diameter	Pressure Rating PN (Bar)	Length (m)
"ROYAL BLUE" POLYETHYLENE PRESSURE PIPE			**METRIC AS/NZS 4130 : 2018**
PE 100 - ROYAL BLUE (LENGTHS AND COILS)			
1210.63.12.100	63	12	100
1210.63.16.100	63	16	100
1210.75.12.100	75	12	100
1210.90.12.12	90	12	12
1210.90.12.100	90	12	100
1210.90.16.12	90	16	12
1210.110.16.100	110	16	100
1210.125.16.12	125	16	12
1210.125.16.100	125	16	100
1210.140.16.12	140	16	12
1210.160.16.12	160	16	12
1210.180.16.12	180	16	12
1210.225.16.12	225	16	12
1210.250.16.12	250	16	12
1210.280.16.12	280	16	12
1210.315.16.12	315	16	12
1210.355.16.12	355	16	12
1210.400.12.12	400	12	12
1210.400.16.12	400	16	12
1210.450.16.12	450	16	12
1210.500.12.12	500	12	12
1210.500.16.12	500	16	12
1210.560.12.12	560	12	12


FRIATEC
FRIAMAT Prime

FRIATEC ELECTROFUSION FITTINGS



Code	Size	Stocking Policy
SLIDE OVER COUPLERS PN16 WATER / PN10 GAS / SDR11		
T612680*	20mm	Indent
T612681*	25mm	Stocked
T612682*	32mm	Stocked
T612683*	40mm	Stocked
T612684*	50mm	Stocked
T612685*	63mm	Stocked
T612686*	75mm	Stocked
T612687*	90mm	Stocked
T612688*	110mm	Stocked
T612689*	125mm	Stocked
T612690*	140mm	Stocked
T612691*	160mm	Stocked
T612672	180mm	Stocked
T612673	200mm	Indent
T612674	225mm	Stocked
T617278	250mm	Stocked
T617279	280mm	Indent
T612670	315mm	Stocked
T615074	355mm	Stocked
T615075	400mm	Indent
T615076	450mm	Indent
T615124	500mm	Indent
T616269	630mm	Indent
T616313	710mm	Indent

* Removable Stop



SLIDE OVER COUPLERS PN10 WATER / PN10 SEWER / SDR17		
T680001	110mm	Indent
T680013	125mm	Indent
T680002	160mm	Indent
T680003	180mm	Indent
T680004	200mm	Indent
T680005	225mm	Indent
T680006	250mm	Indent
T680007	280mm	Indent
T680008	315mm	Indent
T680009	355mm	Indent
T680010	400mm	Indent
T680011	450mm	Indent
T680012	500mm	Indent
T680018	560mm	Indent
T680019	630mm	Stocked

Available on Request:

1. Couplers rated at PN25
2. Larger size coupler



Code	Size	Stocking Policy
90° BEND ELBOW (W90) PN16 WATER / PN10 GAS / SDR11		
T612091	25mm	Stocked
T612093	32mm	Indent
T612095	40mm	Stocked
T612097	50mm	Stocked
T612099	63mm	Stocked
T612101	75mm	Indent
T612103	90mm	Stocked
T612105	110mm	Indent
T612107	125mm	Indent
T615276	160mm	Indent
T615689	180mm	Indent
T616265	200mm	Indent
T615690	225mm	Indent
T616408*	250mm	Indent
T616409*	280mm	Indent
T616410*	315mm	Indent

* Extra Large



45° BEND ELBOW (W45) PN16 WATER / PN10 GAS / SDR11		
T612092	32mm	Indent
T612094	40mm	Stocked
T612096	50mm	Stocked
T612098	63mm	Stocked
T612100	75mm	Indent
T612104	110mm	Indent
T612106	125mm	Stocked
T615275	160mm	Indent
T615687	180mm	Stocked
T616264	200mm	Indent
T615688	225mm	Indent
T616404*	250mm	Indent
T616405*	280mm	Indent
T616406*	315mm	Indent

* Extra Large

FRIATEC SDR GUIDE

Fittings rating	Compatible with pipe rated to
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33

FRIATEC ELECTROFUSION FITTINGS



Code	Size	Stocking Policy
30° BEND ELBOW (W30) PN16 WATER / PN10 GAS / SDR11		
T615272	90mm	Indent
T615273	110mm	Indent
T615274	125mm	Indent
T615340	160mm	Indent
T616261	180mm	Indent
T616262	200mm	Indent
T616263	225mm	Indent



11° BEND ELBOW (W11) - SOCKET ONE END PN16 WATER / PN10 GAS / SDR11		
T616139	110mm	Indent
T616140	125mm	Indent
T616141	160mm	Indent
T616142	180mm	Indent
T616143	225mm	Indent



TEE - LONG SPIGOT (TA) PN16 WATER / PN10 GAS / SDR11		
T615719	32mm	Indent
T615720	40mm	Indent
T615722	63mm	Indent



TEE - STANDARD (T) PN16 WATER / PN10 GAS / SDR11		
T612165	75mm	Indent
T612166	90mm	Indent
T612167	110mm	Indent
T612168	125mm	Indent
T615277	160mm	Indent
T615691	180mm	Indent

FRIATEC SDR GUIDE

Fittings rating	Compatible with pipe rated to
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33



Code	Size	Stocking Policy
REDUCERS (MR) PN16 WATER / PN10 GAS / SDR11		
T616824	20/16mm	Indent
T616452	32/16mm	Indent
T615386	32/20mm	Indent
T615502	32/25mm	Indent
T615387	40/20mm	Indent
T616751	40/25mm	Indent
T615388	40/32mm	Indent
T612069	50/20mm	Indent
T616752	50/25mm	Indent
T612070	50/32mm	Indent
T612071	50/40mm	Stocked
T615389	63/32mm	Indent
T615390	63/40mm	Stocked
T612072	63/50mm	Indent
T616583	75/63mm	Indent
T615391	90/50mm	Indent
T615392	90/63mm	Indent
T616582	90/75mm	Indent
T615393	110/63mm	Indent
T615693	110/90mm	Indent
T615694	125/90mm	Indent
T616510	125/110mm	Indent
T615695	160/110mm	Indent
T616511	180/125mm	Indent
T616356	225/160mm	Indent



END CAP COUPLERS (MV) PN16 WATER / PN10 GAS / SDR11		
T612025	20mm	Indent
T612026	25mm	Stocked
T612027	32mm	Indent
T612028	40mm	Indent
T612029	50mm	Indent
T612030	63mm	Indent
T612031	75mm	Indent
T612032	90mm	Indent
T612033	110mm	Stocked
T612034	125mm	Stocked
T612035	160mm	Indent
T616183	180mm	Stocked
T616184	200mm	Indent
T616185	225mm	Indent

FRIATEC ELECTROFUSION FITTINGS

PRESSURE TAPPING FITTING (EXTRA LONG OUTLET SPIGOT)



STANDARD TEE (DAA)
PN16 WATER /PN10 GAS / SDR11

Code	Size	Stocking Policy
T612630	40/20mm	Indent
T612702	50/25mm	Indent
T615080	50/32mm	Indent
T612631	63/20mm	Indent
T612633	63/25mm	Stocked
T612632	63/32mm	Indent
T616334	63/63mm	Indent
T612634	90/32mm	Indent
T616488	110/25mm	Indent
T612637	110/32mm	Indent
T616492	125/25mm	Stocked
T612649	125/32mm	Indent
T612309	125/63mm	Indent
T616498	160/25mm	Indent
T612641	160/32mm	Indent
T616502	180/25mm	Stocked
T612651	180/32mm	Indent
T616481	180/50mm	Indent
T612652	180/63mm	Stocked
T612654	200/32mm	Indent
T612659	200/63mm	Indent
T612657	225/32mm	Indent
T612655	225/63mm	Indent
T615339	250/63mm	Stocked



VALVE (DAV)
PN16 WATER / PN10 GAS / SDR11

Code	Size	Stocking Policy
T617024	50/32mm	Indent
T617025	63/32mm	Indent
T617026	63/40mm	Indent
T617027	75/32mm	Indent
T616960	90/32mm	Indent
T616962	90/50mm	Indent
T616963	90/63mm	Indent
T616964	110/32mm	Indent
T616966	110/50mm	Indent
T616967	110/63mm	Indent
T616968	125/32mm	Indent
T616970	125/50mm	Indent
T616971	125/63mm	Indent
T616973	140/63mm	Indent
T616974	160/32mm	Indent
T616976	160/50mm	Indent
T616977	160/63mm	Indent
T616978	180/32mm	Indent
T616980	180/50mm	Indent
T616981	180/63mm	Indent
T616982	200/32mm	Indent
T616984	200/63mm	Indent
T616985	225/32mm	Indent
T616987	225/50mm	Indent
T616988	225/63mm	Indent

FRIATEC ELECTROFUSION FITTINGS



Code	Size	Stocking Policy
SPIGOT SADDLES (SA) PN16 WATER / PN10 GAS / SDR11		
T612757	63/32mm	Indent
T612759	63/50mm	Indent
T615020	75/50mm	Indent
T615285	90/32mm	Indent
T612819	90/63mm	Indent
T615334	110/32mm	Indent
T615031	110/50mm	Indent
T612760	110/63mm	Indent
T615411	110/90mm	Indent
T615087	125/32mm	Indent
T612761	125/63mm	Indent
T615412	125/90mm	Indent
T615584	125/110mm	Indent
T612886	160/32mm	Indent
T612762	160/63mm	Indent
T615413	160/90mm	Indent
T615739	160/110mm	Indent
T615585	160/125mm	Indent
T612763	180/63mm	Indent
T615414	180/90mm	Indent
T615740	180/125mm	Indent
T612764	200/63mm	Indent
T612765	225/63mm	Indent
T615415	225/90mm	Indent
T616044	225/110mm	Indent
T616045	225/125mm	Indent
T616046	225/160mm	Indent

Note: Sigot Saddles (SA XL) PN16, SDR11
1. Larger sizes availabe on request



Code	Size	Stocking Policy
SPIGOT SADDLES (SA UNI) PN16 WATER / PN10 GAS / SDR11		
T616555	250-280/125mm	Indent
T616557	315-400/90mm	Indent
T616558	315-400/110mm	Indent
T616559	315-400/125mm	Indent
T616561	450-900/90mm	Indent
T616562	450-900/110mm	Indent
T616564	450-900/160mm	Indent

FRIATEC SDR GUIDE

Fittings rating	Compatible with pipe rated to
SDR 7.4	SDR 7.4, 9, 11
SDR 11	SDR 11, 13.6, 17
SDR 17	SDR 17 to SDR 33

FRIATEC ELECTROFUSION FITTINGS

TRANSITION FITTING HD-PE/BRASS WITH MALE THREAD



Code	Size	Stocking Policy
90° BEND ELBOW (WUN90) PN16 WATER / SDR11		
T612120	32mm x 1"	Indent
T612140	32mm x 1½"	Indent
T612127	40mm x 1"	Indent
T612122	40mm x 1¼"	Indent
T612121	40mm x 1½"	Indent
T612119	50mm x 1"	Indent
T612123	50mm x 1¼"	Indent
T612124	50mm x 1½"	Indent
T612125	63mm x 1½"	Indent
T612126	63mm x 2"	Indent



Code	Size	Stocking Policy
COUPLER MALE (MUN) PN16 WATER / SDR11		
T612712	32mm x 1"	Stocked
T612709	32mm x 1¼"	Indent
T612698	32mm x 1½"	Indent
T612721	40mm x 1"	Indent
T612713	40mm x 1¼"	Stocked
T612718	40mm x 1½"	Indent
T612725	40mm x 2"	Indent
T612719	50mm x 1"	Indent
T612716	50mm x 1¼"	Indent
T612714	50mm x 1½"	Stocked
T612706	50mm x 2"	Indent
T612722	63mm x 1¼"	Indent
T612717	63mm x 1½"	Indent
T612693*	63mm x 2"	Indent
T612715	63mm x 2"	Stocked
T612694	75mm x 2"	Indent
T612695	75mm x 2½"	Indent

* Friatec Transition Coupler F MUN 63/2" Gunmetal Female Thread

UNIVERSAL ADAPTOR HD-PE/BRASS



Code	Size	Stocking Policy
UAM FEMALE THREAD (UAM) PN16 WATER / PN5 GAS / SDR11		
T616156	32mm x 1"	Indent
T616157	40mm x 1¼"	Indent
T616158	50mm x 1½"	Indent
T616159	63mm x 2"	Stocked



Code	Size	Stocking Policy
MALE THREAD (UAN) PN16 WATER / PN5 GAS / SDR11		
T616605	25mm x ¾"	Stocked
T616152	32mm x 1"	Indent
T616153	40mm x 1¼"	Indent
T616154	50mm x 1½"	Indent
T616155	63mm x 2"	Stocked

FRIATEC ELECTROFUSION FITTINGS

TOOLS (UNITS, SCRAPERS)




Code	Description
ELECTROFUSION UNITS	
611124	FRIAMAT® Prime Eco with Mini Scanner



SCRAPERS	
613408	Fria Scraper D20-D63
613410	Fria Scraper D75-D400

Philmac 3G Metric™

the connection you can trust



Philmac

by aliaxis

PHILMAC FITTINGS

Philmac

PHILMAC 3G COMPRESSION FITTINGS

AS/NZS 4129 : 2020

For I.S.O. sized MDPE pipes. Max Pressure Rating PN16.



Code	Size	Carton Qty
JOINER		
MM301.20	20mm	10
MM301.25	25mm	10
MM301.32	32mm	5
MM301.40	40mm	1
MM301.50	50mm	1
MM301.63	63mm	1
MM301.75	75mm	1
MM301.90	90mm	1
MM301.110	110mm	1





Code	Size	Carton Qty
MALE ADAPTOR		
MM302.20.15	20 x ½" BSP	10
MM302.20.20	20 x ¾" BSP	10
MM302.20.25	20 x 1" BSP	10
MM302.25.15	25 x ½" BSP	10
MM302.25.20	25 x ¾" BSP	10
MM302.25.25	25 x 1" BSP 10	10
MM302.32.20	32 x ¾" BSP	5
MM302.32.25	32 x 1" BSP	5
MM302.32.32	32 x 1¼" BSP	5
MM302.32.40	32 x 1½" BSP	5
MM302.40.25	40 x 1" BSP	1
MM302.40.32	40 x 1¼" BSP	1
MM302.40.40	40 x 1½" BSP	1
MM302.40.50	40 x 2" BSP	1
MM302.50.40	50 x 1½" BSP	1
MM302.50.50	50 x 2" BSP	1
MM302.63.40	63 x 1½" BSP	1
MM302.63.50	63 x 2" BSP	1
MM302.75.50	75 x 2" BSP	1
MM302.75.75	75 x 3" BSP	1
MM302.90.75	90 x 3" BSP	1
MM302.110.100	110 x 4" BSP	1





Code	Size	Carton Qty
FEMALE ADAPTOR		
MM303.20.15	20 x ½" BSP	10
MM303.20.20	20 x ¾" BSP	10
MM303.20.25	20 x 1" BSP	10
MM303.25.15	25 x ½" BSP	10
MM303.25.20	25 x ¾" BSP	10
MM303.25.25	25 x 1" BSP	10
MM303.32.25	32 x 1" BSP	5
MM303.32.32	32 x 1¼" BSP	5
MM303.40.32	40 x 1¼" BSP	1
MM303.40.40	40 x 1½" BSP	1
MM303.50.40	50 x 1½" BSP	1
MM303.50.50	50 x 2" BSP	1
MM303.63.50	63 x 2" BSP	1
MM303.75.50	75 x 2" BSP	1
MM303.90.75	90 x 3" BSP	1
MM303.110.100	110 x 4" BSP	1





Code	Size	Carton Qty
REDUCING JOINER		
MM304.25.20	25 x 20mm	10
MM304.32.20	32 x 20mm	5
MM304.32.25	32 x 25mm	5
MM304.40.25	40 x 25mm	1
MM304.40.32	40 x 32mm	1
MM304.50.25	50 x 25mm	1
MM304.50.32	50 x 32mm	1
MM304.50.40	50 x 40mm	1
MM304.63.32	63 x 32mm	1
MM304.63.40	63 x 40mm	1
MM304.63.50	63 x 50mm	1
MM304.75.63	75 x 63mm	1
MM304.90.75	90 x 75mm	1
MM304.110.90	110 x 90mm	1



Note: Only 20-63mm may be supplied as a 3G Metric Fitting
75-110mm will be supplied as Marley Metric Fittings (shaded area)

PHILMAC FITTINGS

Philmac

PHILMAC 3G COMPRESSION FITTINGS

AS/NZS 4129 : 2020

For I.S.O. sized MDPE pipes. Max Pressure Rating PN16.



TEE FEMALE THREAD

Code	Size	Carton Qty
MM306.20.15	20 x ½" BSP	10
MM306.20.20	20 x ¾" BSP	10
MM306.25.15	25 x ½" BSP	10
MM306.25.20	25 x ¾" BSP	10
MM306.25.25	25 x 1" BSP	10
MM306.32.20	32 x ¾" BSP	5
MM306.32.25	32 x 1" BSP 5	5
MM306.32.32	32 x 1¼" BSP	5
MM306.40.32	40 x 1¼" BSP	1
MM306.40.40	40 x 1½" BSP	1
MM306.50.40	50 x 1½" BSP	1
MM306.50.50	50 x 2" BSP	1
MM306.63.50	63 x 2" BSP	1
MM306.90.75	90 x 3" BSP	1
MM306.110.100	110 x 4" BSP	1



TEE

Code	Size	Carton Qty
MM305.20	20mm	10
MM305.25	25mm	10
MM305.32	32mm	5
MM305.40	40mm	1
MM305.50	50mm	1
MM305.63	63mm	1
MM305.75	75mm	1
MM305.90	90mm	1
MM305.110	110mm	1



REDUCING TEE

Code	Size	Carton Qty
MM305.25.20	25 x 20mm	10
MM305.25.32	25 x 32mm	10
MM305.32.25	32 x 25mm	5
MM305.50.40	50 x 40mm	1
MM305.63.32	63 x 32mm	1
MM305.63.50	63 x 50mm	1



ELBOW MALE THREAD

Code	Size	Carton Qty
MM309.20	20 x ½" BSP	10
MM309.25	25 x ¾" BSP	10
MM309.32	32 x 1" BSP	5
MM309.20.20	20 x 1¾" BSP	10
MM309.25.15	25 x ½" BSP	10
MM309.25.25	25 x 1" BSP	5
MM309.32.32	32 x 1¼" BSP	1



Code	Size	Carton Qty
MM309.40.32	40 x 1¼" BSP	1
MM309.40.40	40 x 1½" BSP	1
MM309.50.40	50 x 1½" BSP	1
MM309.63.50	63 x 2" BSP	1
MM309.75.75	75 x 3" BSP	1



ELBOW FEMALE THREAD

Code	Size	Carton Qty
MM307.20.15	20 x ½" BSP	10
MM307.20.20	20 x ¾" BSP	10
MM307.25.15	25 x ½" BSP	10
MM307.25.20	25 x ¾" BSP	10
MM307.25.25	25 x 1" BSP	10
MM307.32.25	32 x 1" BSP	5
MM307.32.32	32 x 1¼" BSP	5
MM307.40.32	40 x 1¼" BSP	1
MM307.40.40	40 x 1½" BSP	1
MM307.50.40	50 x 1½" BSP	1
MM307.50.50	50 x 2" BSP	1
MM307.63.50	63 x 2" BSP	1
MM307.75.50	75 x 2" BSP	1
MM307.90.75	90 x 3" BSP	1
MM307.110.100	100 x 4" BSP	1



ELBOW 90°

Code	Size	Carton Qty
MM308.20	20mm	10
MM308.25	25mm	10
MM308.32	32mm	5
MM308.40	40mm	1
MM308.50	50mm	1
MM308.63	63mm	1
MM308.75	75mm	1
MM308.90	90mm	1
MM308.110	110mm	1



END CAP

Code	Size	Carton Qty
MM310.20	20mm	10
MM310.25	25mm	10
MM310.32	32mm	5
MM310.40	40mm	1
MM310.50	50mm	1
MM310.63	63mm	1
MM310.75	75mm	1
MM310.90	90mm	1
MM310.110	110mm	1

PHILMAC FITTINGS

Philmac

PHILMAC 3G COMPRESSION FITTINGS

AS/NZS 4129 : 2020

For I.S.O. sized MDPE pipes. Max Pressure Rating PN16.



Code	Size	Carton Qty
SLIP COUPLING		
MM301.20S	20mm	1
MM301.25S	25mm	1
MM301.32S	32mm	1
MM301.40S	40mm	1
MM301.50S	50mm	1
MM301.63S	63mm	1



Code	Size	Carton Qty
TAPPING SADDLES		
MM325.25.20	25mm x ¾" BSP MAX. PN12	1
MM325.32.20	32mm x ¾" BSP MAX. PN12	1
MM325.32.25	32mm x 1" BSP MAX. PN12	1
MM325.40.20	40mm x ¾" BSP MAX. PN12	1
MM325.40.25	40mm x 1" BSP MAX. PN12	1
MM325.50.20	50mm x ¾" BSP MAX. PN12	1
MM325.50.25	50mm x 1" BSP MAX. PN12	1
MM325.63.20	63mm x ¾" BSP MAX. PN16	1
MM325.63.25	63mm x 1" BSP MAX. PN12	1
MM325.63.40	63mm x 1½" BSP MAX. PN12	1
MM325.75.25	75mm x 1" BSP MAX. PN12	1
MM325.75.40	75mm x 1½" BSP MAX. PN10	1
MM325.75.50	75mm x 2" BSP MAX. PN10	1
MM325.90.25	90mm x 1" BSP MAX. PN10	1
MM325.90.50	90mm x 2" BSP MAX. PN10	1
MM325.110.50	110mm x 2" BSP MAX. PN10	1

Galvanised steel nuts & bolts & stainless steel reinforcing ring



Code	Size	Carton Qty
WALL PLATES		
MM311.20.15	20mm x ½"	1
MM311.25.20	25mm x ¾"	1



TEE MALE THREAD		
MM346.25.20	25mm x ¾" BSP	10



ELBOW 45°		
MM347.20	20mm	10
MM347.25	25mm	10
MM347.32	32mm	5
MM347.40	40mm	60
MM347.63	63mm	10



METRIC SPANNERS		
MM343.20.32	20-32mm	1
MM343.32.63	32-63mm	1
MM343.50.110	50-110mm	1

PHILMAC FITTINGS

UNIVERSAL TRANSITION FITTINGS

For connection of PE pipe to PE, PVC, Copper, Galv. Iron, HDPE, LDPE and combinations of. Max Pressure Rating PN12.5.



Poly Transition

Code	Size	Carton Qty
TRANSITION COUPLING		
MM331.20.15.21	20 x 15-21mm	5
MM331.20.21.27	20 x 21-27mm	5
MM331.25.15.21	25 x 15-21mm	5
MM331.25.21.27	25 x 21-27mm	5
MM331.25.27.34	25 x 27-34mm	5
MM331.32.27.34	32 x 27-34mm	5
MM331.32.34.39	32 x 34-39mm	1
MM331.32.39.43	32 x 39-43mm	1
MM331.50.47.49	50 x 47-49mm	1
MM331.63.47.49	63 x 47-49mm	1
MM331.63.59.61	63 x 59-61mm	1

REPAIR FITTINGS



Transition BSP Thread

Code	Size	Carton Qty
TRANSITION MALE CONNECTOR		
MM341.20.15.21	15-21mm x ¾"	5
MM341.20.21.27	21-27mm x ¾"	5
MM341.20.27.34	27-34mm x ¾"	5
MM341.25.27.34	27-34mm x 1"	5

Transition



Transition

Code	Size	Carton Qty
TRANSITION REDUCING DOUBLE ENDED		
MM345.21.15	21-27 x 15-21mm	1
MM345.27.21	27-34 x 21-27mm	1
MM345.27.15	27-34 x 15-21mm	1
MM345.39.27	39-43 x 27-34mm	1

Transition



Transition

Code	Size	Carton Qty
TRANSITION DOUBLE ENDED		
MM344.15.21	15-21 x 15-21mm	5
MM344.21.27	21-27 x 21-27mm	1
MM344.27.34	27-34 x 27-34mm	1
MM344.39.43	39-43 x 39-43mm	1
MM344.34.39	34-39 x 34-39mm	1
MM344.47.49	47-49 x 47-49mm	1
MM344.59.61	59-61 x 59-61mm	1

PHILMAC FITTINGS

Philmac

PHILMAC VALVES



Code	Size	Carton Qty
TROUGH VALVE		
AQ400P	¾" Plastic valve with float	1
AQ500P	1" Plastic valve with float	1

PHILMAC THREADED FITTINGS



Code	Size	Carton Qty
NIPPLE MI		
328.15	½" x ½"	20
328.20	¾" x ¾"	20
328.25	1" x 1"	20
328.32	1¼" x 1¼"	10
328.40	1½" x 1½"	10
328.50	2" x 2"	10



REDUCING NIPPLE MI		
328.25.20	1" x ¾"	20
328.32.25	1¼" x 1"	10
328.40.25	1½" x 1"	10
328.40.32	1½" x 1¼"	10
328.50.32	2" x 1¼"	10
328.50.40	2" x 1½"	10



REDUCING BUSH FI/MI		
327.20.15	¾" x ½"	20
327.25.15	1" x ½"	20
327.25.20	1" x ¾"	20
327.32.20	1¼" x ¾"	10
327.32.25	1¼" x 1"	10
327.40.20	1½" x ¾"	10
327.40.32	1½" x 1¼"	10
327.50.20	2" x ¾"	10
327.50.25	2" x 1"	10
327.50.32	2" x 1¼"	10
327.50.40	2" x 1½"	10



REDUCING SOCKET FI/FI		
329.40.25	1½" x 1"	10
329.40.32	1½" x 1¼"	10
329.50.25	2" x 1"	10
329.50.40	2" x 1½"	10



Code	Size	Carton Qty
SOCKET FI/FI		
329.32	1¼" x 1¼"	10
329.40	1½" x 1½"	10
329.50	2" x 2"	10



TEE FI		
332.15	½" x ½" x ½"	10
332.25	1" x 1" x 1"	10
332.32	1¼" x 1¼" x 1¼"	5
332.40	1½" x 1½" x 1½"	5



ELBOW FI/FI		
333.20	¾" x ¾"	10
333.25	1" x 1"	10
333.32	1¼" x 1¼"	5
333.40	1½" x 1½"	5
333.50	2" x 2"	5



ELBOW MI/FI		
336.15	½"	10
336.20	¾"	10
336.25	1"	10



PLUG MI		
334.20	¾"	20
334.25	1"	20
334.32	1¼"	10
334.40	1½"	10
334.50	2"	10




CAP FI		
335.20	¾"	20
335.25	1"	20
335.32	1¼"	10
335.50	2"	10

950 Series®

ALKATHENE PIPE

MARLEY by aliaxis


MARLEY® 950 Series® alkathene pipe 32mm 8 BAR (116 PSI)



COMPATIBLE WITH RXP LD FITTINGS RANGE

- Increased flexibility
- Easier to handle
- Bloat and trace element resistant
- Strong UV resistance
- Improved flow rates
- Large range of sizes and coil lengths
- Good for use above and below ground

Only Marley® 950 Series® alkathene pipe carries the Four Ribbon Assurance™





Improved flexibility for easy handling



Durable and long lasting



Compatible with Anka and RX Plastic LDPE Fittings

950® SERIES





950 Series®

Code	Pressure Rating PN (Bar)	Diameter I.D. mm	Coil Length (m)
COILS - 950 SERIES® – ALKATHENE PIPE			
950.15.1.5	10 Bar	15	1.5
950.15.25	10 Bar	15	25
950.15.50	10 Bar	15	50
950.15.100	10 Bar	15	100
950.15.200	10 Bar	15	200
950.20.1.5	9 Bar	20	1.5
950.20.25	9 Bar	20	25
950.20.50	9 Bar	20	50
950.20.100	9 Bar	20	100
950.20.200	9 Bar	20	200
950.25.1.5	8 Bar	25	1.5
950.25.25	8 Bar	25	25
950.25.50	8 Bar	25	50
950.25.100	8 Bar	25	100
950.25.200	8 Bar	25	200
950.32.25	8 Bar	32	25
950.32.50	8 Bar	32	50
950.32.100	8 Bar	32	100
950.32.200	8 Bar	32	200
950.40.25	7 Bar	40	25
950.40.50	7 Bar	40	50
950.40.100	7 Bar	40	100
950.40.200	7 Bar	40	200
950.50.25	7 Bar	50	25
950.50.50	7 Bar	50	50
950.50.100	7 Bar	50	100
950.50.200	7 Bar	50	200

OASIS® 6 AND 9 BAR POLYETHYLENE PIPE



Oasis® 6 Bar



Oasis® 9 Bar



Code	Maximum Pressure Rating	Diameter O.D. mm	Coil Length (m)
COILS - OASIS® - PE BLACK			
300.25.9.100	9 Bar (178 psi)	25	100
300.25.9.200	9 Bar (178 psi)	25	200
300.32.6.100	6 Bar (100 psi)	32	100
300.32.6.200	6 Bar (100 psi)	32	200
300.32.9.50	9 Bar (130 psi)	32	50
300.32.9.100	9 Bar (130 psi)	32	100
300.32.9.200	9 Bar (130 psi)	32	200
300.40.6.50	6 Bar (100 psi)	40	50
300.40.6.100	6 Bar (100 psi)	40	100
300.40.6.200	6 Bar (100 psi)	40	200
300.40.9.50	9 Bar (130 psi)	40	50
300.40.9.100	9 Bar (130 psi)	40	100
300.40.9.200	9 Bar (130 psi)	40	200
300.50.6.50	6 Bar (100 psi)	50	50
300.50.6.100	6 Bar (100 psi)	50	100
300.50.6.200	6 Bar (100 psi)	50	200
300.50.9.50	9 Bar (130 psi)	50	50
300.50.9.100	9 Bar (130 psi)	50	100
300.50.9.200	9 Bar (130 psi)	50	200
300.63.6.50	6 Bar (100 psi)	63	50
300.63.6.100	6 Bar (100 psi)	63	100
300.63.9.50	9 Bar (130 psi)	63	50
300.63.9.100	9 Bar (130 psi)	63	100
300.63.9.200	9 Bar (130 psi)	63	200

This product is bloat resistant

HOT & COLD SYSTEMS

78	**SecuraOne®**
78	SecuraOne® Fittings
80	SecuraOne® PEX Pipes
80	SecuraOne® PB Pipes
81	SecuraOne® Tools & Accessories

SecuraOne®

HOT & COLD SYSTEM EVOLUTION



- QUALITY LEAD-FREE BRASS FITTINGS
- ENHANCED FITTING DESIGN
- TRANSITION FITTINGS FOR MAINTENANCE JOBS
- TECHNICAL EXPERTISE & SERVICE
- STANDARDISED PB & PEX PIPE DIMENSIONS
- EXTENDED RANGE 12MM - 32MM
- TOP-NOTCH TOOLS & FREE SERVICING
- INDEPENDENT CERTIFICATION
- 25 YEAR WARRANTY

SECURAONE® FITTINGS

SecuraOne



Code	Size	Pack Qty
COUPLINGS		
S1C12	12mm	10
S1C16	16mm	10
S1C20	20mm	10
S1C25	25mm	10
S1C32	32mm	10
S1C1612	Reducing 16mm x 12mm	10
S1C2016	Reducing 20mm x 16mm	10
S1C2520	Reducing 25mm x 20mm	10
S1C3220	Reducing 32mm x 20mm	10
S1C3225	Reducing 32mm x 25mm	10



ELBOWS		
S1E12	12mm x 90°	10
S1E16	16mm x 90°	10
S1E20	20mm x 90°	10
S1E25	25mm x 90°	10
S1E32	32mm x 90°	10
S1E2016	Reducing 20mm x 16mm 90°	10
S1E1645	16mm x 45°	10
S1E2045	20mm x 45°	10
S1E2545	25mm x 45°	10
S1E3245	32mm x 45°	10



TEES		
S1T12	12mm	10
S1T16	16mm	10
S1T20	20mm	10
S1T25	25mm	10
S1T32	32mm	10

Look out for the coloured end caps to quickly identify fitting sizes in-store and on-site.





Code	Size	Pack Qty
REDUCING TEES		
S1T121216	12mm x 12mm x 16mm	10
S1T161612	16mm x 16mm x 12mm	10
S1T161620	16mm x 16mm x 20mm	10
S1T201616	20mm x 16mm x 16mm	10
S1T201620	20mm x 16mm x 20mm	10
S1T202012	20mm x 20mm x 12mm	10
S1T202016	20mm x 20mm x 16mm	10
S1T252516	25mm x 25mm x 16mm	10
S1T252520	25mm x 25mm x 20mm	10
S1T323220	32mm x 32mm x 20mm	10
S1T323225	32mm x 32mm x 25mm	10



MALE ADAPTORS		
S1MA1215	12mm x ½" BSP	10
S1MA1615	16mm x ½" BSP	10
S1MA1620	16mm x ¾" BSP	10
S1MA2020	20mm x ¾" BSP	10
S1MA2525	25mm x 1" BSP	10
S1MA3225	32mm x 1" BSP	10
S1MA3232	32mm x 1¼" BSP	10



LUGGED MALE ADAPTORS		
S1LMA1615	16mm x ½" BSP	10



MALE ELBOWS		
S1ME1615	16mm x ½" BSP	10
S1ME2020	20mm x ¾" BSP	10



FEMALE ELBOWS		
S1FE1615	16mm x ½" BSP	5
S1FE2015	20mm x ½"BSP	5
S1FE2020	20mm x ¾" BSP	5



FEMALE ADAPTORS		
S1FA1615	16mm x ½" BSP	10
S1FA2020	20mm x ¾" BSP	10

SECURAONE® FITTINGS

SecuraOne



Code	Size	Pack Qty
BRAZING TAILS		
S1BT16	16mm x ½" Cu	10
S1BT20	20mm x ¾" Cu	10



SWIVEL CONNECTORS		
S1SC1215	12mm x ½" BSP	10
S1SC1615	16mm x ½" BSP	10
S1SC1620	16mm x ¾" BSP	10
S1SC2015	20mm x ½" BSP	10
S1SC2020	20mm x ¾" BSP	10
S1SC2520	25mm x ¾" BSP	10
S1SC2525	25mm x 1" BSP	10
S1SC3232	32mm x 1¼" BSP	10



SWIVEL ELBOWS		
S1SE1215	12mm x ½" BSP	10
S1SE1615	16mm x ½" BSP	10
S1SE1620	16mm x ¾" BSP	10
S1SE2015	20mm x ½" BSP	10
S1SE2020	20mm x ¾" BSP	10
S1SE2525	25mm x 1" BSP	10



FEMALE WINGBACKS		
S1W1215	12mm x ½" BSP	10
S1W1615	16mm x ½" BSP	10
S1W1620	16mm x ¾" BSP	10
S1W2015	20mm x ½" BSP	10
S1W2020	20mm x ¾" BSP	10
S1W2525	25mm x 1" BSP	10
S1DW1615	Double Fix 16mm x ½" BSP	10
S1DW2020	Double Fix 20mm x ¾" BSP	10



MALE WINGBACKS		
S1MW1215-100	12mm x ½" BSP - 100mm	10
S1MW1615-65	16mm x ½" BSP - 65mm	10
S1MW1615-100	16mm x ½" BSP - 100mm	10
S1MW2020-100	20mm x ¾" BSP - 100mm	10
S1DMW1615-100	Double Fix 16mm x ½" BSP - 100mm	10
S1DMW1615-200	Double Fix 16mm x ½" BSP - 200mm	10
S1DMW2020-100	Double Fix 20mm x ¾" BSP - 100mm	10
S1DMW2020-200	Double Fix 20mm x ¾" BSP - 200mm	10



Code	Size	Pack Qty
HOSE PLATES		
S1HP1615	16mm x ½" BSP	10
S1HP2020	20mm x ¾" BSP	10



LUGGED TEE		
S1LT16	16mm x 16mm x ½" BSP	10



CROX TEE ADAPTOR		
S1XTA16	15mm Copper x 16mm	10



END PLUGS		
S1EP12	12mm	10
S1EP16	16mm	10
S1EP20	20mm	10
S1EP25	25mm	10
S1EP32	32mm	10



MAINTENANCE FITTINGS		
S1C15PB	Coupling 15mm PB	5
S1C1615PB	Transition Coupling 16mm x 15mm PB	10
S1C2020PB	Transition Coupling 20mm x 20mm PB	10
S1C2528PB	Transition Coupling 25mm x 28mm PB	5
S1C167.4	Transition Coupling 16mm x 16mm SDR7.4	5
S1C207.4	Transition Coupling 20mm x 20mm SDR7.4	5
S1E15PB16	Transition Elbow 15mm PB x 16mm	5
S1E20PB20	Transition Elbow 20mm PB x 20mm	5
S1TT15PB16	Transition Tee 15mm PB x 16mm	10
S1TT20PB20	Transition Tee 20mm PB x 20mm	10



MAINS FITTINGS		
S1MCPE2520	Mains Coupling MDPE 25mm x 20mm	5
S1MCPE2525	Mains Coupling MDPE 25mm x 25mm	5
S1MCPE3225	Mains Coupling MDPE 32mm x 25mm	5
S1MCPE3232	Mains Coupling MDPE 32mm x 32mm	5

SECURAONE® PIPES



Code	Description	Pack Qty
PB PIPES		
S1PB125S	12mm - 5m Straight	20
S1PB1225C	12mm - 25m Coil (lay straight)	1
S1PB1250C	12mm - 50m Coil	1
S1PB12100C	12mm - 100m Coil	1
S1PB165S	16mm - 5m Straight	20
S1PB1625C	16mm - 25m Coil (lay stratight)	1
S1PB1650C	16mm - 50m Coil	1
S1PB205S	20mm - 5m Straight	10
S1PB2025C	20mm - 25m Coil (lay straight)	1
S1PB2050C	20mm - 50m Coil	1
S1PB255S	25mm - 5m Straight	10
S1PB2550C	25mm - 50m Coil	1
S1PB325S	32mm - 5m Straight	5



PEX PIPES – BLACK		
S1PEX165S	PEX 16mm - 5m Straight	20
S1PEX1650C	PEX 16mm - 50m Coil	1
S1PEX205S	PEX 20mm - 5m Straight	10
S1PEX2050C	PEX 20mm - 50m Coil	1
S1PEX255S	PEX 25mm - 5m Straight	10
S1PEX2550C	PEX 25mm - 50m Coil	1
S1PEX325S	PEX 32mm - 5m Straight	5



PEX PIPES - RED (for hot water lines)		
S1PEX16R5S	PEX 16mm Red - 5m Straight	20
S1PEX16R50C	PEX 16mm Red - 50m Coil	1
S1PEX20R5S	PEX 20mm Red - 5m Straight	10
S1PEX20R50C	PEX 20mm Red - 50m Coil	1



PEX PIPES - BLUE (for cold water lines)		
S1PEX16B5S	PEX 16mm Blue - 5m Straight	20
S1PEX16B50C	PEX 16mm Blue - 50m Coil	1
S1PEX20B5S	PEX 20mm Blue - 5m Straight	10
S1PEX20B50C	PEX 20mm Blue - 50m Coil	1



PEX PIPES - LILAC (for recycled water lines)		
S1PEX16L5S	PEX 16mm Lilac - 5m Straight	20
S1PEX16L50C	PEX 16mm Lilac - 50m Coil	1
S1PEX20L5S	PEX 20mm Lilac - 5m Straight	10
S1PEX20L50C	PEX 20mm Lilac - 50m Coil	1

SECURAONE® PIPES



Code	Description	Pack Qty
PEX PIPES - GREEN (for rainwater lines)		
S1PEX16G5S	PEX 16mm Green - 5m Straight	20
S1PEX16G50C	PEX 16mm Green - 50m Coil	1
S1PEX20G5S	PEX 20mm Green - 5m Straight	10
S1PEX20G50C	PEX 20mm Green - 50m Coil	1

SECURAONE® TOOLS & ACCESSORIES









Code	Description	Pack Quantity
PIPE CLIPS		
S1PC12	12mm	1
S1PC16	16mm	1
S1PC20	20mm	1
S1PC25	25mm	1
S1PC32	32mm	1
CRIMP TOOLS		
S1CCT12	Compact Crimp Tool 12mm	1
S1CCT16	Compact Crimp Tool 16mm	1
S1CCT20	Compact Crimp Tool 20mm	1
S1DCT25	Crimp Tool 25mm	1
S1DCT32	Crimp Tool 32mm	1
S1CT16	Alba Crimp Tool 16mm	1
S1CT20	Alba Crimp Tool 20mm	1
BATTERY CRIMP TOOLS		
S1PT01	Battery Crimp Tool: 3 Jawscharger-Battery	1
S1PTJ16	Battery Crimp Tool: Jaw 16mm	1
S1PTJ20	Battery Crimp Tool: Jaw 20mm	1
S1PTJ25	Battery Crimp Tool: Jaw 25mm	1
S1PTJ32	Battery Crimp Tool: Jaw 32mm	1
S1REMJ16	REM Power Tool Jaw 16mm	1
S1REMJ20	REM Power Tool Jaw 20mm	1
S1REMJ25	REM Power Tool Jaw 25mm	1
S1REMJ32	REM Power Tool Jaw 32mm	1

LAND DRAINAGE

83 Corrugated Drainage Systems

83 Drainflo®
86 Drainflo® HD
86 Drainflo® Smooth
86 Drainflo® Smooth HD
86 Drainflo® Fittings





Drainflo®

The Smooth Operator

Introducing Drainflo® Smooth by Marley, with its refined double-walled, smooth inner lining for outstanding water flow rates. Superior drainage and crush resistance, Drainflo® Smooth is **THE** high performing solution.

The complete Drainflo® range delivers the optimal combination of strength, durability, flow and drainage – setting the standard in sub-soil drainage.



MARLEY by aliaxis



Product	Diameters/lengths	SN Rating	Filter Sock
Drainflo	**65mm** - 15m, 30m, 50m, 150m **110mm** – 15m, 30m, 50m, 100m **160mm** – 15m	SN6	✓
	160mm – 45m		✓
Drainflo HD	**110mm** – 100m	SN10	✓
	160mm – 45m		✓
Drainflo Smooth	**110mm** – 15m, 30m, 50m, 100m	SN6	✓
	160mm – 45m		✓
Drainflo Smooth HD	**110mm** – 100m	SN10	✓
	160mm – 45m		✓



Unpunched options available in all four variants
these feature a grey coupler to distinguish from punched

RANGE
Extensive range providing choice of diameter, length, stiffness and filtration to suit the application

DURABILITY
Proven reliability with over 60 years in the New Zealand market, consistent quality management verified by ISO 9001 certification and IANZ accredited laboratory

STRENGTH
Independently verified by Bureau Veritas to meet SN6 and SN10 stiffness rating, options available to meet both NZTA F/2 and F/5 specification

FLOW
Drainflo Smooth range has up to 50% higher flow rates – ideal for low gradient or high volume applications

DRAINAGE
Specifically designed slot pattern maximises drainage performance whilst maintaining strength

FILTRATION
Custom-made Cirtex® Filter Sleeve options available as a tested and proven filtration solution for protecting subsoil drains from sedimentation

NZ MADE
Complete Drainflo® range of pipe and fittings made right here in New Zealand

100% RECYCLABLE
Drainflo HDPE material is 100% recyclable, we will take back unused off-cuts for recycling and re-process our HDPE production waste to avoid waste going to landfill

Drainflo® code structure

400.110.100FS

Wall type and Punched vs Unpunched	Outside Diameter	Length	Special variant
400 – Single Wall Punched **420** – Smooth Bore Punched **500** – Single Wall Unpunched **520** – Smooth Bore Unpunched	65 110 160	15m, 30m, 45m, 50m, 100m, 150m	**FS** – Filtersock **HD** – Heavy Duty SN10 **U** – unpunched (historic suffix only used on existing single wall variants) **HDFS** – Heavy Duty with Filtersock **HDU** – Heavy Duty Unpunched

CORRUGATED DRAINAGE SYSTEMS

Drainflo®



DRAINFLO®

Code	Diameter	Coil Length	SN Rating	Filter Sock	Unpunched
DRAINFLO®					
400.65.15	65mm	15m	SN6		
400.65.30	65mm	30m	SN6		
400.65.150	65mm	150m	SN6		
500.65.15U	65mm	15m	SN6		✔
500.65.30U	65mm	30m	SN6		✔
400.110.15	110mm	15m	SN6		
400.110.30	110mm	30m	SN6		
400.110.50	110mm	50m	SN6		
400.110.100	110mm	100m	SN6		
400.110.15FS	110mm	15m	SN6	✔	
400.110.30FS	110mm	30m	SN6	✔	
400.110.100FS	110mm	100m	SN6	✔	
500.110.15U	110mm	15m	SN6		✔
500.110.30U	110mm	30m	SN6		✔
500.110.100U	110mm	100m	SN6		✔
400.160.15	160mm	15m	SN6		
400.160.45	160mm	45m	SN6		
400.160.45FS	160mm	45m	SN6	✔	
500.160.15U	160mm	15m	SN6		✔
500.160.45U	160mm	45m	SN6		✔

All unpunched variants come with a grey coupler to distinguish from punched equivalent – see page 84 for example.

CORRUGATED DRAINAGE SYSTEMS

Drainflo®



Code	Diameter	Coil Length	SN Rating	Filter Sock	Unpunched
DRAINFLO® HD					
400.110.100HD	110mm	100m	SN10		
400.110.100HDFS	110mm	100m	SN10	✔	
400.160.45HD	160mm	45m	SN10		
400.160.45HDFS	160mm	45m	SN10	✔	



DRAINFLO® SMOOTH					
420.110.30	110mm	30m	SN6		
420.110.50	110mm	50m	SN6		
420.110.100	110mm	100m	SN6		
420.110.30FS	110mm	30m	SN6	✔	
420.110.100FS	110mm	100m	SN6	✔	
520.110.15	110mm	15m	SN6		✔
520.110.30	110mm	30m	SN6		✔
520.110.100	110mm	100m	SN6		✔
420.160.45	160mm	45m	SN6		
420.160.45FS	160mm	45m	SN6	✔	
520.160.45	160mm	45m	SN6		✔



DRAINFLO® SMOOTH HD					
420.110.50HD	110mm	50m	SN10		
420.110.100HD	110mm	100m	SN10		
420.110.100HDFS	110mm	100m	SN10	✔	
520.110.100HD	110mm	100m	SN10		✔
420.160.45HD	160mm	45m	SN10		
420.160.45HDFS	160mm	45m	SN10	✔	
520.160.45HD	160mm	45m	SN10		✔

All unpunched variants come with a grey coupler to distinguish from punched equivalent – see page 84 for example.
Drainflo Smooth HD complies with NZTA F/2 specifications.

DRAINFLO® FITTINGS



Code	Diameter	Pack Qty
DRAINFLO® JUNCTION "Y"		
504.110.45	110mm	10
504.160.45	160mm	5



DRAINFLO® REDUCING JUNCTION "Y"		
505.160.110.45	160/110mm	5



Code	Diameter	Pack Qty
DRAINFLO® STRAIGHT COUPLER		
510.65	65mm	20
510.110	110mm	20
510.160	160mm	20



SURFACE WATER DRAINAGE

89 Connecto Trade®

91 Connecto™

92 AdjustaPit®



CONNECTO TRADE® SURFACE WATER DRAINAGE

CONNECTO TRADE® CHANNEL AND GRATE

- Interlocking modular design means less components and less waste
- Patented* support bracket to strengthen the joins between channels
- End outlet has a step-down design to allow for a thicker concrete slab above the pipe
- Outlets are made from ABS plastic, can be solvent welded to PVC pipe and fit 90mm & 100mm pipe
- Easily removable plastic grates for maintenance & cleaning
- 5 tonne vehicle load rating



Code	Depth	Length
80 CHANNEL - PEDESTRIAN		
CT80P1	80mm	1m



Code	Depth	Length
130 CHANNEL - PEDESTRIAN		
CT130P1	130mm	1m
CT130P3	130mm	3m



Code	Depth	Length
130 CHANNEL - STANDARD		
CT130S1	130mm	1m
CT130S3	130mm	3m



Code	Depth	Length
130 CHANNEL - GALVANISED		
CT130G1	130mm	1m
CT130G3	130mm	3m



Code	Depth	Length
130 CHANNEL - STAINLESS		
CT130SS1	130mm	1m
CT130SS3	130mm	3m



Code	Depth	Length
130 - CHANNEL ONLY		
CT1301	130mm	1m



Code	Depth	Length
GARAGE PACK - STANDARD		
CT130S4GP	130mm	4m

CONNECTO TRADE® CORNERS

- 90° corner fits with Connecto Trade® 130mm drainage channel
- Interlocking modular design means less components and less waste



Code	Depth
STANDARD CORNER	
CT130CS	130mm



Code	Depth
PEDESTRIAN CORNER	
CT130CP	130mm



Code	Depth
GALVANISED CORNER	
CT130CG	130mm



Code	Depth
STAINLESS STEEL CORNER	
CT130CSS	130mm

CONNECTO TRADE® GRATES



Code	Length
STANDARD GRATE	
CTGS	1m



Code	Length
PEDESTRIAN GRATE	
CTGP	1m



Code	Length
GALVANISED GRATE	
CTGG	1m



Code	Length
STAINLESS GRATE	
CTGSS	1m

CONNECTO TRADE® SURFACE WATER DRAINAGE

CONNECTO TRADE® ACCESSORIES

	Code
	**80 CHANNEL ADAPTOR** CT80A
	**80 CHANNEL END CAP** CT80EC
	**130 CHANNEL ADAPTOR** CT130A
	**130 CHANNEL END CAP** CT130EC
	**130 CHANNEL END OUTLET** CT130EO

	Code
	**SUPPORT BRACKET** CTSB Compatible with both 80mm and 130mm channel.
	**BOTTOM OUTLET** CTBO Compatible with both 80mm and 130mm channel.
	**130 CHANNEL LEAF GUARD** CT130LG

CONNECTO TRADE® PITS

- Rainwater pits for use with Connecto Trade® and in domestic applications under downpipes or at the end of surface water channel
- Long-lasting rigid material made with UV stabilised recycled materials

	Code
	**PIT 250mm & PLASTIC GRATE** CTP250P
	**PIT 250mm & ALUMINIUM GRATE** CTP250A
	**PIT 250mm & CAST IRON GRATE** CTP250CI
	**130 CHANNEL PIT BASE ONLY** CT130CPB
	**PIT 250mm BASE ONLY** CTP250B
	**GRATE 250mm - PLASTIC** CTG250P
	**GRATE 250mm - ALUMINIUM** CTG250A

	Code
	**130 CHANNEL PIT & PLASTIC GRATE** CT130CPP
	**130 CHANNEL PIT & ALUMINIUM GRATE** CT130CPA
	**130 CHANNEL PIT & CAST IRON GRATE** CT130CPCI
	**PIT 350MM - ALUMINIUM GRATE** CTP350A
	**PIT 350mm BASE ONLY** CTP350B
	**GRATE 350mm - ALUMINIUM** CTG350A
	**GRATE 250mm SQUARE - CAST IRON** DG250SCI

CONNECTO™ SLIM

- Slim is ideal for situations requiring minimal water drainage and when aesthetics matter
- Compatible with Connecto™ Stainless Steel side rails
- Manufactured to globally recognised standard EN1433

	Code	Depth	Length
	**SLIM CHANNEL & GRATE - STANDARD**		
	SLIM.STA	60mm	0.5m
	**SLIM CHANNEL & GRATE - PEDESTRIAN**		
	SLIM.PED	60mm	0.5m
	**SLIM CHANNEL & GRATE - STAINLESS**		
	SLIM.SS	60mm	1m

	Code	Length
	**SLIM END CAP**	
	SLIM.CAP	
	**SIDE RAILS - STAINLESS STEEL**	
	CON.SSRAIL	1m
	**VERTICAL OUTLET**	
	CON.OUTLET	

CONNECTO™ MEDIO

- Medio is suitable for residential applications like garage areas
- Manufactured to globally recognised standard EN1433

	Code	Depth	Length
	**MEDIO CHANNEL & GRATE - STANDARD**		
	MEDIO.STA	115mm	1m
	**MEDIO CHANNEL & GRATE - GALVANISED**		
	MEDIO.GALV	115mm	1m
	**MEDIO CHANNEL & GRATE - STAINLESS**		
	MEDIO.SS	115mm	1m
	**MEDIO CHANNEL & GRATE - CAST IRON**		
	MEDIO.CAST	115mm	1m

	Code
	**MEDIO END CAP**
	MEDIO.CAP
	**MEDIO END CAP - SHORT**
	MEDIO.CAPSH

CONNECTO™ MAX

- Max is a high water capacity system ideal for use in high rainfall and large drainage areas
- Designed to handle the stress and durability of long term use
- Manufactured to globally recognised standard EN1433

	Code	Depth	Length
	**MAX CHANNEL & GRATE - STANDARD**		
	MAX.STA	142mm	1m
	**MAX CHANNEL & GRATE - CAST IRON**		
	MAX.CAST	142mm	1m

	Code
	**CONNECTO™ VERTICAL OUTLET**
	CON.OUTLET
	**MAX END CAP**
	MAX.CAP

ADJUSTAPIT®

ADJUSTAPIT® 350

- Designed to comply with NZBC: Type-one Surface Water SUMP - Acceptable Solution E1/AS1 (3.6.2)
- Integrated external trap reduces component and labour costs as no additional joints or fittings required
- Internal access plug allows for quick and easy clearing of blockages
- Heavy duty cast iron grate load tested to 5 tonne
- Patented design

	Code
	ADJUSTAPIT® 350mm – ROUND PIT & GRATE DA350R
	ADJUSTAPIT® 350mm – SQUARE PIT & GRATE DA350S

ADJUSTAPIT® 350 COMPONENTS

	Code
	350mm – ROUND PIT & RISER DA350PR
	350mm – ROUND RISER ONLY DA350PRR
	350mm – ROUND GRATE ONLY DA350GR
	350mm – SQUARE RISER ONLY DA350PRS
	350mm – SQUARE PIT & RISER DA350PS
	350mm – PIT BODY ONLY DA350PB
	350mm – SQUARE GRATE ONLY DA350GS
	350mm – ACCESS PLUG DASPLUG

ADJUSTAPIT® 250


- Integrated external trap reduces component and labour costs as no additional joints or fittings required
- Internal access plug allows for quick and easy clearing of blockages
- Cast aluminium grates suitable for use in pathways, patio, landscaping and pedestrian areas
- Patented design

	Code
	250mm – ROUND PIT & ALUMINIUM GRATE DA250R
	250mm – SQUARE PIT & ALUMINIUM GRATE DA250S
	250mm – ROUND PIT & CAST IRON GRATE DA250RCI
	250mm – SQUARE PIT & CAST IRON GRATE DA250SCI

ADJUSTAPIT®

ADJUSTAPIT® 250 GRATES

	Code
	250mm – ROUND GRATE DA250GR
	250mm – ROUND GRATE - CAST IRON DG250RCI

	Code
	250mm – SQUARE GRATE DA250GS
	250mm – SQUARE GRATE - CAST IRON DG250SCI

ADJUSTAPIT® 250 COMPONENTS

	Code
	250mm – ROUND PIT & RISER DA250PR
	250mm – ROUND RISER ONLY DA250PRR
	250mm – SQUARE PIT & RISER DA250PS

	Code
	250mm – SQUARE RISER ONLY DA250PRS
	250mm – PIT BODY ONLY DA250PB
	250mm – ACCESS PLUG DASPLUG

ADJUSTAPIT® BASIC 250

- Featuring the same innovative adjustable riser, paired with a basic pit base, AdjustaPit® Basic provides an entry level option to the AdjustaPit® range
- Available with two grate options – aluminium and cast iron, and two pit options – standard and with a fixed outlet

	Code
	BASIC 250mm – ROUND PIT & ALUMINIUM GRATE DAB250RA
	BASIC 250mm – ROUND PIT & CAST IRON GRATE DAB250RCI
	BASIC 250mm – ROUND PIT WITH OUTLET & ALUMINIUM GRATE DAB250ROA
	BASIC 250mm – SQUARE PIT ALUMINIUM GRATE DAB250SA

	Code
	BASIC 250mm – SQUARE PIT & CAST IRON GRATE DAB250SCI
	BASIC 250mm – SQUARE PIT WITH OUTLET & ALUMINIUM GRATE DAB250SOA
	BASIC 250mm – ROUND PIT WITH OUTLET & CAST IRON GRATE DAB250ROCI
	BASIC 250mm – SQUARE PIT WITH OUTLET & CAST IRON GRATE DAB250SOCI

ADJUSTAPIT®

ADJUSTAPIT® BASIC 250 COMPONENTS

	Code
	BASIC 250mm – PIT & RISER ONLY ROUND
	DAB250PR
	BASIC 250mm – PIT & RISER ONLY ROUND WITH OUTLET
	DAB250PRO
	BASIC 250mm – RISER ROUND ONLY
	DAB250PRR
	BASIC 250mm – PIT & RISER ONLY SQUARE
	DAB250PS
	BASIC 250mm – PIT & RISER ONLY SQUARE WITH OUTLET
	DAB250PSO

	Code
	BASIC 250mm – RISER SQUARE ONLY
	DAB250PRS
	BASIC 250mm – PIT BODY ONLY
	DAB250PB
	BASIC 250mm – PIT BODY ONLY WITH OUTLET
	DAB250PBO
	BASIC 250mm – THREAD INSERT ONLY
	DAB250TI

MISCELLANIOUS / OTHER

96 Bathroom Solutions

96 Centreflush2®
96 Centreflush2® Spares
97 Vienna®
97 Vienna® Spares
98 Loline
98 Loline Spares
99 Toilet Seats & Spares
99 Delmonte / Montego Spares
99 Pans
100 Macerator Pump Spares
100 Valves

101 Grease Management


101 Endura® XL Grease Traps
102 Grease Converter Systems
102 Grease Converter Components & Spare Parts
103 Endura® Solids Interceptor

BATHROOM SOLUTIONS

CENTREFLUSH2® TOILET SUITE

Practical and dependable for new bathrooms or renovations, this cistern is a 'direct replacement' installation making Centreflush® a favourite of plumbing professionals.

- Plastic cistern, full flush 4.5/6/9L, half flush 3L, 3 Star WELS
- Clip on lid with internal condensation lip for added watertightness
- Comes with Regent seat and compatible with a large range of seats and pans
- Side right/left water inlet options
- S set out 160 – 260mm
- P set out 180mm





Code	
CENTREFLUSH2®	
CFDFPPSWH	S Trap
CFDFPPPWH	P Trap



Code	
CENTREFLUSH2® CISTERN	
CFDFUWWH2	

CENTREFLUSH2® SPARES



Code	
2 CISTERN LID	
CF2LIDSP	
Round hole and anti condensation lip	



Code	
FLUSHPIPE REDUCER	
CSFRC	
Secures 40mm flushpipe to cistern	



FLUSH BUTTON COMPLETE	
CFLLB5590SP	
Chrome plastic dual flush button	



PAN SCREW & CAP SET	
PSPPWH	
Pan screw & cap set	



FLUSH PIPE NUT	
CFFNCT	
Attaches flushpipe to cistern	



OVERFLOW HOLE STOPPER KIT	
CSOHSKLTWH	
Overflow hole stopper kit	



40mm FLUSHPIPE CONNECTOR	
CSFCC	
Creates a watertight seal between flushpipe and pan	



SIDE ENTRY INLET VALVE	
SEB3200SP	
Adjustable level side entry valve	

GREY SEALING WASHER	
CFLL30795	
Located at base of the flush valve	



BARREL DUAL FLUSH VALVE	
LLB4910SP	
6/3L flush. Adjustable to 9L full flush	



40mm FLUSHPIPE	
CSFCWH	610mm(h)
Connects the Centreflush® cistern to the pan	


BATHROOM SOLUTIONS


VIENNA® TOILET SUITE

The Vienna® is a fresh modern design with smooth lines to complement any bathroom decor.

The flexible set out options make this an ideal toilet suite for renovations.

- Modern link suite with exposed waste pan
- Plastic cistern, 4.5/3L, 4 Star WELS
- Classic seat with quick release function
- Adjustable mounting bracket for simple and easy installation
- Bottom right/left water inlet options
- 160 – 260mm set out







Code	VIENNA®
DVIENNASWH	S Trap
DVIENNAPWH	P Trap



Code	VIENNA® CISTERN & SEAT PACK
DVIENNACS	

VIENNA® SPARES



Code	BOTTOM ENTRY INLET VALVE
BEB3200SP	

Adjustable level bottom entry valve



Code	FLUSH BUTTON COMPLETE
CFLLB5590SP	

Chrome plastic dual flush button



PAN SCREW & CAP SET

PSPPWH

Pan screw & cap set



VIENNA CISTERN MOUNTING BRACKET

VMBRKTSP

Adjustable mounting bracket for quick and easy installation



FLUSHPIPE NUT

CFFNCT

Attaches flushpipe to cistern.



50mm PIPE-PAN CONNECTOR

CSFCLT

Rubber connector attaches flushpipe to pan



VIENNA CISTERN FLUSH VALVE

VB4910TSP

4.5/3L flush. Adjustable to 6L full flush



FLUSHPIPE SEALING RING

CSFSRLT

Flushpipe sealing ring

GREY SEALING WASHER

CFLL30795

Located at base of the flush valve



50mm FLUSHPIPE

CSFTWH

210mm long



VIENNA CISTERN LID

VLIDWHSP


White cistern lid

BATHROOM SOLUTIONS

LOLINE TOILET SUITE

Reliable and practical, the Loline toilet suite has flexible set out and flush options, and it's mid level height makes it suitable for under windows.

- Link suite with vitreous china pan
- Plastic cistern, 6/3L, 3 Star WELS
- Regent seat
- Bottom right/left, side/bottom entry
- S or P Pan configurations available
- S set out 210mm
- P set out 190mm





Code	LOLINE
LLBEPPSWH	S Trap (Bottom)
LLBEPPPWH	P Trap (Bottom)
LLSEPPSWH	S Trap (Side)
LLSEPPPWH	P Trap (Side)



Code	LOLINE CISTERN
LLDFBEWH	Bottom Enry
LLDFSEWH	Side Entry

LOLINE SPARES



BOTTOM ENTRY INLET VALVE

BEB3200SP

Adjustable level bottom entry valve



FLUSHPIPE SEALING RING

CSFSRLT

Flushpipe sealing ring



FLUSH BUTTON COMPLETE

CFLLB5590SP

Chrome plastic dual flush button



SIDE ENTRY INLET VALVE

SEB3200SP

Adjustable level side entry valve



FLUSHPIPE NUT

CFFNCT

Attaches flushpipe to cistern



OVERFLOW HOLE STOPPER KIT

CSOHSKLTWH

Overflow hole stopper kit



50mm PIPE-PAN CONNECTOR

CSFCLT

Rubber connector attaches flushpipe to pan



PAN SCREW & CAP SET

PSPPWH

Pan screw & cap set

GREY SEALING WASHER

CFLL30795

Located at base of the flush valve



BARREL DUAL FLUSH VALVE

LLB4910SP

6L full flush



50mm LOLINE FLUSHPIPE

CSFLWH

185mm long, 220mm high



LOLINE CISTERN LID

LWHTLNSP

White cistern lid with round hole

BATHROOM SOLUTIONS

TOILET SEATS & SPARES



CLASSIC DOUBLE FLAP

Code CLDFWH

Quick release, link flap, plastic seat bolts., buffers



REGENT DOUBLE FLAP

Code RGDFWH

Plastic seat bolts



TOILET SEAT BUFFERS

Code TSB

Spare for Classic and Royal seats
Pack of 4



TOILET SEAT CLAMP PLATE

Code TSCPCT

Spare for Classic and Twinline seats



SEAT HINGE PIN

Code TSHPWHCT

Spare for Classic and Twinline seats



TOILET SEAT FIXING

Code TSNBWCT

Spare for Classic and Twinline seats



TOILET SEAT FIXING

Code TSNBWRR

Spare for Royal and Regent seats
Includes rubber gasket



TOILET SEAT PILLAR & ROD

Code TSRYPRSWH

Spare for Royal and Regent seats

DELMONTE / MONTEGO SPARES



BOTTOM ENTRY INLET VALVE

Code BEB3200SP

Adjustable level bottom entry valve



50mm FLUSHPIPE

Code CSFTWH

210mm long



50mm PIPE-PAN CONNECTOR

Code CSFCLT

Rubber connector attaches flushpipe to pan



OVERFLOW HOLE STOPPER KIT

Code CSOHSKLTWH

Overflow hole stopper kit



FLUSHPIPE SEALING RING

Code CSFSRLT

Flushpipe sealing ring



PAN SCREW & CAP SET

Code PSPPWH

Pan screw & cap set

PANS



PAN P TRAP

Code C16P45

Standard P Trap vitreous china pedestal toilet pan
Pan: Designed for 4.5/3L flush volume
Rim: Open
Setout: Minimum of 150mm
Cistern: Most wall mounted cisterns
Height: 400mm
Width: 350mm
Base of pan: 225mm
Length: 549mm



PAN S TRAP

Code C16S45

Standard S Trap vitreous china pedestal toilet pan
Pan: Designed for 4.5/3L flush volume
Rim: Open
Setout: Minimum of 150mm
Cistern: Most wall mounted cisterns
Height: 400mm
Width: 350mm
Base of pan: 225mm
Length: 549mm

BATHROOM SOLUTIONS

MACERATOR PUMP SPARES



Code

CASSETTE SET DCEB-705

75409

Cassette for Ciclon Lifting Station DCEB-705



Code

CLIP-ON PRESSURE SWITCH

75109

Clip-on Pressure Switch



CHECK VALVE FLAT WASHER

75102

Washer for Check Valve



CHECK VALVE

75101

Non-return valve for Ciclon Macerators



ACTIVATED CARBON CARTRIDGE

75104

Activated Carbon Filter for Ciclon Macerators



PRESSURE SWITCH PIPE

75138

Threaded pressure switch

VALVES

R&T cistern inlet and outlet replacement valves are compatible with most models of popular NZ toilet suites.

- 3 year warranty
- Easy to follow installation instructions
- A valve to suit most applications
- Saves water when compared to old leaking valves
- Watermark Lic. #20079



Code

CISTERN OUTLET VALVE

X1200

Suits all cisterns 330mm - 430mm
Additional button set included - 38mm in diameter



Code

CISTERN INLET VALVE – BOTTOM

X1210B

Operating pressure range 0.02 - 0.8 MPa
Fits most bottom inlet toilet cisterns



CISTERN INLET VALVE – SIDE

X1230

Operating pressure range 0.02 - 0.8 MPa
Fits most toilet cisterns

ENDURA® XL GREASE TRAPS

ENDURA® XL 100 GREASE TRAPS

- Endura® XL Grease Traps provide a lightweight and easy installation
- Hydromechanical Grease Traps can operate efficiently utilising 75% of the internal volume to collect FOG's while standard Grease Traps are only efficient at settling FOG's for 25% of their internal volume
- Hydromechanical Grease Traps actively force the FOG's to separate reducing the required retention time down to 2 minutes, standard Grease Traps require a minimum of 30 minutes retention time



Code	
ENDURA® XL 100 GREASE TRAP WITH PEDESTRIAN LID	
DGT100P	

COMPONENTS



Code		
ENDURA® XL GREASE TRAP RISER - 450MM		
DGTR450*	Pair	



ENDURA® XL GREASE TRAP RISER - 880MM		
DGTR880*	Pair	

*Indent



Code	
ENDURA® XL PEDESTRIAN LID	
DGTPLID	Single



ENDURA® XL TRAFFICABLE LID	
DGTTLID	Single

GREASE CONVERTER SYSTEMS

GREASE CONVERTERS

› Capture and permanently transform fat, oil and grease (FOGs) from the wastewater of commercial kitchens, cafes, and restaurants

Grease Converters



Code	Description	Functional Capacity	Treating Capacity	Restaurant Seats
GREASE CONVERTER S/S				
GC5080WDAL	Grease Converter S/S 645L	258L	645L / hour	Up to 90*

*Guide only - contact Marley for more information.
The systems above come with Pro-Watch Automatic Pump, Actamatic Liquid 100ml Bottle, Actamatic Liquid 2L, Actamatic Liquid 5L Bottle, and Actamatic Powder 1kg.

GREASE CONVERTER COMPONENTS & SPARE PARTS



Code
PRO-WATCH AUTOMATIC PUMP
510T



Code
ACTAMATIC LIQUID 2L BOTTLE
AL2



Code
ACTAMATIC LIQUID 5L BOTTLE
AL5L



Code
SEALS & O RING SET
GCSEALS*



Code
O RING ONLY
GCORING*

For aluminium models only.
*Indent



Code
IN-SINK SCREEN & PLUG
BRWPPFT

ENDURA® SOLIDS INTERCEPTOR

ENDURA® SOLIDS INTERCEPTOR

› Used in a stand-alone tank or fitted directly in to a grease converter the Solids Basket Accessory captures solids and general debris to prevent blockages in plumbing and sewer systems



Code	Description
ENDURA SOLIDS INTERCEPTOR	
GCESOLINT*	Inlet/Outlet: 50mm

*Sufficient clearance (457mm) above the Interceptor must be available and maintained for removal and replacement of the solids basket.



Code
SOLIDS BASKET ACCESSORY
GCEBASKET

FOLLOW US

Sustainable Manufacturing

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice certified for our entire range of manufactured uPVC systems. This means we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint and accept our products back at the end of their useful life for recycling.

BEST ENVIRONMENTAL PRACTICE

AS/NZS 5395: 2024
LICENSE No 2969

CERTIFIED ISO 9001 ISO 14001

PROUD SUPPORTERS OF CERTIFIED RENEWABLE ELECTRICITY GENERATION

NZGBC TE KAUNIHERA HANGANGA TAUTAIAO Member 2025–2026

Disclaimer

This sales brochure has been compiled by Marley New Zealand Limited ("The Company") and is supplied subject to acknowledgment of the following conditions:

The sales brochure is protected by Copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. Prices are subject to change, product specifications, usage data and advisory information may also change from time to time with advances in research and field experience. The Company reserves the right to make such changes to price or product information at any time without notice. Correct usage of the Company's products involve engineering judgements which cannot be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything and of the consequences of anything done or omitted to be done by any such person in reliance whether whole or partial upon the whole or any part of the contents of this publication. No offer to trade, nor any conditions of trading, are expressed or implied by the issue or content of this manual. Nothing herein shall override the Company's Conditions of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. This price book is and shall remain the property of the Company, and shall be surrendered on demand to the Company.

MAR6934 July 2026

Our Partners

Master Plumbers® Representing Excellence

Accredited Partner MASTER ELECTRICIANS Electrical Contractors Association of NZ

New Zealand Certified Builders Association NZCB

REGISTERED MASTER BUILDERS ASSOCIATE MEMBER

SPEC ASSIST

MEMBER OF ROOFING ASSOCIATION NZ

For more information: **0800 MARLEY (0800 627539)** | **www.marley.co.nz**

MARLEY by aliaxis