

Conformance Certificate

MARLEY AUCKLAND
32 MAHIA ROAD, PRIVATE BAG 802
MANUREWA, AUCKLAND

MARLEY CHRISTCHURCH
129 SHANDS ROAD, PO BOX 16233
HORNBY, CHRISTCHURCH

T 0800 MARLEY (627 539)
E info@marley.co.nz
W www.marley.co.nz

Marley Optim® Drain Waste and Vent (DWV) Pipe & Fittings

Date of Manufacture As printed or marked on pipe or fitting or fitting bag/product label
Product(s) Marley uPVC pipes and fittings for Drain, Waste and Vent Systems

Product Conformance:

Manufacturing Standard AS/NZS 1260:2017
License Number 2365 – Bureau Veritas
Management System ISO 9001 : 2015 – Bureau Veritas Certification 001692-1
ISO 14001 : 2015 – Bureau Veritas Certification 001693-1

Product Quality Data In accordance with AS/NZS 1260: 2017
Watermark Certificate of Conformity No. 20224 (DWV Fittings)

Manufacturing Systems:

Marley Manufacturing System has adopted individual internal procedures with comprehensive testing by process technicians on line and responsible laboratory testing programmes.

These quality control procedures include but are not limited to:
Control of processing parameters are fully monitored and recorded to ensure consistency and provide traceability.
Visual inspection of pipes & fittings to measure dimensions and testing compliance, including wall thickness diameter and length.
Production checks are carried out at regular intervals as specified in the standard. All tests are fully recorded to identify the product by time and date to give full traceability in the field.

Resin: Specifically blended resins in accordance with AS/NZS 1260 for extruded & moulded products to meet the asset design requirements.

Durability: Marley Optim® Drain Waste and Vent pipes and fittings will provide asset durability in excess of B2-NZBC of 50 years and Marley DWV Sanitary drains will have a life expectancy in excess of 100 years when designed, installed, bedded and used in accordance with the Standards Operation Specification and Codes.

Installation & Design Codes:

AS/NZ 2032 Installation of PVC Pipe and Fittings
AS/NZ 2566 Part 1-2 Installation design and testing.
General Plumbing Design and Installation AS/NZS 3500 Part 2 and Part 3
NZBC-G13



Authorised By:

John Scott
GM Manufacturing & Technical

