MARLEY STRATUS DESIGN SERIES®







WHERE STYLE MEETS DURABILITY



INSPIRED BY COASTAL NEW ZEALAND

New Zealanders have trusted Marley spouting and downpipe systems to protect their homes from the elements for over 40 years. Marley is proud to introduce our new generation of **designer uPVC spouting and downpipe systems**. Inspired by nature the Marley Stratus Design Series[®] is created with style and durability in mind.

When renovating, replacing existing spouting or building a new home, the Marley Stratus Design Series® offers a premium sophisticated look while protecting your home from the elements. For an innovative and New Zealand manufactured solution insist on Marley Stratus Design Series® for style without compromise.

PERFORMANCE AND DURABILITY

With most areas of New Zealand experiencing between 600–1600mm of rainfall throughout the year you will need a strong performing spouting and downpipe system. Both Marley Typhoon[®] and Stormcloud[®] spouting systems have been designed for the efficient flow of rain water and when used in conjunction with Marley's RP80[®] 80mm round downpipe system can withstand prolonged heavy rainfall.

The co-extruded spouting and downpipe system with its coloured outer layer is guaranteed for 15 years and being made from uPVC, will never rust, no matter what elements your home is exposed to. At the end of their lifecycle Marley spouting and downpipe systems can be recycled by simply returning it to our Auckland site.

For guaranteed performance we recommend you install a complete Marley rainwater system including either Typhoon or Stormcloud spouting and Marley's RP80® 80mm round downpipe system.







15 YEAR GUARANTEE

Guaranteed against material and manufacturing defects for 15 years.



WILL NOT RUST

Never rusts, no matter what elements your home is exposed to.



U.V RESISTANT

Designed to stand up to New Zealand's unique UV rays and climate.



MADE IN NZ

Made in New Zealand to meet New Zealand conditions, for over 40 years.




The second seco

SAFE FOR DRINKING

Complies with AS/NZS 4020: 2005, so safe for collecting drinking water.

LOW MAINTENANCE

Wash with warm soapy water and a soft brush, then simply rinse with clean water.



Used spouting and downpipes can be returned to Marley for recycling.



SUSTAINABLE MANUFACTURING

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice (BEP) certified for our entire range of manufactured uPVC systems, so are recognised under the New Zealand Green Building Council's Greenstar rating system.

BEP accreditation requires that we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint, and accept offcuts and used products back at the end of their life for recycling.

Marley has also joined Meridian Energy's Certified Renewable Energy programme with the goal of only sourcing electricity from 100% renewable sources by 2025.







TYPHOON® SPOUTING



Marley Typhoon spouting is designed with a high front to conceal untidy rooflines and it's curved profile ensures the efficient flow of rainwater. The half round profile will complement any style of home from classic villa or beach house, to the modern home.

BRACKET OPTIONS

Create a seamless finish with the smooth lines of the internal bracket system, or for a striking design statement and ease of cleaning, choose the external bracket system.

Internal Brackets



External Brackets







COLOUR OPTIONS _____



FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.







Typhoon[®] Black, Internal Brackets





STORMCLOUD® SPOUTING



NZ's favourite uPVC spouting, Stormcloud's quarter round shape frames your house with clean, strong lines, whilst enjoying all the low maintenance and long life benefits of uPVC.

Quarter round shape

BRACKET OPTIONS

Create a seamless finish with the smooth lines of the internal bracket system.

Internal Brackets







COLOUR OPTIONS



Grey Friars®



lronsand[®]





Gull Grey

Black

FlaxBlack®

FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.








Stormcloud[®] Grey Friars[®]



RP80® DOWNPIPE

New Zealand's number one selling downpipe is a key component of the Marley Stratus Design Series[®] system. Match the colour to your spouting or make a bold design statement. Marley downpipes are strong and low maintenance and come with a full range of streamlined colour matched fittings, including multiple bend options to suit any install.

BEND COMBINATIONS FOR NARROW SOFFITS



COLOUR OPTIONS



FlaxBlack® is a colour match for NZ Steel's COLORSTEEL® FlaxPod®. Marley NZ Ltd is not affiliated with NZ Steel Ltd. Note gloss levels may vary between building materials. Actual colours may vary slightly from those shown. For a more accurate colour comparison, please request a product sample.



Looking for inspiration?

e |

94.0

STRATUS



SUSTAINABILITY WITH STYLE

Marley's rain harvesting range combines innovative product features with sleek sophisticated designs that blend seamlessly into your downpipe system. Products are easy to install and maintain and require no glue or solvents.



Marley's Curve[®] leaf and debris diverter protects your water tank or stormwater system, improving water quality and reducing maintenance.

- > Next generation screen significantly reduces splash off in heavy rainfall. Less than 1% water loss at 134 litres per minute.
- > Low maintenance self shedding screen and quick release upper body for access.
- Added drip edge reduces downpipe discolouration. Includes tab for easier screen removal.
- Streamlined design available in a range of stylish colours to suit any dwelling.
- Fits 80mm round uPVC and steel downpipe.
 Adaptors available for 65mm round uPVC downpipe.
- > Easy stick on installation template included no glue required.





The Marley Twist[®] is a compact rainwater diverter that turns your downpipe into a free source of water. Designed for single downpipe use, Twist has an on-off function that allows water to be diverted as and when needed.

- > Connect to a small tank to collect free rainwater from your downpipe.
- Great source of water for the garden, general cleaning or for emergency supply.
- Positive impact on the environment through reduced mains water usage.
- $\, \hbox{\scriptstyle \rightarrow } \,$ Twist $^{\scriptscriptstyle \otimes}$ top to divert water flow as required.



URBAN RAIN HARVESTING MADE EASY

Marley's Tank-It[®] urban tank, coupled with a Marley Twist[®] downpipe diverter, offer a simple rain harvesting solution for capturing free rainwater from your roof.

$\mathsf{TMNK-IT}^{\mathsf{M}}$

Designed to store rainwater in urban environments where space is limited and aesthetics are important, Tank-It[®] won't look out of place next to your garden or courtyard.

Tank-It[®] is easily connected to a downpipe using a water diverter like the Marley Twist[®]. It has a choice of an upper or lower tap position and two hose inlet positions either side. Depending on the installation options you choose it can store up to 316 litres of rainwater.

Use this free water source for gardening, topping up pools or ponds, or for general outdoor cleaning. It is also ideal for storing a backup supply should adverse natural or accidental events affect the reliability of the mains water supply.

Tank-It[®] measures 1120mm high by 805mm wide x 575mm deep and its square shape means it can sit out of the way up against a wall or house. A vented screw top lid keeps the water secure and fresh.









Typhoon® Grey Friars®, alternating External & Internal Brackets

SPOUTING SYSTEM COMPONENTS

TYPHOON® SPOUTING SYSTEM

Cross-sectional area 6100 mm²



When selecting a colour add the corresponding colour extension to the product code.

E.g. MT1.4. **GYF** = Typhoon 4m length in Grey Friars[®]

COLOUR CODE EXTENSION

BLACK .BLK

GREY FRIARS[®] .GYF (Pictured)

IRONSAND® .IRO

GULL GREY .GGY

FLAXBLACK® .FXB

TITANIUM .TTN

COPPER .COP

| Component | Product | Product Code |
|---|---------|--------------|
| Typhoon [®] Spouting 4m Length | | MT1.4 |
| Internal Bracket | | MT2I |
| External Bracket | V | MT2E |
| Expansion Outlet 80mm | | MT8.80 |
| Dropper Outlet 80mm | - | MT11.80 |
| Joiner | V | MT5 |
| Expansion Joiner | | MT17 |
| External Angle 90° | | MT6 |
| Internal Angle 90° | | MT7 |
| Left Hand Stopend | | MT3 |
| Right Hand Stopend | V | MT4 |
| Special Spouting Angle - Flat [*] | | MTSPEC.F |
| Special Spouting Angle - Rake* | | MTSPEC.R |
| Solvent Welding Cement - 180g Tube | | MCS |

*Custom made to order





| When selecting a colour add the corresponding colour extension | Component | Product | Product Code |
|--|--|---------|--------------|
| to the product code. | Stormcloud [®] Spouting 4m Length | | MS1.4 |
| E.g. MS1.4. IRO = Stormcloud 4m length in Ironsand® | Stormcloud [®] Bracket | | MS2 |
| COLOUR CODE EXTENSION | Expansion Outlet 80mm | | MS8.80 |
| BLACK .BLK | | | |
| GREY FRIARS [®] .GYF | Expansion Outlet 65mm | | MS8.65 |
| IRONSAND [®] .IRO (Pictured) | Dropper Outlet 80mm NB: also use for metal spouting | | MC11.80 |
| GULL GREY .GGY | Joiner | V | MS5 |
| FLAXBLACK [®] .FXB | Expansion Joiner | | MS17 |
| | External Angle 90° | | MS6 |
| | Internal Angle 90° | | MS7 |
| | Left Hand Stopend | | MS3 |
| | Right Hand Stopend | | MS4 |
| | Special Spouting Angle - Flat [*] | | MSSPEC.F |
| | Special Spouting Angle - Rake [*] | | MSSPEC.R |

*Custom made to order

180g Tube

Solvent Welding Cement -



MCS.__

RP80[®] DOWNPIPE SYSTEM

FOR MARLEY uPVC OR METAL SPOUTING SYSTEMS

76mm I.D.

| When selecting a colour add the corresponding colour extension to the product code. E.g. RP80. FXB = RP80 3m length in FlaxBlack® COLOUR CODE EXTENSION BLACK .BLK | Component | Product | Product Code |
|---|---|------------------------|--------------|
| | Round Downpipe 80mm 3m Length NB: Nonsocketed – use jointing | | RP80 |
| | socket RS80.TTN 95° F+F Bend 80mm | | RB2.80 |
| | | | |
| | 95° M+F Bend 80mm | 1 | RB4.80 |
| GREY FRIARS® .GYF | 43° F+F Bend 80mm | U | RB3.80 |
| IRONSAND® .IRO | 43° M+F Bend 80mm | 4 | RB5.80 |
| GULL GREY .GGY FLAXBLACK [®] .FXB (Pictured) | Jointing Socket 80mm | | RS80 |
| | 95° Junction 80mm | | RJ80 |
| TITANIUM .TTN | 35 Junction Comm | | NJ00 |
| | Pipe Clip-Saddle 80mm | ~ | RC80 |
| | Pipe Clip Adjustable 80mm Ideal for weatherboards | | RC80.2 |
| | Pipe Clip Adjustable Spacer 80mm For stepped cladding systems | | RC80.2S |
| | Adaptor 80 to 90mm | | RA80.90 |
| | Adaptor 80 to 100mm | | RA80.100 |
| | Downpipe Spreader Kit 80mm | 4b ₁ | SKIT80. |
| | End Cap 80mm | | CS80 |
| | Dropper Outlet Also for connecting RP80® to metal spouting | T | MC11.80 |
| | Curve [®] Leaf Diverter Protect water tanks | | CURVE2 |
| | Twist ^{®^} Water Diverter For extra water supply | | TWIST |
| | Solvent Welding Cement - 180g Tube | | MCS |





Sustainable Manufacturing

Marley is committed to creating environmentally sustainable processes and products and was the first plastics manufacturer in New Zealand to achieve ISO14001 registration. We are also Best Environmental Practice certified for our entire range of manufactured uPVC systems. This means we get our raw materials from sustainable and responsible sources, continuously work on our manufacturing processes to reduce our environmental footprint and accept our products back at the end of their useful life for recycling.



Disclaimer

This sales brochure has been compiled by Marley New Zealand Limited ("The Company") and is supplied subject to acknowledgment of the following conditions:

The sales brochure is protected by Copyright and may not be copied or reproduced in any form or by any means in whole or in part without prior consent in writing by the Company. Prices are subject to change, product specifications, usage data and advisory information may also change from time to time with advances in research and field experience. The Company reserves the right to make such changes to price or product information at any time without notice. Correct usage of the Company's products involve engineering judgements which cannot be properly made without full knowledge of all the conditions pertaining to each specific installation. The Company expressly disclaims all and any liability to any person whether supplied with this publication or not in respect of anything do fthe consequences of anything do not or omitted to be done by any such person in reliance whether whole or partial upon the whole or any part of the contents of this publication. No offer to trade, nor any conditions of trading, are expressed or implied by the issue or content of this manual. Nothing herein shall override the Company's Conditions of Sale, which may be obtained from the Registered Office or any Sales Office of the Company. This price book is and shall remain the property of the Company, and shall be surrendered on demand to the Company.





For more information: 0800 MARLEY (0800 627539) | www.marley.co.nz

